OLDER ADULT GAY & BISEXUAL MALE VETERANS' PERCEPTION OF
ACCESS AND CULTURAL COMPETENCE WITHIN THE HEALTH CARE
SYSTEM

A Dissertation Presented to
the Faculty of the Graduate School
University of Missouri-Columbia

In Partial Fulfillment
of the Requirements for the Degree
Doctor of Philosophy

by
Nicholas C. Neibergall, M.S.
University of Missouri-Columbia
Francisco J. Sánchez, Dissertation Supervisor

July 2021

OLDER ADULT GB VETERANS IN HEALTH CARE

The undersigned, appointed by the dean of the Graduate School, have examined the dissertation entitled

OLDER ADULT GAY & BISEXUAL MALE VETERANS' PERCEPTION OF
ACCESS AND CULTURAL COMPETENCE WITHIN THE HEALTH CARE
SYSTEM

presented by Nicholas C. Neibergall,

a candidate for the degree of Doctor of Philosophy,

and hereby certify that, in their opinion, it is worthy of acceptance.

Professor Francisco J. Sánchez

Professor Antonio J. Castro

Professor Matthew A. Easter

Professor Christopher D. Slaten

W. Michael Palmer, Ph.D., ABPP

ACKNOWLEDGEMENTS

I would like to thank my dissertation chair, Dr. Francisco Sánchez and the other members of my committee Dr. Tony Castro, Dr. W. Michael Palmer, Dr. Matthew Easter, and Dr. Chris Slaten.

I would also like to thank my clinical mentors who have helped me to get where I am today. My entry into the VA system would not have been possible if Dr. Palmer had not taken me on as a geropsychology practicum student during my second year. I am grateful for his mentorship and friendship and the wonderful training I received working with him as a student. I would also like to thank Dr. Martha Brownlee-Duffeck who was my first neuropsychology supervisor. Our personal and professional relationship over the years has meant a great deal to me and I will always be grateful that I was able to work with her prior to her retirement. Her assistance was invaluable in my application processes for both internship and postdoc and knowing her has made me a better clinician and a better person. I would like to thank Dr. Andy Knoop who was another key clinical mentor during my training. The opportunity he gave me to work as a clinical graduate assistant at the Thompson Center for two years provided me with much needed training in clinical assessment. I am grateful for having had the opportunity to work with him and will always remember his sense of humor, kindness, and passion for his work. Finally, I am grateful for my colleague, Keely Alexander. I am extremely grateful for her support and friendship during many personal and professional obstacles.

I have been fortunate to have had many other supervisors, mentors, professors, and colleagues during my training and am grateful to all of them for the unique ways they offered support throughout this journey.

TABLE OF CONTENTS

ACKNOWLEDGEMENTS.....	ii
LIST OF FIGURES.....	vi
LIST OF TABLES.....	vii
ABSTRACT.....	viii
CHAPTER 1: INTRODUCTION.....	1
Literature Gap.....	2
Conceptual Framework Brief.....	6
Brief Summary of Method.....	7
Purpose and Statement of Problem.....	7
Research Questions.....	8
CHAPTER 2: LITERATURE REVIEW.....	9
Prevalence/Statistics.....	10
Veterans Administration (VA).....	11
Health Disparities.....	12
Sexual Minority Experience of Health Care.....	14
Strengths and Fostering Healthy Aging.....	17
Affirming Environmental Cues.....	18
Cultural Competence.....	18
VA Cultural Competence.....	19
Medical Provider Biases.....	20
Programs.....	21
VA LGBTQ Cultural Competency Trainings.....	22
Medical School Training.....	23
Patient Perspective.....	23
Sexual Minority Health Care Seeking/Utilization.....	24
Mental Health Factors.....	26
Racial/Ethnic Minorities.....	26
Patient-Physician Relationship.....	27
Institutional Factors.....	28
Paradigm and Conceptual Framework.....	29
Critical Theory.....	30
Origins of Health Disparities Model.....	30
Summary/Synthesis.....	32
CHAPTER 3: METHOD.....	34
Introduction.....	34
Research Questions.....	34
Paradigm and Conceptual Framework.....	34
Research Design.....	35

Qualitative Research.....	35
Case Study.....	36
Context of the Study.....	37
Participants.....	37
Positionality Statement.....	38
Data Collection.....	41
Recruitment.....	41
Procedure.....	42
Interviews.....	42
Data Collection Strategies.....	44
Risks.....	44
Data Storage.....	44
Institutional Review Board.....	45
Data Analysis.....	45
Interview Data.....	45
Complete Analysis.....	46
General Strategies.....	46
Specific Strategies.....	47
Trustworthiness.....	47
CHAPTER 4: RESULTS.....	49
Within-Case Themes.....	49
Jarod.....	49
Participant Demographic Table.....	50
(Within-Case Themes)	
Oscar.....	54
Neil.....	58
Bernie.....	62
Simon.....	67
Grant.....	72
Kevin.....	77
Emmett.....	80
Cross-Case Themes.....	86
Culturally Informed vs “Color-blind” Health Care: A Spectrum of Diverse Opinions.....	86
Homophobia Effects are Long-lasting.....	90
Relationships and the Human Interaction are the Foundation of Health Care.....	94
Reactions to the Changing Landscape of Health Care Over Time and Strategies to Effectively Navigate the System.....	96
“We Aren’t That Gay”: Internalized Homophobia and Threat of Gay Stereotypes.....	100
CHAPTER 5: DISCUSSION.....	103
Summary of Findings.....	104
Theoretical Conclusions and Recommendations.....	111

Strengths and Limitations.....	115
Areas for Further Study.....	117
Suggestions for Policy Makers.....	118
Conclusion.....	119
APPENDIX A: INFORMED CONSENT SCRIPT.....	120
APPENDIX B: DEMOGRAPHIC FORM.....	121
APPENDIX C: SEMI-STRUCTURED INTERVIEW PROTOCOL.....	122
APPENDIX D: RECRUITMENT FLYER.....	123
REFERENCES.....	124
VITA.....	139

LIST OF FIGURES

FIGURE 1: GRAPHIC REPRESENTATION OF PROPOSED FACTORS RELATIVE TO UNDERSTANDING HEALTH DISPARITIES.....	32
FIGURE 2. GRAPHICAL REPRESENTATION OF THE SPECTRUM OF PARTICIPANT OPINIONS REGARDING THE RELEVANCE OF SEXUAL ORIENTATION IN HEALTH CARE.....	87

LIST OF TABLES

TABLE 1: PARTICIPANT DEMOGRAPHIC TABLE.....	50
---	----

ABSTRACT

Previous research has consistently identified health disparities among minority groups, including members of the LGBTQ community. The role of the health care system itself in creating, sustaining, or confronting these disparities has received only modest attention. This qualitative dissertation study examines the experiences of older adult gay and bisexual cisgender male Veterans and their perception of provider cultural competence and the organizational climate of the systems in which they receive health care. An existing theoretical framework, the Origins of Health Care Disparities Model, was used in the conceptualization of this research. Case study method was used to guide the research process and subsequent data analysis. Eight participants ($Mdn_{Age} = 73$, Range = 65–82) from across the United States were interviewed remotely, and both within-case and cross-case themes were generated. Results showed most participants were hesitant about integrating their sexual orientation to their health care, to varying degrees. Participants emphasized the importance of a strong clinical relationship with providers and offered diverse opinions about the impact of previous homophobic incidents and their military background. They suggested strategies for medical providers to provide more culturally informed health care. Specifically, they expressed hope for greater representation of gay health care staff and increased training for doctors and medical trainees to work with older adult gay patients. They described a desire for decreased focus on their sexual behavior and that providers approach the clinical relationship holistically recognizing gay patients are individuals with unique identities, hobbies, and interests. Data-driven conclusions and recommendations are offered informed by the theoretical framework.

Keywords: LGBTQ, Veteran, VA, gay, bisexual, cultural competence, health care, health disparity, aging, older adult, case study, clinical encounter

CHAPTER 1

INTRODUCTION

It has been widely researched and documented that physical and mental health disparities exist for the LGBTQ community. What factors influence these disparities and what factors maintain the disparities over time and generations? Health disparity research is too complex to be explained by only one variable for all people within a large group such as sexual and gender minorities. Some variables have received more attention and study such as minority stress, loneliness and perceived isolation, high risk behaviors, and family stress. Each of these variables contribute to and maintain health disparities to varying degrees depending on the context of the individual. The patient experience of interfacing with the health care system itself has received only modest attention related to health disparities.

There are many definitions of health disparities (see Carter-Pokras & Baquet, 2002). Other terms are sometimes used to denote this idea including health inequity or health inequality. Most health disparity definitions refer to differences in: “(1) environment, (2) access to, utilization of, and quality of care, (3) health status, [and/]or (4) a particular health outcome that deserves scrutiny” (Carter-Pokras & Baquet, 2002, p. 427). Health disparity research is not unique to sexual minorities and has been conducted on other groups of people who share a common characteristic or demographic. A few examples include disparities based on disability status (Krahn et al., 2015), race/ethnicity (Fiscella et al., 2002), minority gender identity (Reisner et al., 2013), and socioeconomic status (Shavers, 2017).

The literature review section will provide an exhaustive overview of examples of health disparities that have been well documented as well as studies that have explored how sexual minorities interface with the health care system. Cultural competence of health care providers and the helping relationship fostered by the provider have been implicated as being related to delayed help-seeking and subsequent reinforcement of health disparities for already marginalized groups.

Literature Gap

A key gap that stood out in my literature review was research exploring health disparities of older adult gay and bisexual Veterans. The VA is the largest provider of health care in the United States and provides health care to over nine million Veterans per year (*About VHA*, 2019). There are estimated to be approximately one million LGBTQ Veterans (Gates, 2004). Not all Veterans receive their health care through the VA system and some Veterans receive partial care through the VA. Nonetheless, the VA is a key player in the design and delivery of health care to a large portion of sexual and gender minorities in the United States. Some research has been conducted with sexual and gender minorities and this will be reviewed in the literature review section. As you will later see, there is very little research with LGBTQ Veterans in relation to health disparities. There also is limited research exploring the experiences of sexual and gender minority Veterans within the health care system.

The sociopolitical context for health care and general treatment of sexual and gender minority United States Veterans has been and continues to be complex and controversial. Recently, the health care of transgender Veterans has been in the national spotlight and received much attention following the complete ban of transgender persons

in the military by President Donald Trump. Politicians and citizens alike are polarized regarding the role of transgender people in the military and the extent to which the system should pay for transgender health benefits. This contemporary issue is situated within a long complex history of dishonorable discharges for confirmed or suspected homosexual behavior or “tendencies,” the creation of *Don’t Ask, Don’t Tell*, the repeal of *Don’t Ask, Don’t Tell*, the complete ban in 2019 of transgender persons in the military, and military benefits for same-sex spouses. Although the Veteran’s Administration health care system and the United States military are functionally and administratively separate, they have strong ties.

Older adults are another group that are understudied when it comes to health disparity research. Older adults have experienced the complex development of the modern health care industry that has been influenced by world events and the technology revolution. Sexual minorities lived through an even more complex history of forced institutionalization, extreme marginalization, the Civil Rights movement, the HIV/AIDS crisis, and many other events that have shaped contemporary understandings of them in and out of health care systems. It can be easy for some to forget that the health care system itself has a complicated history of initiating and sustaining the marginalization of sexual minorities. This is one key reason that better understanding how older adult sexual minorities interface with the health care system is essential. A sampling of the limited research in this area will be explored in greater detail in the literature review section.

The VA system has made attempts to be more inclusive of all Veterans; a motto has been adopted, “We serve all who served” (*VA LGBT Outreach*, 2019). It has not been well studied how Veterans perceive the affirming signs/posters, lanyards, etc. within VA

health care facilities. By interviewing older adult cisgender gay and bisexual male Veterans, this study explored the effects of historical marginalization, negative past experiences in health care, current/recent negative experiences of health care, positive experiences, and what Veterans look for in their care. From an intersectionality perspective (Crenshaw, 1989), older adult sexual minority Veterans are in a position of being multiple minorities. Existing research is an example of this given that the majority of research on LGBTQ physical and mental health disparities has been conducted with people from youth to young adulthood to middle age. Although that research is of equal importance, older adults have specific and complex physical and mental health needs that should be better understood.

The story of how this dissertation topic came about will likely help to illuminate both a rationale for the study as well as context for my role in the data collection and analysis processes. Reflexivity in the context of qualitative research involves an examination of one's own biases and how these affect each stage of the research project (Hastings, 2010). Even left unacknowledged, these biases impact each stage of research. Within qualitative research, reflexivity is not only encouraged but is considered to be an important foundation for conducting a study, interpreting the data, and reporting the findings. Chapter three provides a more comprehensive summary of my identities, background, training in psychology, and my attempt to name and explore my own biases. As a preview to this section in chapter three, I would like to now provide some context of how my interest in this topic came about.

Gen Silent (Maddux, 2011) is a documentary film that chronicles the lives of several older adult LGBTQ people as they navigate aging, long-term care facilities, and

late-life transitions. Prior to watching this film, I was aware of mental health disparities that exist for sexual and gender minorities; however, I was less familiar with research that demonstrates there are physical health disparities for sexual and gender minorities in addition to mental health disparities. HIV/AIDS is an example of a physical disease that is more common for the LGBTQ community and this disparity is likely obvious to most readers. The existence of other physical health disparities like smoking and heart disease (Fredriksen-Goldsen et al., 2013) was a surprise to me and may also be a surprise for you. After learning about this information, I was surprised but not shocked; if mental health disparities existed it stood to reason that physical health disparities could exist as well. What was more surprising to me was how little this was being talked about, at least within the scientific and secular information I was consuming.

There were two scenes in *Gen Silent* that were particularly poignant to me. One of the segments interviewed a community leader who had done some advocacy work for sexual and gender minorities within community long-term care facilities. He noted that when he asked how facility leaders adapt to the needs of sexual minorities, they unanimously responded “we do not have any sexual minorities here.” The community leader made a comment that existing data suggest these facilities certainly have sexual minorities, but facility leaders are naively unaware of who these people are or how to adapt and respond to their needs. In a second segment, a story was told about a training given to an audience of medical providers (i.e., nurses, doctors, etc.). The person in the film was shocked when these medical providers began jeering and heckling him during a professional educational event on sexual and gender minorities and some chose to get up

and leave. There were many other heart-wrenching moments in the film, but these are two that intrigued my scientific curiosity.

In reflecting on what I had seen, I began to wonder how these providers who acted so inappropriately in a professional training could provide culturally relevant and affirming care to sexual and gender minorities. Was this instance of overt heterosexism and gender oppression an isolated incident unique to the geographic location in the film (East Coast of the United States) or was this the “tip of the iceberg” representing a subset of medical providers nationwide? I must admit that my assumption strongly leaned for the latter. Even if hypothetically only 15% of all medical providers had these types of strong negative biases, this would still represent thousands of physicians, nurses, medical support staff, and other medical providers providing care on a daily basis. Medical providers are not immune to bias, but they are in a unique position working with people when they arguably are at their most vulnerable. Could negative interactions with medical providers and/or systems lead to reduced health-seeking behavior? What are the factors and attributes that sexual and gender minorities look for in providers? These and many other questions I began to ask were the foundation of this dissertation.

Conceptual Framework Brief

The paradigm that informs this study is critical theory which emphasizes confronting various forms of oppression and the creation of a more egalitarian society (Creswell & Poth, 2017; Ponterotto, 2005). This paradigm is described in greater detail within the literature review section. The theoretical framework of this study, the Origins of Health Care Disparities Model, was created by Kilbourne et al. (2006) and is meant to examine health disparities from marginalized groups and is not unique to sexual

orientation minority patients. This model is described in greater detail in the literature review section.

Brief Summary of Method

The method used for this study was case study (Merriam, 1998; Stake, 1995; Yin, 2002) and will be defined in greater detail in later sections. Case study is primarily a type of qualitative inquiry, but it also allows for quantitative data collection and analysis, when relevant. As the name implies, case study is an in-depth analysis of the case. The cases identified for this study were eight older adult gay and bisexual Veterans.

Purpose and Statement of Problem

The primary aim of this study was to gain insight from gay and bisexual Veterans about their experiences of the health care system. There was an emphasis on contributing to the lack of understanding about the impact of an apparent lack of culturally competent care, possible reduced health seeking behaviors, and health disparities. Given that this was a qualitative study, the emphasis was not on whether there is a direct causal relationship between poor cultural competence and health outcomes and/or utilization; quantitative method would need to be used to make such a causal claim with certainty. Rather, the purpose of this study was to explore the health care experiences of older adult gay and bisexual male Veterans using qualitative techniques to gain in-depth understanding of their collective experience. The information learned has the potential to contribute to our knowledge of how older adult Veterans are feeling within the system and how they are responding to positive and negative experiences. This research may also inform future inquiry regarding the measurement of provider attitudes and biases related to working with sexual minorities within the health care system.

Research Questions

1. What are the experiences of older adult gay and bisexual cisgender male Veterans in the health care system?
2. How do older adult gay and bisexual cisgender male Veterans describe their relationship with their medical providers and what factors of the relationship are most impactful?
3. What are the core components of the clinical encounter from the Veteran's perspective?
4. What is the Veteran's perception of cultural competence of their providers and of the system(s) in which they receive health care services?

CHAPTER 2

LITERATURE REVIEW

Research has consistently demonstrated health disparities exist between sexual minorities and their heterosexual counterparts (Blosnich et al., 2013). Despite these health disparities, sexual minorities seek medical assistance at a lower rate than heterosexual people (Dahlhamer et al., 2016). This is problematic because it perpetuates or reinforces existing health disparities. This research attempted to better understand some of the factors that prevent sexual minorities from seeking health care, including factors which have been identified through quantitative research. In order to better understand the complex factors of previous health care experiences, both positive and negative, this research focused on the experiences of gay and bisexual older adult male Veterans in the health care system. There was a particular emphasis on the cultural competence of health care individual providers (e.g., physicians, nurses, physician assistants, etc.) and the overall health care system, within which these providers reside, and the effects these have on clinical encounters with patients. Research is limited in this area but is particularly limited regarding the study of older adults. The unique intersectional experience of being an older adult Veteran sexual minority in the health care system warrants further study. Previous research has suggested transgender persons have unique experiences that warrant independent inquiry (Dworkin, 2001; Fitzpatrick et al., 2005; Gagné & Tewksbury, 1998); therefore, transgender men were not considered in this study.

This chapter will provide an overview of existing literature related to LGBTQ older adult Veterans within the health care system. Some literature that will be presented

is specific to the VA system and Veterans while other literature is broadly related to all LGBTQ patients. Similarly, some literature will be specific to LGBTQ older adults and other literature will be presented more broadly related to sexual minorities. Regarding nomenclature, “sexual minorities” and “LGBTQ” are sometimes used interchangeably. Despite LGBTQ becoming a “short-cut” term representative of sexual and gender minorities, literature that will be presented within this document will primarily be related to sexual minorities (i.e., not trans or transgender groups) for the same reason noted in the previous paragraph. Information in this section will begin with statistics related to older adults, sexual minorities, and Veterans. Literature is subsequently reviewed regarding health disparities among sexual minorities, patient experiences of the health care system, cultural competence, and medical provider biases. Existing literature is presented related to the effectiveness of cultural competence trainings, the patient perspective of provider cultural competence, health seeking/utilization data, and the patient/physician relationship. Finally, there is an overview and description of the paradigm and conceptual framework that set the foundation for this research.

Prevalence/Statistics

In 2015, there were approximately 47.8 million adults over the age of 65 representing 14.9% of the United States population; by 2060 this number is projected to increase to 98.2 million adults 65 or older (U.S. Census Bureau, 2017). Estimates suggest approximately 3.8% of Americans identify as lesbian, gay, bisexual, or transgender (Gates, 2011). The millions of future and current sexual minority older adults need access to quality health care in order to maintain their physical and emotional health. Older adults within the sexual minority community experience unique challenges based in years

of oppression, lack of family and other social support, and rejection from society (McGovern et al., 2016). Extant research suggests mental and physical health disparities exist between sexual minorities and their heterosexual counterparts (Fredriksen-Goldsen et al., 2013). Subsequently, it is crucial to understand how this group accesses and maintains contact with health care providers and systems. Specific examples and evidence of these disparities will be presented in a later section.

An important element of finding and maintaining health care is feeling as though one is accepted and that provider(s) are able to provide care that is culturally competent. Numerous studies have demonstrated that lack of access to culturally competent health care in sexual minorities becomes a barrier to accessing future care (Clift & Kirby, 2012; Dahlhamer et al., 2016). Although some research has been conducted on this topic, there is little that is specific to older adult Veterans. Additionally, several key studies have used large population data sets; although this type of research is informative, it does not provide sufficient detail and depth of individual experiences of gay and bisexual men in health care settings. This research project provides valuable information to health care providers and systems to address the health disparities of sexual minorities.

Veterans Administration (VA)

The Veteran's Administration (VA) health care system is the largest provider of health care in the United States with approximately 1,250 facilities (Veterans Health Administration, 2016). An estimate of lifetime utilization for sexual minority Veterans is 45.5% while an estimate of past-year utilization is 28.7% (Simpson et al., 2013). These estimates are relatively similar to utilization rates by heterosexual Veterans (Simpson et al., 2013). There are estimated to be over one million LGBT Veterans (Gates, 2004).

There are not significant differences in utilization rates of VA health care between Veterans in same-sex relationships and Veterans in different-sex relationships (Blosnich et al., 2013). Given the high number of LGBTQ Veterans seeking services, it is important that the VA system is well equipped to provide culturally sensitive and evidence-based care for sexual minorities. Health care for sexual minorities is particularly important given physical and mental health disparities.

Health Disparities

Existing research has consistently identified increased risk for chronic health conditions in sexual minority populations. Studies have identified disparities related to increased rates of tobacco use, (Blosnich et al., 2013), asthma (Landers et al., 2011), unmet health needs (Burgess et al., 2008), cancer prevalence (Boehmer et al., 2011), and substance use (Burgess et al., 2008; McCabe et al., 2009; Yarns et al., 2016). Perhaps an even more poignant finding is an increased risk for mortality when compared to heterosexual peers for some sexual minorities (Cochran et al., 2016). It should also be noted that many mental health disparities also persist for sexual and gender minorities, although these will not be the direct focus of this study.

Research has also examined health disparities specific to older adult sexual minorities. The disparities noted in the previous paragraph are also relevant for older adults, but older adults have additional disparities unique to their developmental stage of life. The disparities that will be provided in this paragraph occur in conjunction with those previously described, not independently of them. There is evidence for disparities among older adult sexual minorities related to cardiovascular disease, obesity, disability, smoking, excessive drinking, diabetes, and HIV risk (Fredriksen-Goldsen et al., 2013).

Another study found evidence that older women in same-sex relationships had a greater chance of requiring assistance with activities of daily living (ADL's) and instrumental activities of daily living (IADL's) compared to older women in heterosexual relationships (Gonzales & Henning-Smith, 2015). The LGBTQ community is diverse and these disparities do not affect each subgroup equally. Fredriksen-Goldsen et al., (2013) describe group differences among gender and sexual orientation sub-groups (e.g. gay men versus bisexual women). Further delineation of these nuances between sub-groups is beyond the purview of this study.

The logical question to ask after exploring these health disparities is why these health disparities exist. Researchers have examined different factors that may be contributing to and/or reinforcing these health disparities. These types of studies have tended to focus on social/societal factors such as sexual minority discrimination (Burgess et al., 2008), internalized stigma (Ehman et al., 2017), negative stereotypes and external stigma (Friedman et al., 2014), internalized homophobia (Meyer, 1995), expectations of rejection (Meyer, 1995), and poor mental health (Burgess et al., 2008; Gonzales & Henning-Smith, 2015). Other variables that affect health disparities for sexual minorities include lack of support from family of origin and lack of access to LGBTQ specific resources (Caceres & Frank, 2016). Each of these are important factors to consider when examining and confronting health disparities. However, existing research has focused much less on the paradoxical negative impact of the health care system itself on sexual minorities. This important factor is not even mentioned in many of the studies that instead focus on other broader social/societal factors. There are also disproportionately a

greater number of studies that have focused on identification of these disparities and vastly fewer that have focused on exploring the factors that have led to the disparities.

Studies identify a general sense of dissatisfaction and sexual minority experiences of lack of respect in health care settings but tend to not elaborate on what is meant by this or describe what the experiences are (Clift & Kirby, 2012). A gap exists in extant literature of what the experiences are of sexual minorities in health care systems, including with their providers. Gaps also exist related to how these experiences affect health care seeking behaviors and the effects on subsequent continued cycles of illness. Despite this scarcity of existing previous research, an overview of the research that has examined health care/provider factors, including cultural competence, will be provided in subsequent sections.

Sexual Minority Experience of Health Care

A common concern for sexual minorities across many studies has been fear of discrimination in the health care system and by individual providers. In many cases, this fear is strong enough to warrant avoiding seeking medical attention until absolutely necessary (Bonvicini & Perlin, 2003). In one study, approximately half of participants noted challenges to finding what they consider to be culturally competent health care (Jenkins Morales et al., 2014). Of note, this quantitative study does not break down what is meant by culturally competent care. A theme across many studies that explore this topic is that a study will identify a health disparity problem quantitatively but leaves the break down or definition of the problem to the reader; these issues are often relegated to the “areas for future research” section of the article. Qualitative inquiry is a good method to explore patterns across quantitative studies in greater depth and explore personal

examples/stories, both confirming and disconfirming, of trends emerging in larger samples.

The contextual factors across various research studies will influence the extent to which the participants of that study will report positive and negative experiences within the health care system. This varies based on the type of agency, unique demographic characteristics of the participants, geographic region, socioeconomic trends in the sample, and intersecting identities (e.g. race/ethnicity, immigration status, etc.). While it is important to acknowledge variation, it can also be helpful to examine studies that have explored trends of patient satisfaction with the health care system and with their individual provider. In addition to homophobia, sexism and ageism can also influence the experience of older adults within health care (M. Hughes, 2007). The study of patient experiences within the health care system is complex and requires exploring the issue from multiples angles.

One study within the VA system found 33% of participants believe physicians and other health care professionals have sufficient knowledge of LGBTQ issues, fewer than 50% of participants reported to feel respected by health care professionals, and 25% had chosen not to disclose their sexual orientation with their provider (Sharek et al., 2015). A second study within the VA system found two-thirds of Veteran's physicians had not inquired about their sexual orientation, 24% of respondents had not disclosed their sexual orientation to any VA provider, and only 28% of Veterans viewed the VA as welcoming overall to LGBTQ Veterans (Sherman, Kauth, Shipherd, et al., 2014). A third study within the VA system found 33% of participants expressed they had open communication about their sexual orientation with their provider and 25% described

having avoided at least one VA provider related to sexual orientation stigma (Simpson et al., 2013). Rates of withholding one's identity to providers can be influenced by education attained, immigration status, homophobia, feeling of being connected to LGBTQ community, and age (Durso & Meyer, 2013). In addition to unmet medical needs, not disclosing one's sexual orientation to health care providers negatively affects psychological wellbeing (Durso & Meyer, 2013).

Primary care providers are especially important because they are the most common entry point into a system and are the first team a new patient experiences within the system (Schilder et al., 2001). If patients are having negative interactions with their primary care provider this can negatively influence their decision to return for future care in other clinics or specialties. This becomes particularly problematic when Veterans are living in an area with limited access to other resources and/or if the Veteran does not have the financial means to access health care outside of the VA system. Provider attributes are a key factor for sexual minorities in terms of where they seek medical care and the extent to which they seek medical help when necessary (Johnson & Nemeth, 2014). In addition to their provider, sexual minority patients desire medical environments that are supportive and affirming of their identities and providers that inquire about sexual orientation in order to create individually tailored treatment plans (Johnson & Nemeth, 2014). Although in recent years the VA has made it a national priority to be more welcoming of sexual and gender minority Veterans, further study is imperative to better understand how this national policy translates to quality of health care at the local level, especially medical care within primary care teams.

Even if the overall system is committed to culturally informed care, individual providers have the capability to degrade the patient's perception of that system. A large study (n=632) of LGBTQ patient perceptions of health care providers found that patients believed providers needed to undergo cultural competence training and patients reported greater satisfaction with their care when receiving health care from other sexual minority providers (Quinn et al., 2015). In another study, same-sex couples described feeling less respected by providers, spent less time with providers, and were overall less likely to have positive encounters when seeking medical attention (Clift & Kirby, 2012). Patients desire providers who are aware of cultural differences within their community and who have training on LGBTQ health risks, prevention activities, and relevant medical interventions (Wilkerson et al., 2011). These varied health care system factors are in some ways obvious; however, it is again important to acknowledge that the majority of studies examining health disparities do not explicitly mention the role of the health care system itself.

Strengths and Fostering Healthy Aging

Rather than focusing solely on problems working with LGBTQ older adults, physicians can also gain a greater understanding of strengths in order to capitalize on them when building relationships and treatment plans (Higgins et al., 2016). While acknowledging various risk factors, it is also important for physicians to educate older adults about what leads to successful aging. Factors positively influencing the aging process include resilience, social support, and optimism (Caceres & Frank, 2016). Other factors related to healthy aging can be related to remaining physically active, social engagement, and spending time outside (Cherry et al., 2016). Physicians have a

responsibility to educate older LGBTQ patients about these factors and to make appropriate referrals to other providers who may specialize in these areas (e.g. behavioral health providers, health coaches, etc.). Additionally, older adult gay/bisexual Veterans indicate they value community engagement and appreciate services which are tailored to and welcoming to them and their unique identities (Proctor & Krusen, 2017).

Affirming Environmental Cues

Visual indicators (e.g. pride flags, pins, signs/posters, and rainbow lanyards) help to elicit conversations between patients and their medical providers (Wilkerson et al., 2011) and help patients to feel safer within the system (Quinn et al., 2015). In some ways, these visual indicators can be one of the easiest environmental interventions to implement within a system. It is certainly easier to put up images on the wall than it is to change long-held implicit biases of providers. Although not explored in the studies noted above, these indicators may become problematic when they help patients to disclose their sexual orientation yet subsequently encounter negative attitudes towards them from providers, despite affirming messages on the wall. In other words, it is important for a system to also focus on training providers in addition to using these types of affirming visual cues.

Cultural Competence

Culturally informed care can enhance patient's trust of their provider and can also increase the level to which they follow treatment recommendations (Schilder et al., 2001). Many terms have been used in psychological literature to denote the respect of differences and awareness in treating minority groups. The U.S Department of Health and Human Services Office of Minority Health (2001) describe competence as "the capacity to function effectively as an individual and an organization within the context of the

cultural beliefs, behaviours and needs presented by consumers and their communities.”

There are many other definitions and descriptions of cultural competency across many fields and in many research studies; however, this definition seems to broadly capture what is meant by cultural competence as it pertains to this study.

One study explored what represents culturally competent care and they focused on differentiating the effects of focusing on reducing biases versus cultural tailoring (Cuevas et al., 2017). This study essentially found that both of these elements are important constructs that represent culturally informed care (Cuevas et al., 2017). The authors further recommended providers receive training on how to tailor their treatment for different groups, that providers seek means of increasing their knowledge about groups with which they work, and that providers focus on reducing biases and discrimination towards their patients (Cuevas et al., 2017). Patients prefer clinical encounters that are affirming of and encouraging of their decision to share their sexual orientation identity (Quinn et al., 2015). Furthermore, patients describe their decision to share private parts of themselves as a risk, particularly if they perceive providers to be potentially discriminatory (S. K. Smith & Turell, 2017). This underscores the need for positive and affirming open communication within the helping relationship.

VA Cultural Competence

Research examining provider cultural competence within the VA system is rare. One study of providers (n= 202) explored practices and beliefs about working with sexual orientation minority patients (Sherman et al., 2015). This study found approximately half of providers believe that sexual orientation is not important to assess and is irrelevant to providing competent care (Sherman et al., 2015). This finding is reminiscent of the

(usually) well-intentioned but problematic attitude of a colorblind attitude towards working with people of color. This study also found that many providers were unaware of the evidence of health disparities for sexual minorities (Sherman et al., 2015). Viewing all people as “essentially the same” invalidates their unique cultural history and ignores often salient parts of who they are as people. This becomes even more problematic in the health care context when providers may overlook important risk factors, preventative treatments, referrals to appropriate group-specific resources, and tailored interventions for a variety of health problems and conditions (e.g., HIV prevention).

Medical Provider Biases

Medical providers are not immune to biases because of their role in helping other people. A study that examined implicit and explicit biases of medical providers found heterosexual providers strongly implicitly favored treating heterosexual patients and heterosexual nurses implicitly favored treating heterosexual men over gay men (Sabin et al., 2015). In terms of explicit bias, heterosexual providers also favored treating heterosexual patients, but the explicit preferences were not as strong as the implicit preferences (Sabin et al., 2015). Although the authors did not examine how these biases impact actual care, they acknowledge this as an important future area of research (Sabin et al., 2015). Other research has shown that patients are aware when providers are uncomfortable with their identity (S. K. Smith & Turell, 2017).

Although providers may be feeling uncomfortable internally when treating sexual minority patients, they may not be aware of how their internal biases are manifesting through the interpersonal clinical encounter. Nonetheless, providers do seem to have some awareness about their lack of knowledge and discomfort. For example, in a study

examining provider beliefs about serving LGBTQ older adults, providers reported limited training unique to both older adults and sexual minorities, they lacked a specific clinical focus on LGBTQ older adults, and they could not identify how many LGBTQ elders they serve currently in their practice (Portz et al., 2014). Sexual minorities have indicated that physician attitudes towards them, knowledge of their identity, and awareness of their experiences are important to their receiving of medical care (Bjorkman & Malterud, 2009). Medical students are particularly vulnerable for discriminatory attitudes towards and treatment of patients when they see this being modeled by their educators (Phelan et al., 2017). On a more positive note, medical students tended to have more positive attitudes towards working with LGBTQ patients the more they were exposed to these patients and the longer they worked with them (Phelan et al., 2017).

Programs

Various cultural training programs have been created in order to address provider beliefs regarding sexual and gender minority groups (e.g. Hardacker, Rubinstein, Hotton, & Houlberg, 2014; Shrader et al., 2017). However, these trainings tend to be conducted in single sessions and their effectiveness measured by simple pre-intervention/post-intervention short surveys. These short trainings are likely not changing deeply held attitudes and beliefs in providers. It also is problematic if the trainings are not mandated by the employer because there becomes a self-selection bias of providers who attend trainings that have already worked towards cultural competence and/or have specialty training/knowledge and sensitivity for working with sexual minorities. Alternatively, if providers are mandated to attend a training and do not have internal motivation for

working towards cultural competence, they may not actively engage with the training in a way that internally motivated participants would engage.

VA LGBTQ Cultural Competency Trainings

Given that the VA is the largest single health care provider for LGBTQ people (Sullivan et al., 2015), it is an important system to work with in terms of cultural competence intervention with providers. Despite an overall scarcity of research on the topic of LGBTQ people within the VA system, there have been multiple attempts to develop cultural competence trainings specific to gender and sexual minorities. The shortest training, identified through literature review, was a 60 minute training that used a 15 item pre-test/post-test multiple choice questionnaire to measure change (Shrader et al., 2017). Another training reported overall increase in knowledge but no changes in deeply held beliefs about sexual and gender minorities (J. White et al., 2013). Similarly, an online VA LGBTQ cultural competency training did not impact skills or attitudes but did lead to increase in knowledge (Donaldson et al., 2019). Relatively longer trainings such as a five hour training (Porter & Krinsky, 2014) and a six hour training (Hardacker et al., 2014) found similar results regarding a simple increase of knowledge. There is insufficient evidence that an increase in knowledge leads to behavioral change, changes in deeply held beliefs, or attitudinal changes. In terms of what constitutes simple, one item on the survey for the six hour training was inquiring what “LGBT stands for;” however, this training did measure increases in empathy towards sexual and gender minorities (Hardacker et al., 2014). Although empathy is an important first step, there again is uncertainty regarding how long these effects last and whether they impact provider behavior long-term.

Medical School Training

Unless physicians specifically pursue coursework related to the care of older adult sexual minorities, they are typically not well-trained in working with this group. In one study, 84.9% of medical students (n=166) reported a lack of training specifically related to LGBTQ patients (Parameshwaran et al., 2017). Students described rarely observing clinical and academic mentors providing tailored care for sexual minorities and they largely indicated they would follow suit and not ask about pronouns or inquire directly about sexual orientation unless volunteered by the patient (Parameshwaran et al., 2017). There is also a dearth of geriatric coursework and training in most medical schools despite some modest gains in this area (Eleazer et al., 2005). Thus, patients who are both geriatric and identify as a sexual minority are receiving care that is not tailored for them in at least two primary aspects of their overall identity.

Patient Perspective

Qualitative research offers the opportunity for greater depth in understanding what sexual minorities view as culturally competent care. One study identified ten themes that sexual minorities look for when seeking culturally competent care. These themes ranged from visual cues in the office to acknowledgement of one's life partner to representation of LGBTQ identified staff (Croghan et al., 2015). The themes noted in the study were briefly described through a short paragraph for each. Although the naming and brief description of such themes was a good start, it was difficult to draw practice implications based on brevity of experiences provided by participants in that study.

A large sample of baby boomers (n= 327) described welcoming medical environments as including visual indicators, use of inclusive language verbally and on

paperwork, inclusion of LGBTQ identified staff, and positive treatment by providers who are well trained (Croghan et al., 2015). LGBTQ older adults are more likely than heterosexual older adults to delay medical visits due to financial factors, have more difficulty finding providers, and overall experience greater barriers to the health care system (Dahlhamer et al., 2016). However, differences emerged among different subgroups within the older adult LGBTQ community providing further evidence that barriers do not appear to affect the entire group equally (Dahlhamer et al., 2016).

Sexual Minority Health Care Seeking/Utilization

In addition to possibly exacerbating health disparities, the health care system can also contribute to decreased rates of seeking health care and other health care related activities. A study of same-sex couples found when compared to heterosexual couples, they delayed acquiring prescription drugs at a greater rate, reported stronger barriers to seeking help from specialists, and delayed seeking medical attention for longer periods of time (Clift & Kirby, 2012). Health care utilization behaviors are likely far too complex to identify single variables that independently influence behavior; however, these types of health care avoidance may perpetuate or reinforce existing health disparities even if they did not necessary cause them.

Lack of access to culturally informed care has specifically been noted as a perceived barrier by sexual minority patients (Qureshi et al., 2018). Additionally, disclosure of sexual orientation with providers is related to higher rates of health seeking and utilization behaviors among cisgender sexual minority men (Whitehead et al., 2016). Clients with well documented health disparities should be seeking medical care at higher rates than those without such disparities. In another example, a study of gay/bisexual men

living with HIV found negative provider beliefs and knowledge of cultural issues negatively affected the level to which participants sought health care (Schilder et al., 2001). It is problematic that the health care system can further stigmatize older adult sexual minority clients in turn affecting their utilization rates. Older gay men are more likely to have unmet medical needs, view medical health services with caution, and have negative past experiences of inadequate care and discrimination (Clover, 2006).

There are a variety of other factors that have been demonstrated to influence health care utilization rates including transportation issues, financial concerns, and problems related to health insurance coverage (Qureshi et al., 2018). Poor access to adequate health insurance coverage has also been identified as a barrier for gay men living with HIV (Brennan-Ing et al., 2014). There is also evidence suggesting access to health insurance does not affect all sexual minorities equally. For example, in one study women in same-sex relationships were less likely to have health care coverage than those in different-sex relationships but men in same-sex relationships had equal access to health care (Heck et al., 2006). A study examining the impact of harassment found LGBTQ patients who have experienced at least one instance of harassment utilized services at a higher rate than those who had not (D'Anna et al., 2012). Structural factors such as living in a medically underserved area, poor health/mobility, and discrimination can affect ability to engage with health care systems (Tanner et al., 2014). Finally, regarding cisgender male sexual minorities, masculinity and a strong value of independence and autonomy can influence older adult men's decision whether to seek help (J. A. Smith et al., 2007). Masculinity also interacts with other factors when examining health seeking behaviors, such as minority stress (Hamilton & Mahalik, 2009).

In terms of access within the VA system, many people assume all Veterans have automatic free health care through the VA; however, Veterans still have to pay a certain amount, especially if they do not have significant health conditions with onset during and/or as a direct result of their military service (i.e., service-connected conditions). As previously stated, transportation can sometimes be an issue especially for older adult Veterans who may be unable to drive due to physical and/or cognitive limitations. If Veterans are unable to get to their medical appointments this is obviously going to affect their ability to engage with services. For Veterans living in rural areas, not only are there fewer services to access, but there tends to be particularly low rates of LGBTQ informed care in rural settings; most research tends to be done in urban settings so less is known about LGBTQ persons in rural settings (Whitehead et al., 2016).

Mental Health Factors

Psychological and mental health factors may impact service engagement. For example, depression and depressive symptoms have been identified as an important factor related to lower utilization rates, including access of preventative care, among LGBTQ older adults (Brennan-Ing et al., 2014; Shiu et al., 2017). Given that mental health rates are also higher in sexual minorities (in addition to physical disparities) this could be an important factor to keep in mind. Examining mental health factors is beyond the scope of this study.

Racial/Ethnic Minorities

As has been discussed already, sexual minorities cannot be treated as a monolithic group, and they have other identities that may inform their experience of the health care system. Racial ethnic minorities have a double marginalization effect that may mean they

have even lower utilization rates (Tanner et al., 2014). Health disparities among racial/ethnic minority groups have also been identified within the VA system and attempts have been made to remediate these disparities (Fine & Demakis, 2003; Saha et al., 2008). Although a direct examination of these types of disparities is beyond the scope of this study, attempts were made to explore the experiences of participants based on relevant intersecting marginalized identities.

Patient-Physician Relationship

Perhaps there is no greater ambassador of the health care system than one's own medical provider. Previous research has found half of providers do not inquire the sexual orientation of their patients or take sexual orientation into account when planning treatment, if they aware of a sexual minority status (Sherman, Kauth, Ridener, et al., 2014). Other studies have identified provider beliefs and attitudes that patients should not receive different care based on identity and difference blindness is often used as justification (Portz et al., 2014). Although likely well-intentioned, these types of beliefs often reflect provider biases. One study examined this topic and identified both implicit and explicit provider preferences for treating lesbian women and gay men; how these preferences impacted care was not an aim of the study but the authors noted it as an area for future research (Sabin et al., 2015).

Models of health care include the paternalistic model, interpretive model, deliberative model, informative model (Borza et al., 2015; Emanuel & Emanuel, 1992). Models operate on a continuum from engaging patients in a collaborative way to acting as an expert imparting knowledge to the passive patient. These models help to describe the relationship between the patient and physician but are more focused on the role of the

physician. Although this is not the direct focus of the study, these relationship descriptors are important to examine regarding health-seeking behaviors. An individual's relationship with their individual physician may have the capability of buffering system effects or geographically based stigmatization. Patients may feel disconnected from their provider if they are being treated in a paternalistic way regardless of their marginalized identities. If patients do have one or more marginalized identities, it may exacerbate this negative relationship.

Communication between LGBTQ patients and their providers is important because this population has a greater likelihood of delaying going to the doctor, including for preventative care (Bonvicini & Perlin, 2003). Obviously, the delay of medical care can lead to worsening health conditions and diseases that may have been less serious if they had been treated without delay. Communication also is imperative in order to have the opportunity to provide tailored education, development of an appropriate treatment plan, and accuracy of diagnoses (Bonvicini & Perlin, 2003). Providers are not able to consider possible risk factors for the patient related to their status as a sexual minority if the physician is unaware of this status. In addition to the patient perspective, caregivers of LGBTQ patients also agree there is a need for increased cultural competence among providers, they fear discrimination, and they desire more open and accepting environments with providers (Valenti & Katz, 2014).

Institutional Factors

Health care providers tend to have limited knowledge of sexual minorities but it is also important to acknowledge they exist within institutions that tend to be apprehensive to tailored services (A. K. Hughes et al., 2011). A study of non-VA agencies found that

many agency leaders are unwilling to acknowledge the unique needs of LGBTQ older adults but at the same time do acknowledge the need for increased training for their staff (Knochel et al., 2011). Some agency leaders believe unique services should be offered for this group while others disagreed and believe all patients seeking medical services should essentially be treated the same (Knochel et al., 2011). The majority of agency leaders endorsed a “difference-blind” attitude meaning that they treat all patients the same way regardless and do not routinely inquire about patient sexual orientation; they added patients do not generally offer this information unprompted (Knochel et al., 2011). In recent years, the VA system has worked to be more inclusive of sexual and gender minorities. Despite this national priority, it is also important to better understand if/how this priority trickles down to individual VA’s and in turn to individual providers.

Paradigm and Conceptual Framework

The paradigm and conceptual framework set the frame for each stage of this study including formulation of research questions, data collection, and data analysis. The paradigm of this study is critical theory which is situated within a constructivist ontology. Ontology refers to the nature of knowledge and truth as well as how one comes to know them (Crotty, 1998). Constructionism posits that “all knowledge, and therefore all meaningful reality as such, is contingent upon human practices, being constructed in and out of interaction between human beings and their world, and developed and transmitted within an essentially social context” (Crotty, 1998, p. 53). It is critical to acknowledge the ontological foundation of this study because it informs the manner of collecting data (i.e. knowledge) as well as how that knowledge is interpreted. The conceptual framework of this study is the Origins of Health Care Disparities Model (Kilbourne et al., 2006).

Critical Theory

A key characteristic of critical theory is to foster “emancipation (from oppression) and a more egalitarian and democratic social order” (Ponterotto, 2005). This paradigm is a natural fit for this study which seeks to counteract the injustice of systemic oppression towards LGBTQ older adult Veterans by the medical community and society. The goal of this research was not merely to describe the phenomenon of LGBTQ health disparities, but to amplify the voices of those who are oppressed in order to lead to positive change. Critical theory strives to remove constraints put upon oppressed groups and to encourage resistance against oppression (Creswell & Poth, 2017). Critical theory informed the conceptualization of this project and informed how the data will be used. Although this study was a relatively small-scale dissertation, I will seek opportunities to use the data to inform change. For example, I plan to pursue publication of the data in order to inform future research.

Origins of Health Care Disparities Model

The conceptual framework used for this research project is the Origins of Health Care Disparities model (Kilbourne et al., 2006). Health disparities are extraordinarily complex to both understand and change. This framework was developed in order to build structure around the process of sequentially detecting, understanding, and reducing health disparities (Kilbourne et al., 2006). A small research project like this one does not have the resources to address all three parts of this model. However, it is important to remember that the findings of this research are situated within existing literature. Although various research studies have yielded health disparity differences among subgroups of LGBTQ persons, the evidence of the existence of health disparities is robust

and relatively undisputed in the literature. Thus, the literature presented in the literature review section regarding documented health disparities covers the detection part of this model. The primary aim of this research is to explore the second component of the model which is understanding health disparities. The second part of the model is represented graphically in *Figure 1*.

This model is encompassed by system health care system factors that transcend the individual relationship between provider and patient. It is important to acknowledge that all individual factors occur within the context of these systemic variables. Patient factors are related to their own individual identities and demographic variables. Their background is also a factor such as the level of education they have attained and biological differences they were born with that contribute to overall health. Providers are an important part of the clinical encounter and their background and training is also integral to the relationship. Their role is also characterized by competing demands from other patients as well as the system. Providers also enter the relationship with biases which can impact their approach to the patient. Finally, the clinical encounter is the interaction between individual provider and individual patient factors. This relationship can be affected by the communication style between the two parties and the level of cultural competence of the provider.

This conceptual framework identifies factors relevant to health disparities that inform the development of research questions. The point of using this conceptual framework is not to “test it” or to attempt to find supporting evidence for each of the components, per se. Rather, the framework provides a foundation, based in previous research, to ask questions that have not already been answered and to ask questions that

build on work that has already been done by other researchers. The research questions, informed by the conceptual framework and paradigm, guide each subsequent step of the research project including the formulation of questions on the semi-structured interview protocol, initial codes used for data analysis, and interpretation of the results.

Figure 1. Graphic representation of proposed factors relative to understanding health disparities adapted from Kilbourne, A. M., Switzer, G., Hyman, K., Crowley-Matoka, M., & Fine, M. J. (2006). Advancing health disparities research within the health care system: A conceptual framework. *American Journal of Public Health*, 96(12), 2113–2121. <https://doi.org/10.2105/AJPH.2005.077628>

Summary/Synthesis

The aim of this current study was not to identify every possible barrier to establishing and maintaining health care in older adult sexual minorities. Rather, the

primary aim was to better understand how cultural competency impacts the physician-patient relationship and overall patient experience of being in the health care system. While quantitative research has identified the existence of health disparities, greater exploration is needed to better understand the factors that create and/or maintain these disparities. It is particularly important to gain a better understanding of the influence of factors from within the health care system itself. Although a variety of cultural competence trainings have been developed and examined, these tend to focus, perhaps unintentionally, on acquiring knowledge. Although knowledge is one key component of cultural competence, there is insufficient evidence that knowledge alone positively impacts provider implicit biases and behavior when working with patients. It is critical to explore the provider perspective and the patient perspective to better understand all viewpoints. The patient and provider experiences occur within the context of the overall culture of the system; case study research is particularly well suited to explore these different parts.

CHAPTER 3

METHOD

Introduction

This chapter will begin with a brief overview of the paradigm and conceptual framework and how each inform this study. I will then provide an overview of the key parts of case study as a general method. The next section will address the logistical plan for how the study was carried out. The positionality statement section will address my identities and how these may inform me as the primary researcher of this project, including interpretation of the results. This section will end with a discussion of the data analysis strategies and indicators of trustworthiness for this project.

Research Questions

1. What are the experiences of older adult gay and bisexual cisgender male Veterans in the health care system?
2. How do older adult gay and bisexual cisgender male Veterans describe their relationship with their medical providers and what factors of the relationship are most impactful?
3. What are the core components of the clinical encounter from the Veteran's perspective?
4. What is the Veteran's perception of cultural competence of their providers and of the system(s) in which they receive health care services?

Paradigm and Conceptual Framework

The paradigm that informs this study is critical theory which emphasizes confronting various forms of oppression and the creation of a more egalitarian society

(Creswell & Poth, 2017; Ponterotto, 2005). This paradigm is described in greater detail within the literature review section. The theoretical framework of this study, the Origins of Health Care Disparities Model, was created by Kilbourne et al. (2006) and is meant to examine health disparities from marginalized groups and is not unique to sexual orientation minority patients. This model is described in greater detail in the literature review section. The model served as a foundation and starting point for this research project. The research questions were developed based on the model and the existing research that led to the creation of the model. These research questions guided all subsequent parts of the study including creation of interview protocol questions, foreshadowing questions, data analysis, and interpretation of the results.

Research Design

Qualitative Research

Before deciding upon a specific method, I had to decide between qualitative and quantitative research. The primary factor that influenced me to choose a qualitative method was related to the questions I was asking and wanting to explore through this project. A qualitative researcher takes the pieces of a complex contemporary issue and attempts to explain some part of the phenomenon by bridging the gaps and putting those pieces together (Denzin & Lincoln, 2011). As was stated in the literature review section, the majority of research done on this topic has been quantitative exploration of what health disparities exist. The second most frequent type of research on this topic has been attempting to explore the effectiveness of brief cultural competency trainings. There has been very limited research exploring how patients are actually experiencing their health care.

Qualitative research encourages the use of multiple types of data materials to answer the question(s) (Denzin & Lincoln, 2011) and encourages a holistic exploration from multiple perspectives (Creswell & Poth, 2017). The use of qualitative research is a natural fit to fill some of the gaps of understanding related to the experiences of older adult sexual minorities within the health care system. Qualitative research also is used to empower participants to share their experiences outside of the confines of some other types of quantitative data techniques (e.g. survey instruments) (Creswell & Poth, 2017). At their best, qualitative and quantitative methods should complement one another, and this is the goal of the project. Without quantitative research, we would have greater uncertainty regarding what disparities exist. Now that we have that information, it is time to bring to light the experiences of patients to gain a better understanding of how the health care system helps or hinders the perpetuation of these disparities.

Case Study

This study used a case study approach with a multiple-case design (Merriam, 1998; Stake, 1995; Yin, 2002). Case study is primarily a qualitative methodology but can also include quantitative measures and analysis, when appropriate. Within case study, the primary goal is to choose a unit of analysis (Yin, 2002). Although many people unfamiliar with case study associate the method as being exclusively related to one person, this is only one type of unit of analysis. Other types of units of analyses can be groups, institutions, and even as large as an entire community or city. For the scope of this study, the units of analysis were eight gay/bisexual older adult male Veterans. Case study allowed me to use case vignettes, comparison questions to past health care, and other types of questions. This is a key difference to other qualitative methods that are

more restricted. For example, phenomenological research (Moustakas, 1994) requires the use of very open-ended questions to elicit only the participant's experience without much structure from the researcher. Narrative research (Clandinin, 2016) is focused on each individual patient's life-history and stories related to the topic. Case study allowed me to ask more targeted questions related to participant lived experiences to inform conceptualization of each case.

Context of the Study

Participants

Eight participants were recruited through email and social media advertising. Approximately 100 emails were sent to agencies who specialize in working with older adult LGBTQ persons. This approach yielded two participants. The remaining six participants responded to social media recruitment ads which were posted on relevant pages that cater to LGBTQ older adults and/or Veterans.

I did not interview long-term care residents, inpatient med-surg patients, or inpatient skilled-rehab patients. Patients actively receiving care from these departments would have had a unique experience of the system that would have differed from patients receiving outpatient primary medical care. I elected to examine outpatient primary care because it is typically the first line of care for patients and is also typically the first department patients are exposed to upon entering the system. For the purpose of this study, I did not focus on patients within behavioral health teams. If patients were receiving behavioral health care was not exclusionary to their participation; however, my questions and analysis focused primarily on their experience of their outpatient medical care.

Inclusionary criteria for patient participants included self-identification as gay or bisexual. Participants were not excluded if they were not currently in a romantic partnership. Gender self-identification as cisgender male was mandatory for participation in this study. The data of potential research participants who identified with a gender outside of the gender binary (e.g., gender nonconforming) system as well as those who are transgender would likely have different experiences and warrant future research focused on their specific needs. For this study, participants were not excluded based on self-identification with any religious group, spiritual group, or belief system (including no self-identification with any group or belief system). Additionally, participants were neither recruited nor excluded based on their racial/ethnic identification. Participants were also required to have served in the United States military and identify as a Veteran.

Exclusionary criteria included active/current suicidal ideation, uncontrolled or unmanaged severe psychological distress, or any mental disorder that would preclude their ability to participate. Any disability that did not allow the participant to understand or answer complex questions would also have excluded them from the study. Participants were required to speak fluent English. No participants requested accommodations for disabilities. One potential participant was unaware of the focus on Veterans and did not have military service. Thus, he was not interviewed for this study. No other participants met exclusionary criteria and the final number of participants represents all who expressed interest with the exception of a small number who stopped responding after initially expressing interest.

Positionality Statement

Self-reflexivity is considered by some to be one of the essential indicators of quality research (Tracy, 2010). It is also an ethical issue to reflect upon how biases may impact each stage of the research process, including the level to which researcher biases may influence findings (Hastings, 2010). Given that my background and identities influenced different decisions I made regarding this research project, it is important to include information about these. Although this acknowledgement may come across to some readers as negative, I also believe there are ways my cultural identities and experiences were useful in my conceptualization, analysis, and management of this project.

I am 29 years old, Hispanic-White, cisgender, and male. I openly identify as gay and have since I was 18 years old. I am a fifth-year doctoral student in counseling psychology at the University of Missouri in Columbia, Missouri. Prior to my current degree program, I received a Master of Science (M.S) degree in counseling psychology from the University of Wisconsin-Madison. My undergraduate degree is from Loras College in Dubuque, Iowa and is a Bachelor of Arts (B.A.) in Psychology and Spanish. Age was an important factor to consider and acknowledge when interviewing older adult Veterans.

I have never been in the military, so this was another significant difference between me and participants. Although I have some family members who have been in the military, it is not a strongly salient part of our family identity on either side of my family. Nonetheless, I generally have great respect and admiration for my family members who have served in the military. As stated above, I came out as a gay man when I was 18 years old. Religion was a moderately important part of my upbringing and

childhood and became more salient in my adolescent and teenage years. I became interested in taking an active role in our local church and decided to pursue seminary to become a Catholic priest. It was around this time that I began to come out to myself and went through a large identity shift. I left the seminary after one semester and gradually became less religious over time.

The Hispanic part of my racial/ethnic identity comes from my father's side of the family. Phenotypically, I outwardly appear as a non-Hispanic White person, so people only are aware of this aspect of my identity if I share it. My paternal grandmother was born and raised in El Paso, Texas and came to live with my grandfather in Mason City, Iowa after they met in Texas. During my lifetime, my grandmother has talked openly about the significant challenges living as a Mexican woman during that time. She actively worked to hide any trace of her identity, to the best of her ability, in order to pass as White. Although proud of being Mexican, there were safety concerns and overt dangers of discrimination when she moved to the Midwest. My family members and I have worked to help her, and our family, to reclaim a sense of pride with being Mexican-American.

My nuclear family consists of my biological parents and a younger sister. My younger sister is a pediatric nurse. Regarding health care, I was privileged to always have had health care coverage and access to quality health care. There have been times, since turning 26, that I have delayed seeking medical care which I would not have done in the past. Although I am still privileged to maintain health insurance, this has given me a greater appreciation for the fear and stress that come along with navigating the health care system and paying for health care. I am also fortunate to be in relatively good health

and do not suffer from any major chronic diseases or health conditions. As a gay man, I have never been overtly discriminated against within the health care system. I have had mostly positive experiences and a few experiences that were more borderline without necessarily being overtly negative. For example, I had a skin condition several years ago that would not go away. The physician I was working with at the time insisted that it was an STD. The skin condition turned out to be a different type of condition, non-STD related. The physician may have made assumptions about me based on my sexual orientation and/or age.

I feel very positively towards older adults and plan to work with older adults within my career. I have a strong personal and professional passion for better understanding and confronting health disparities among different groups of marginalized and oppressed people. Overall, I have varying degrees of oppressed and privileged identities that may have influenced my data analysis. As someone who has trained and worked as counselor for more than five years, I have engaged in a lot of self-reflection about relating to other people as cultural beings. It is my hope that my use of self within this research project helped foster connection with research participants in order to collect rich data. I also reflected about my interpretation of the results and how my identities may have impacted the data analysis and interpretation processes throughout the process.

Data Collection

Recruitment

Participants were recruited by sending emails and posting on social media pages with relevant agencies (See Appendix D for recruitment flyer). After seeking appropriate approval and permission from the organization, I first consulted with a staff member

within the agency or organization. I provided them with a flyer to give to potential participants that included the contact information of the primary investigator. Attempts were made to identify typical cases (Seawnght & Gerring, 2008) as opposed to exceptional or atypical cases that would have a significantly different perspective than the average patient. Approximately 100 emails were sent to relevant agencies and approximately 20 messages were sent to relevant social media pages. Response rate was minimal which posed a challenge to identify participants. More participants were identified via social media when compared to email listservs.

Procedure

After participants demonstrated an interest in participation with the study, they were read an informed consent script (see Appendix A). I explained key points of study participation and they were given the opportunity to ask any questions about their participation. I also explained that participants were free to leave the study at any time for any purpose. All components of the study were completed online via Zoom or over the telephone based on the participant's preference.

Interviews

The primary type of data in this study was interviews conducted over Zoom with research participants. Participants were each interviewed two times with each interview lasting 45-60 minutes and they were audio-recorded. I used an approved electronic recording device. Within 24 hours of the completion of each interview, the complete interview was uploaded to a secure cloud storage system (described below). The electronic recording device did not maintain a copy of the interview. Each participant was

interviewed two times for the duration noted above. The same interviewer conducted each interview.

Interview one questions included:

- What is your experience like when you visit your health care provider?
- How would you describe the atmosphere of your primary care clinic?
- Have you had any challenges in seeking primary health care as a sexual minority?
- Have you had any salient positive experiences of how providers have worked with you as a sexual minority?
- How would you like your sexual orientation to be considered as part of the primary health care you receive?
- What suggestions would you give to primary health care providers working with sexual minorities?
- Have you had any experiences related to your sexual orientation aside from seeking primary health care that stand out?

Interview two questions included:

- Walk me through an ideal health care appointment from beginning to end.
- Suppose you were in a medical appointment, and you were sensing a doctor was uncomfortable treating you, what would you do?
- Imagine you had a negative encounter with a provider based on your identity. How would that affect your decision to return to that provider in the future?
- If you were to lead a training for medical providers on treating LGBTQ patients, what topics would you include and what information would you like them to learn?

- If a medical provider works hard to have a good relationship with you, what does that look like? How does that affect your decision to go to the doctor or not for future problems?
- If a medical provider makes a mistake when working with you related to your identity, what should they do to repair the relationship with you?

Data Collection Strategies

Interview questions were asked in a semi-structured format, and I addressed unplanned topics that came up organically. However, I did not directly ask or follow-up on questions significantly unrelated to the purview of this study, and trauma. Brief demographic data was also asked prior to the start of the interview (See Appendix B); these questions were asked at the beginning in order to ensure inclusionary and exclusionary criteria are met. Demographic data that were asked included age, military service history, sexual orientation, HIV status, gender, race/ethnicity, income, relationship status, and the geographic location of their primary residence. Participants were told that they had the choice whether to answer each of these demographic questions ahead of time.

Risks

A possible risk of this study included discomfort around reflecting on one's sexual orientation, past experiences in the health care system, and current illnesses (including HIV status). Participants were reminded that they may withhold information or refrain from answering any questions without giving a reason and without penalty.

Data Storage

All data was stored securely in a secure online storage system through the University of Missouri. Any hard copy materials (e.g., demographic forms) were converted into electronic documents and stored on the same platform. Only this researcher and faculty supervisors have access to the online storage system. This online system securely stores all interviews, transcriptions, and all other relevant materials that include any confidential participant information.

Institutional Review Board

This study was approved by the University of Missouri Institutional Review Board. The study adhered to all University of Missouri guidelines on research, ethics, and protection of participants. All data is reported anonymously, and any possibly identifiable details were changed in order to protect research participants. Attempts were also made to report general themes when it seemed individual stories and/or direct quotes could be identifiable to them in any way.

Data Analysis

Interview Data

All interviews were transcribed, and the transcriptions were the data that was analyzed. I used constant comparative analysis (Glaser & Strauss, 1967) techniques when working with this data. This technique involved beginning with a theory, coding the data, developing categories, and organizing into themes (Boeije, 2002). Initial codes for data analysis were derived from the research questions. Open coding strategies were used in order to better understand and organize the content of the data. Attempts were made to identify refuting evidence for my expectations of data as well as what seemed to be dominant themes arising through the data analysis process. Quotes were taken to

illuminate themes and give voice to the stories of participants. All specific identifying information was deleted or altered in order to protect the privacy and confidentiality of research participants. This included, but was not limited to, the names of any health care facilities they may have been a part of and the names/identifying information of specific health care providers.

Complete Analysis

After analyzing all data sources independently, a complete analysis was conducted in order to better understand themes occurring across all data sources. This was guided by an analytic strategy which included examining the data for within-themes and cross-themes and patterns (Yin, 2002). Throughout the data analysis process, care was taken to explore evidence that did not fit well with developing themes. In other words, experiences and stories were included even if there was not a majority of participants that shared an experience. This helped to ensure fidelity of the stories of research participants, even if they did not fit into an overall theme.

General Strategies

Four general strategies are suggested within Yin's (2002) version of case study research. The first strategy is to rely on theoretical propositions and this suggests examining the data with the "lens" of the theoretical propositions that guided initial stages of the research project (Yin, 2002). The second strategy is to "work data from 'ground up'" (Yin, 2002, pp. 136–138). This strategy is essentially the opposite of the first strategy, but both strategies should be used (obviously not simultaneously). The purpose of this strategy is to avoid searching for only confirming evidence (i.e., confirmation bias) of the theory that guided initial research questions. The third general

strategy used was to develop a case description which involved organizing data into a “descriptive framework” (Yin, 2002, pp. 139–140). The final strategy used was to examine other possible explanations within the data rather than focusing solely on emergent themes and ignoring data that did not seem to fit these dominant patterns/themes (Yin, 2002).

Specific Strategies

Yin (2002) offers specific data analysis strategies that are to be used in unison with the four general strategies. Pattern matching is similar to constant comparative analysis in that it is a strategy of identifying similarities and differences among the data (Yin, 2002). Explanation building is derivative of pattern matching and is used to make sense of the patterns by creating explanations of the patterns being observed (Yin, 2002). Finally, cross-case synthesis (Yin, 2002) was used. Time-series analyses was not used but is a strategy to make sense of the data in terms of chronology and logic models are a strategy that can be used to create graphical models to represent and help to explain the data (Yin, 2002).

Trustworthiness

Qualitative research is sometimes criticized for being less rigorous than quantitative research. Various authors have suggested ways of increased the validity and overall rigor of designing, conducting, and reporting qualitative research. Triangulation has been noted as one of the key indicators of quality qualitative research (Tracy, 2010) and is essential to conducting quality case study research (Yin, 2002). Triangulation refers to the use of multiple data sources and types of data in order to gain evidence from multiple perspectives (Lincoln & Guba, 1985; Yin, 2002). This was achieved through this

research by conducting multiple interviews. Another indicator of research validity is the use of thick description (Cho & Trent, 2006; Geertz, 1973). Thick description refers to in-depth analysis of the full picture, in-depth analysis, and ample explanations (Cho & Trent, 2006). This was achieved through an exhaustive and iterative process of examining each piece of data individually and together. Claims were made based on richness found within the data and by using impactful participant quotations to support claims, where appropriate.

CHAPTER 4

RESULTS

This chapter provides a thorough overview of the data analysis. Table 1 provides demographic information on the eight participants ($Mdn_{Age} = 73$, Range = 65–82); the names listed in the table and used throughout the remainder of this report are pseudonyms. First, I will focus on the within-case themes presented from each of the eight participants. Second, I will present the cross-case themes that highlight the commonalities across the participants. Throughout each of these sections, direct quotes from participants are included in attempt to amplify their voices in the data.

Within-Case Themes

Before analyzing the data for themes across participants, each set of two transcripts per participant was analyzed for themes specific to that participant. Data analysis strategies and procedures are included in chapter three.

Jarod

Jarod self-identified as a 75-year-old, cisgender male, White, gay, HIV-Negative, Veteran. He and his partner have a combined yearly income of approximately \$100,000 and they have been married for more than 20 years. He was in the Air Force from 1968–1972 and worked as an intelligence officer. He lives in a Southern state and was previously married to a woman before marrying his current husband.

Health Care for Gay Men Should be Informed but Treat Us the Same. The first theme that emerged for this Veteran was a desire for equal treatment as Heterosexual people. He questioned why sexual orientation should affect how he is treated as a Gay

Table 1: Participant Demographic Table

Name	Age	Sexual Orientation	Race/Ethnicity	HIV Status	Approximate Income	Relationship Status	Military Branch	Years Active Military	Duty
Jarod	75	Gay	White	Negative	\$100,000	Married	Air Force	1968-1972	Intelligence Officer
Oscar	71	Gay	Mixed (Hispanic-White)	Negative	\$50,000	Single/Divorced	Air Force	1968-1976	Air Passenger Service/Cargo
Neil	73	Gay	White	Positive	\$30,000	Married	Army	1968-1971	Radio Systems/Repair and Maintenance
Bernie	73	Gay	White	Negative	\$90,000	Single	Air Force	1966-1990	Military Logistics
Simon	72	Gay	White	Negative	\$20,000	Single	Army + Navy Reserve	1970-1973 & 1975-1983	Intelligence and Linguistics
Grant	82	Gay	White	Negative	\$75,000	Married	Air Force	1962-1966	Officer
Kevin	74	Gay	Native American	Positive	\$14,000	Single	Army	1969-1970	Chaplains Assistant
Emmett	65	Gay	White	Negative	\$30,000	Single	Army	1975-1995	Tanks Armor Corps

This table provides an overview of the backgrounds and identities of each participant. The names provided are pseudonyms to protect confidentiality.

man. He also wanted his sexual orientation to be acknowledged by providers and for them to keep it “in the back of their mind” as they are working with him. Jarod has fought all his life to be “treated the same” and does not want any treatment “the other way” (i.e., special positive treatment). He seemed to equate openness with sexual orientation and having tailored health care as being treated better than heterosexual people in some regard. He discussed examples of ways he would like sexual orientation to be considered including with HIV, sexual health, and psychological issues. However, “other than that, okay, here’s a physical human being, a 75-year-old whose had cancer and his gall bladder out. Go for it.”

Interestingly, despite a primary desire for impartial health care, this Veteran hoped that medical providers would prepare to work with Gay men and communicate their acceptance and openness to sexual minorities subtly. He provided examples of “project the fact that they’re comfortable” and “give some kind of clue that they have Gay friends” but simultaneously, “don’t make a big deal out of it.” Jarod hopes that providers would receive training on LGBTQ issues in their medical training. He talked about not only topical training but also bias training to ensure personal beliefs and biases do not negatively affect the care of their patients. Given the scientific nature of health care, he hopes that providers would focus on the biological science of care and “you want to be able to put aside preconceptions.” Jarod discussed the parallel of his beliefs on this to his beliefs that racial and ethnic minorities should also receive equal medical treatment. He repeatedly emphasized the importance for the doctor to establish and maintain safety and trust in the therapeutic relationship and talked about how the relationship is “a professional one. But it’s [also] a social interaction.”

The Experience of Health Care for Gay Men Involves More than Just the Doctor. Jarod's analysis of the health care system exceeded just the doctor and included the system, nurses, and other non-medical staff. For example, "it could be the best doctor in the world, but if the atmosphere is not a comfortable one, then you're not going to be wanting to come back." He noted that he and his husband have had good experiences with their doctors' offices and are known by most of the staff by name. If things were not to go well, Jarod brought up Yelp and that patients are customers in addition to being patients. Furthermore, he and his network of friends often compare their health conditions and experience of their different health care providers with one another. He noted examples of identifying positive providers through his network as well as staying away from providers who apparently do not have good bedside manner.

Jarod had a historical approach to his description of health care. He talked about how front desk staff, nurses, and doctors used to pause briefly when he would say "my husband" because they were not used to it. He said people are now very used to working with same-sex couples and do not hesitate. He told a story when his husband was in the hospital and when asking where his husband was located, got negative looks from two security guards. This kind of interaction would not necessarily affect his decision to return to this facility, but it would have if it had been a provider. Overall, he emphasized that although interactions with the system are important, the relationship with the doctor is most predictive of his perception of the overall system.

Approach to Health Care as a Gay Man Evolves with Age. Being vocal and confident with providers has gotten easier for Jarod with age. "If I were 25, I might not have the confidence to say, "do we have a problem here?" But by this time, who the hell

cares?” He said that increased confidence comes because of having seen so many of them over time and that with increased health problems as an older person that it is much more essential to understand what providers are saying/recommending. From Jarod’s perspective, “back in the awful horse and buggy days” providers typically avoided communicating bad news, but he appreciates that providers are more upfront and forthcoming than they used to be.

Jarod discussed an interesting example of ageism that he finds irritating. He said, “I don’t want a doctor to treat me like I’m six. And I don’t want a doctor half my age coming in the room and say, ‘Well young man, what’s wrong with you today?’” He described this as disrespectful, and it can take him some time to overcome his irritation when this occurs. Although this is a recommendation for all doctors, he said it is particularly true for young doctors and that it is less bothersome when it happens with someone with whom he is closer in age. In sum, “I’ve been an adult for a very long time. So, I have a grain of intelligence.”

There is not a “One Size Fits All” for Confronting Homophobia. People often assume that the only way to deal with homophobia in health care is to simply leave and find a new doctor. Jarod commented on the complexity of this issue. He did acknowledge that changing providers is one way of dealing with this issue and that encountering homophobia would question the quality of care he is getting from that provider. However, he noted one of his doctors has “terrible bedside manner,” but he continues to work with him because he is the best doctor in town for his specialty area. He noted, “I can tolerate some discomfort on their part as well as my part because I know I’m getting a really expert opinion on this problem.” Despite this, Jarod also said that he has a much

higher tolerance for bad bedside manner than for outright homophobia; however, he has not had overt experiences of homophobia with providers, so he did not have examples of how he has dealt with this previously.

When recovering from mistakes, Jarod suggested “not belaboring the point [and] making it a bigger deal than it needs to be.” He suggested that an apology would be a good first step in overcoming their error, but they should also work on their own biases and possible lack of knowledge to not repeat the same mistake again with other patients or even with him again in future appointments. If the provider can have awareness of their error and take concrete steps to make up for it, “that would go a long way with me” he said. Jarod added, “I don’t expect every straight person I see to be equally comfortable dealing with something they may not understand or something they may not have experience with.” He simply hopes they are open to feedback and to work on areas with which they may need additional training or education of the influence of bias.

Oscar

Oscar self-identified as a 71-year-old, cisgender male, Hispanic-White, gay, HIV-Negative, single, Veteran. He has a yearly income of approximately \$50,000. He was previously married to a woman but maintains a good relationship with her since their divorce. He was in the Air Force from 1968–1976 and worked passenger service and cargo. He currently lives in a Western state.

“They Don’t Understand”: Fear of Health Care in the VA System. Oscar has not received health care in the VA and overall has a very negative perception of the VA. He reported that one of the reasons he has not sought VA care is because of his identity as a racial-ethnic minority. A second reason is because of his identity as a gay man. He

said, “You know what? I’m not really comfortable coming out to them. [...] Unless there was a money issue, don’t ever take me to the VA.” Oscar acknowledged the long-term impact of *Don’t Ask, Don’t Tell* and its influence on military culture, despite the fact that the VA is a separate entity from active armed forces. He commented on this discrepancy indicating, “They can’t do anything to me because I’m a civilian. But they sure could fuck up my medical treatment.”

Aside from cultural competence concerns, Oscar had other negative preconceptions about the VA. From his perspective, “I think the way we treat Veterans in this country, it’s just an abomination. And the VA being the biggest culprit of that.” Specific problems he noted included long wait times, problems with getting referrals, “miles and miles of red tape,” and having to be seen by multiple doctors. Some of his ideas about the VA have come from friends who have had negative experiences. Specifically, he had a friend who was hoping to get a knee replacement that was unable to get it scheduled for 9 months due to problems with getting approved for the surgery. He is frustrated that the Trump administration worsened many of the problems with the VA system. His family is aware that if there are no financial barriers, they should never take him to the VA.

Desire for Individual Identities to be Recognized and Integrated. Oscar was the participant in this study who had the strongest preference that his sexual orientation and other identities be integrated into his health care. He was out with all his providers and said that he made it a point to come out whenever he gets a new provider because from his perspective there are issues gay men have that other groups do not have. He has evolved over time and said that with some medical providers in the past his identity

emerged over time without “a big revelation.” However, now he wants providers to be aware of his identity even if he is getting short-term care such as an emergency or other kind of temporary hospitalization. Nearly all other participants expressed wishes to be “treated the same” but these kinds of statements were absent from Oscar’s data.

A skill Oscar values in providers is their ability to broach difficult topics, including conversations of sex and sexual orientation. He had a transition period from when he was married to the time he began dating and noted that his longtime doctor inquired if he needed an HIV test. His doctor would periodically check-in with how his relationship was going with his partner at the time and Oscar appreciated this openness. He values relationships with providers that are open and nonjudgmental. He appreciated that this doctor never made him feel embarrassed or shameful. Oscar later found out that this doctor himself was gay which he did not find out about until they had stopped working together.

When discussing equality, Oscar described a preference where he could express himself and be open about his identities without judgement. This characterization of equality was different than the description from other participants which took more of a “color-blind” approach. He indicated identities in health care “should be fully integrated.” He discussed that an intervention that may be helpful for him may be very irrelevant with members of other groups, and therefore identity should be considered with health care providers.

Providers Should Prepare to Work with Gay Men and Effectively Manage Mistakes. Oscar believes that doctors should be trained on issues unique to gay men before working with them in practice. Part of this awareness is the impact of historical

oppression. He discussed that disclosing your gay identity with your doctor in the 1960's, 70's and 80's was a challenge because, "it's almost a point that you *couldn't* trust your doctor" at that time. Although times have changed, older adults may still have beliefs about health care rooted in these previous experiences. Doctors should also be aware of common issues and "get out of [their] comfort zone" when working with people who are different. He added "if you have to say, 'oh cooties, I'm not touching that' then you don't have to be a doctor or nurse."

Oscar also provided some suggestions about overcoming mistakes when these happen. Overall, he said that the response to the mistake is often more important than the mistake itself. He noted that an important step is an apology and without this step he would likely not return to that doctor. Although people are imperfect, trying to be more effective and overcome mistakes helps a lot. Finally, keeping one's personal beliefs (e.g., religious beliefs) and judgements out of the professional relationship helps to strengthen it.

"Do We Talk About Your 20 Minutes a Week in Bed?": Insights into Navigating Health Care as an Older Gay Man. Oscar appreciates when providers are cognizant of his sexual identity but do not rely on stereotypes or ask intrusive questions that are not pertinent. As the name of this theme implies, there is sometimes a tendency for providers to focus on the sexual behavior of gay men while selectively ignoring other important aspects of belonging to this group. For example, "they really do believe that was all about sex for us and it really isn't. [...] It's about loving, a family, house, career, retirement, just like you." Although he acknowledged the importance of sexual health and

prevention, his point was that focusing solely on sexual behavior diminishes from the providers ability to see the whole person and to recognize other areas of their life.

One way of identifying doctors is for Oscar to network with other gay friends for referrals and to compare stories. He has not had overt problems with homophobia in health care but notes he would be more confident to confront this directly as an older man than he would have been when he was younger. Rather than just not return, he described that he would report their actions and confront it directly to ensure it was not a misunderstanding and to give them the opportunity to apologize.

Although he was unsure if he had ever experienced homophobia in the health care system, he had experienced ageism. As an older man, he had asked a doctor for an STD/STI and HIV panel of tests which caused the doctor to pause. Oscar responded, “Doctor, I’m old. I’m not dead.” His doctor apologized and they never had another issue. Throughout the two interviews, Oscar emphasized the importance of building a good relationship and having good bedside manner. He also noted that arrogance and talking above him is irritating. He said, “some doctors should drop the God complex, that would help a lot, and realize there’s things out there that they don’t know everything about.” He described appreciating a relaxed and inviting atmosphere and he has subsequently appreciated working with a physician’s assistant in the past rather than his physician because of the difference of tone in working with them.

Neil

Neil self-identified as a 73-year-old, cisgender male, White, gay, HIV-Positive, Veteran. He has a yearly income of approximately \$30,000 and he is married to his husband of more than 30 years. He was in the Air Force from 1968–1971 and worked in

radio systems and repair and maintenance. He lives in a Midwestern state with his longtime husband.

“I Don’t Think It’s That Much of An Issue”: The Desire for Impartial Care.

“That’s not the primary reason I’m at the doctor. That’s just my situation. I’m not asking about their situation.” Neil has received most of his health care services through the VA system. His reported preference for health care is that his sexual orientation is not discussed openly. For example, he said “I can’t see a whole lot of difference in dealing with gay people versus straight.” He discussed that previously it had been more relevant at the height of the HIV/AIDS crisis, but he could not think of any ways it is currently relevant. This is particularly interesting given that Neil is HIV positive.

Neil participates in health care with his husband much of the time, so he is not hiding the fact that he is gay. When asked about positive health care experiences, he consistently noted the active participation of his husband. He appreciates when his providers include his husband in the conversation and give him updates. There is an interesting balance of apparently being out as gay to health care providers but never explicitly discussing this. Neil also made comments about the way he presents himself as a gay man. He tends to not “rub it in your face” and “I’m not going to be flagrant about it.” He discussed that he would confront incidents of homophobia directly if he experienced this but has not encountered this in over 30 years.

Health Care as a Gay Man in the VA Has Been Consistently Positive. Nearly all of Neil’s health care for the past few decades has been in the VA system and he consistently spoke very positively about his experiences. He has not felt “like a second-class citizen” when seeking health care as a gay man and has not felt “singled out.” He

described relationships with providers in very positive terms and he enjoys other more general aspects of the system. For example, he appreciates that he can attend multiple appointments in the same building, his primary care doctor manages his care, and things are scheduled for him.

He also described having more access than his husband (who is not a Veteran) because Neil does not have to pay any money for health care and does not have to worry about any co-pays. He appreciates that he generally does not have to wait and if he ever waits more than 15 minutes, is encouraged to alert front desk staff and this is well received. Neil enjoys going to the VA and described it as having a “club feeling” because of the shared identity that everyone is a Veteran. His providers are responsive and seem to review his chart before meeting with him, so they are up to date on the care he is receiving. His primary complaint of the system is that sometimes turnover rates of medical staff are high. He was otherwise extremely satisfied with his VA care.

A Personal Example of Homophobia in Health Care and Its Lasting Effects.

Neil and his husband experienced an overt instance of homophobia in the late 1980's or early 1990's. He told a story of when his husband was hospitalized. His doctor put a sign on the door indicating high risk of infection and required people wear gowns and gloves to enter the room. This precaution was because of his husband's HIV status. Neil indicated this was not commonly practiced at this time of the HIV/AIDS crisis and the doctor had a bad reputation of being homophobic. They reported the doctor, and this has made Neil and his husband more reluctant of providers and they are more attuned to signs of possible homophobia.

Interestingly, when asked what providers can do to repair mistakes, Neil responded that he believed such mistakes were irreparable. His advice was to “just keep going forward.” He hopes that providers maintain open communication and let him know if they have any kind of problem working with him or his husband. He was not sure whether he would confront providers who had made mistakes. At times, he responded that he would confront them directly and at other times responded that he would simply ask for a new doctor and not return. He appreciates that it is easy and straightforward to request a new doctor in the VA.

“Don’t Assume Everyone is Straight” and Other Suggestions for Providers.

Neil prefers not discussing his sexual orientation with providers; however, he dislikes when providers assume he is heterosexual. He has often been asked about his wife and must correct people and tell them he has a husband. He would like for providers to be aware that not all of their patients are heterosexual. He would like for being gay to be normalized and “to see a little more openness, a little more awareness that not everybody is the same.” He suggests that doctors do not assume anything because this is when they get into trouble.

He further suggested that doctors “Stop. Stop. Stop. Settle down. Stop.” He repeatedly emphasized that it is important to him that doctors slow down and be less rushed with their patients. Neil suggested that when doctors are hired it would be helpful to go through an interview screening process to ensure they do not have any negative biases working with certain groups. He suggested this would be one strategy and form of prevention to ensure that outwardly homophobic doctors are not able to work with patients.

“We Aren’t That Gay”: An Older Gay Man’s Perception of Sexual

Orientation Expression. Although not directly related to the research questions, this theme seemed important to highlight and came up with other participants as well. Neil said,

Some people I think tend to put a lot of emphasis on being homosexual. And with us, there’s not much emphasis on that. It’s just that’s who we are. And if you like us, well that’s who you are. And if you don’t like us, that may be one of the reasons or maybe just because you’re a jerk. I don’t see being Gay as being important as some people seem to think it is.

When asked to elaborate upon this statement, he discussed stereotypes of Gay men such as being flamboyant. As someone who self-identified as being more reserved, there are likely personality characteristics and traits intersecting with his self-perception of gay identity. One reason for he and his husband’s tendency to be “less gay” may be related to internalized homophobia. Set in the context of the zeitgeist in which they grew up, the geographical region in which they live, and his identity as a Veteran, this makes sense. This theme also likely intersects with Neil’s description of his preference for his sexual orientation to be passively acknowledged but never spoken about directly in health care (this was described in the first theme above).

Bernie

Bernie self-identified as a 73-year-old, cisgender male, White, gay, HIV-Negative, Veteran. He is single and has a yearly income of approximately \$90,000. He was in the Air Force from 1966–1990 and worked in military logistics. He attained a doctoral degree and now is retired and lives in a Midwestern state.

“They Don’t Need to Know It”: A Preference to Exclude Sexual Orientation from Health Care. Bernie has a strong preference that his medical providers ignore his sexual orientation. He prefers that if the patient wants to discuss it that they can bring it up but are not asked by doctors or other staff. He stated, “I don’t bring it up unless I think it’s related to the issue at hand.” However, he struggled to think of situations where it would be relevant for doctors to know this information. For example, “I can’t really think of anything from a pure medical perspective because everything would need to be treated pretty similar unless you could have HIV.” He suggested that providers listen intently to their patients nonjudgmentally and treat them “like you would anybody.” He has never been asked his sexual orientation in medical settings and said he does not actively try to hide it but just does not tend to think about it when at the doctor’s office. He did add that if he were asked his sexual orientation that he would answer the question honestly and would not have a problem with being asked. When discussing care with a primary care provider, Bernie responded “I don’t think it should apply.”

Show, Don’t Tell Acceptance and Other Suggestions for Providers. Bernie had a variety of suggestions for providers when working with older adult gay patients. One striking suggestion he had was to demonstrate acceptance in subtle ways without saying it directly. For example, he discussed not showing any judgement towards patients “through words or facial reactions or a physical reaction, tightening up, you know, all those nonverbal communication skills.” He further discussed the importance of maintaining eye contact and not crossing one’s arms. Bernie was once in a relationship with a man who was HIV positive. He was impressed that the provider was nonjudgmental and helped him to get an HIV preventative drug called Truvada.

Bernie believes that medical providers should be trained in not being judgmental and to learn to not let their religious beliefs affect their relationships with patients. He encouraged providers to listen to their gay patients in the same way they listen to their heterosexual patients while also having knowledge of diseases or other conditions common in gay men. He believes if they are unable to set aside their judgement, they should not enter the medical profession. Bernie hopes that any issues are communicated about directly between doctor and patient and that this openness should be initiated by the doctor. Having a strong relationship increases his trust of doctors even when they are making suggestions that seem frightening. He also said that providers should illicit feedback from patients to know how they feel the relationship is going from their perspective.

Provider Identities and Beliefs Affect Quality of Care. Bernie discussed several physician identity-factors that he believes influence the professional relationship between provider and patient. He described a positive relationship with a doctor who he believed to be gay but was not sure. He noted having a shared identity can be one way of fostering a good connection. He also noted there are other identities than negatively impact the relationship. He believes that religion does not automatically negatively impact the relationship, but it can when providers let their beliefs dictate the care they provide. From his perspective, some of the factors that influence how religion is used is the sect or branch of religion the provider belongs to. Bernie used to live in Utah and despite some negative interactions with conservative Mormons, also had positive experiences with Mormons who were more open and accepting.

Age was another demographic variable Bernie brought up several times with which he has noticed provider patterns. Specifically, he has noticed younger doctors tend to be more open and accepting than older doctors in the military medical clinics in which he receives care. His medical clinic “is mostly younger airmen or airwomen, whichever way it may be working in these clinics. So, they have a very open mind, you find.” Bernie believes the probability of negative altercations and incidents increases with older providers versus younger ones and brought this up at several different points during the two interviews.

The Consequences of an Incident of Overt Homophobia in Health Care.

Bernie recalled a homophobic incident when talking to a doctor about erectile dysfunction drugs. He reported that when he broached this topic, the doctor said he was not comfortable prescribing erectile-dysfunction medication. Bernie believed the doctor’s discomfort was because Bernie was a gay man; and that the doctor would have no problem prescribing the same drugs to a heterosexual person. He described feeling anger about what happened but decided not to confront the doctor and instead requested a change of doctor. This doctor had been his doctor for many years, and this made the situation feel worse than if it had happened with a new or unfamiliar doctor. Bernie believed that the doctor’s behavior violated the Hippocratic oath, and that it was wrong. He ultimately decided to let the system handle the situation but he did provide the reason why he was requesting the change. This was the same time when he was referred to the doctor that he believed to be gay.

When reflecting whether to lodge a formal complaint, Bernie indicated this was context dependent. He said, “Oh, knowing myself, if they’ve been rude, etc. and that sort

of thing, I probably would file a complaint.” The relationship and context of the relationship prior to the incident would affect his response to what happened. He is fortunate to be in a system where it is easy to change providers but is aware that not everyone has the same luxury. He believes some people would delay seeking health care until absolutely necessary if they were in such a situation due to fear. People under this situation may be required to “grin and bear it because if you really have no option and you need the medical care, what choice do you have?”

When repairing therapeutic mistakes, Bernie suggested that providers should first apologize, which Bernie would then gauge for sincerity. He would be vigilant in future visits for signs of negative impacts on the relationship and/or further incidents. For those who are unable to work effectively with gay patients, they should refer them to someone else in their practice who will behave appropriately. When reflecting on other ways to compensate patients for these kinds of incidents he questioned whether it would be appropriate to not charge the patient for the visit.

Internal and External Strategies and Considerations Navigating Health

Care. A positive consideration Bernie brought up consistently was the access he has to quality free care through the military (not VA). He appreciates that he is able to choose his own doctors with Medicare and does research to ensure he is getting quality doctors. He noted several experiences of his doctors going above and beyond. He lives near the base where he receives care, so he feels lucky to have close access to quality care without having to travel long distances. Bernie likes continuity of care and prefers to stay with the same provider long-term when possible. He described himself as being a reserved person

which somewhat affects his approach to care and his response to negative events. For example, he tends to address conflict indirectly and avoids direct confrontation.

He does research to try and get the best doctors “but if I was having a problem and I knew of a doctor who was openly gay and he was respected and knowledgeable in the area, year, I would definitely choose that doctor, no doubt about it.” Although sexual orientation of the provider is not a primary variable when choosing providers, when all other variables are relatively equivalent (e.g., training and distance), Bernie would choose working with a gay doctor. This is especially interesting given he was unable to identify any clinical situations in which identifying as Gay was relevant to clinical care.

Simon

Simon self-identified as a 72-year-old, cisgender male, White, gay, HIV-Negative, Veteran. He is single and has a yearly income of approximately \$20,000. He was in the Army from 1970–1973 and the Navy Reserves from 1975–1983 and worked in linguistics and intelligence. He lives in a Southern state and previously worked as a teacher prior to retirement.

“I Don’t See How That Would Pertain to Any of My Health Conditions”:

Sexual Orientation is Private. Simon was one of the most adamant participants that sexual orientation is not relevant for the health care of the vast majority of people. He had never openly discussed his identity as a gay man with any of his doctors, despite having a long history of chronic medical conditions and 11 current doctors. He struggled to identify any ways this identity is relevant aside from HIV. He was open that he had not been sexually active for more than 20 years which was a large part of why he reported that he did not believe his sexual orientation was relevant to care. When asked if he

thought his health care or relationship with his doctors would be different if they knew he was gay, he responded “I don’t think it would be different.” He also said that even with HIV/AIDS, the topics of sexual orientation and sexual behavior did not come up with doctors in the 1980’s or 1990’s unless the patient presented with active symptoms of HIV/AIDS. In other words, discussion of sexual orientation did not occur related to prevention or other topical areas outside of active HIV/AIDS, from his experience and perspective when seeking health care.

Simon claimed that doctors inquiring about sexual orientation in previous areas would have been seen as threatening. Specifically, he said, “the first reaction would’ve been ‘anybody inquiring about my sexual orientation is up to no good.’ It’s an act of hostility.” This context for his experience puts into perspective his strong belief that doctors should not ask about sexual orientation. The medical system was not immune to oppression of gay men and by asking about sexual orientation, this invited possible persecution. Simon described that when asked about their sexual orientation, patients may have responded with sentiments such as “What makes you think that? Why are you asking that?” This suspicion was well founded in real threats of discrimination and abuse. Simon suggests that the way doctors broach this topic matters and they should be mindful of how they are probing for sensitive information.

One way Simon suggested doctors can be more culturally competent is to assume all their patients are gay. This is a strategy that Simon said he used when teaching. He indicated that he always assumed he had at least one gay student in his classroom and carried himself with this assumption. Another related point he made was the fact that disclosing sensitive information such as sexual orientation is almost certain to be

disclosed to other members of the office staff, in paperwork, and in electronic documentation. He expressed fear and hesitation that information about his sexual orientation being handled by so many people could result in problems. This kind of fear could impact patient decisions of whether to come out as gay to their primary medical providers.

Simon disclosed that he believes sexual orientation should not be a demographic question on intake paperwork for patients. He recalled being asked this when entering the military and had an internal dilemma about whether to lie. He elaborated, “I think that if you have somebody who feels that they have to lie about that because it’s in print, you’ve locked them into that lie. They are less likely in talking with the doctor to be open.” Simon went on to say that in some ways asking everyone “diffuses the question” but then people still may feel singled out of why they are being asked and question whether to leave the question blank, lie, or fill it out truthfully. He stated that with all of the doctors he has visited, he has never seen it show up on paperwork. If asked the question, he would respond honestly.

Proactive Strategies for Doctors and the System to Effectively Work with Gay Men. Simon identified ways that individual doctors and the overall system can prepare to work with gay men. He encouraged that they should not wait for a situation to arise but take a more proactive and preventative approach. One strategy he suggested was to have an interview with all potential applicants to attempt to identify biases they may have in working with certain groups. He was hopeful that medical schools offered training on effectively working with marginalized groups and not assume “they’ll just pick it up later.” Simon also added that when situations do come up, providers should

take initiative and have cultural competency workshops or trainings for the entire staff, not just medical providers. This may be one way of preventing future incidents.

Another strategy for the system is to increase representation of gay providers within the system. He described this as the “ideal situation” in which the providers theoretically do not approach patients with the same biases as heterosexual providers. One somewhat common strategy to communicate acceptance is with rainbow visual markers. Simon was the only participant that brought up this strategy for making gay patients feel welcomed. He recommended doctors’ offices “include art like rainbow things so that before the doctor even walks in the room the patients feel whatever he may have to say, is going to be welcomed.” Simon disclosed that he has not seen this kind of visual representation of inclusivity in his health care settings.

Ways to Deal with Homophobia and a Personal Example. Simon disclosed that a long time ago he signed up for a workshop that was designed to help participants lose weight. Part of the workshop was working individually with a psychologist to explore psychological barriers to losing weight. The psychologist he was assigned to work with was actively practicing conversion therapy and went on a “homophobic rant” during one of the sessions he attended. After complaining to the workshop organizers, Simon was told the solution for this problem was that he would be excused from the requirement to meet with the psychologist. He noted that in this example it was unjust that he was punished via not having the consultation rather than the primary consequence happening to the psychologist.

In response to homophobia, Simon described that his confidence has increased as he has aged to confront homophobia directly. Additionally, “the teacher in me sees that as

possibly a teachable moment and call him out on it.” He added that he would bring up what he had noticed to the provider and inquire if they knew how that would come across to a gay person. It was their response, Simon continued, that would dictate whether or not he would be able to continue working with them. He noted that in today’s climate it would be nearly impossible to *not* make a complaint to the state medical board for egregious incidents. He believes that most people would not say anything and just not return, leaving the opportunity for similar incidents occurring with other patients. He said for many of these patients, “you’ll never know why they didn’t come back.”

Humility and Other Factors for Doctors to Consider when Building a Relationship and Repairing Mistakes. The first suggestion for repairing mistakes is to ask what can be done from the patient’s perspective to overcome the mistake. It is the provider’s job to inquire how they can make the patient more comfortable and re-establish trust in the relationship. He then hopes that the provider would research how to work more effectively with gay men and not make any assumptions. Without having an awareness of the mistake they had made, the doctor will not be able to prevent making the same mistake again in the future.

To ensure a good relationship, a doctor should listen to their patients and create a warm and inviting atmosphere. One way of doing this is being honest with patients. He told a story of when he was in the hospital his doctor had disclosed being unsure whether Simon was going to die. Although this kind of information can be challenging to hear, it also increases trust in the relationship when doctors are transparent. Additionally, doctors should be well trained on how to effectively establish rapport with patients and not judge their lifestyles.

Advocacy is another key area to ensure a good working relationship. Simon discussed an incident when a doctor misdiagnosed a health condition. A nurse practitioner from another specialty did her own research and offered the correct diagnosis. Unfortunately, the doctor did not listen to her, and he received incorrect treatment for an extended period of time that was significantly detrimental to his health. She did not stop advocating on his behalf and the diagnosis and subsequent treatment were eventually rectified. Simon discussed that some providers have a “narrow view” and only are able to practice from within the narrow confines of their specialty which can lead to errors. The provider’s advocacy and persistence were very impactful to him and cemented an already positive working relationship.

Grant

Grant self-identified as an 82-year-old, cisgender male, White, gay, HIV-Negative, Veteran. He has a yearly income of approximately \$75,000 and is married. He was an officer in the Air Force from 1962–1966 and worked as a pharmacist prior to retirement. He currently lives in a Southern state with his husband to his husband of more than 20 years.

Acknowledge My Identity but “Treat me the Same.” When reflecting whether to integrate his sexual orientation, Grant fell towards the middle of the spectrum relative to other participants in this study. Grant comes out to each of his new providers because it is important to him that they are aware of his identity. However, he hopes to be treated the same as heterosexual patients. He stated, “I don’t like to be held out special or have special requirements over and above anyone else. [...] I don’t expect to be treated any differently. Just treat me the same, but with intelligence and with sincerity.” He disclosed

that when he was previously married to a woman, he did not have to announce his sexual orientation and felt he should not have to do so as someone married to a man. He values his privacy and identifies as being a private person, including in the health care setting. He repeatedly emphasized that he hopes his care as a gay man is the same as heterosexual people because “their problems are human problems 99% of the time.”

Being “More Gay” Matters. When reflecting on tendencies of homophobia, Grant noted differences between the way he is treated versus friends who are more effeminate or “flamboyant.” He described noticing that these kinds of friends have a much more negative experience living in the world versus those who are act more masculine. Between the first and second interviews for this research project, he discussed this topic with his husband, and this was one thing that was emphasized and agreed upon in their discussions. In medical settings, he said, “I think they open my medical records and see my contact person is a man and that I’m married. I think that you do see a difference occasionally when people see that you’re married to a man.” Over time as he has gotten older and gotten more life experience, he has grown to expect negative treatment in the world as a gay man.

Grant also disclosed that he confronts stereotypes of gay men. When discussing his experience in a medical simulation exercise he said, “maybe they thought, because I was gay, I was passing nights at discos, dancing, and doing that sort of thing. I’m not sure.” He discussed ways the questions asked during this exercise largely revolved around stereotypes including an (incorrect) assumption of nonmonogamy in his marriage and the topics noted above. He reflected that straight people tend to assume gay men are promiscuous and have qualitatively different kinds of relationships than heterosexual

people. Grant disclosed that he and his husband are stereotypically more masculine acting and often do not get this sort of negative treatment but friends who are more effeminate encounter this often.

Repeated Questions About HIV and Other Patterns of Health Care

Provision. Grant described his relationship with his primary care provider in positive terms. One aspect of their relationship with which he expressed frustration was related to being asked about whether he need an HIV/AIDS test each time he attends an appointment with this doctor. Each time he tells the doctor that he has been in a monogamous relationship with his husband of more than 20 years with no plans of changing this. Despite this, she continues to ask him about whether he needs this test. He said, “I’ve always wondered, do they have a separate list of questions for gay people versus straight people? Or is that something she would ask an older straight man that has been married for 20 years?” He wondered whether they are “programmed” to ask certain questions of gay men.

Grant has been happy with his health care overall and he has never been asked about his sexual orientation. He tends to come out to new providers, but aside from asking about HIV/AIDS tests, it is largely ignored. He recalled a time when he felt unsafe coming out to providers and did not begin doing so until the past 10–15 years. He receives most of his health care outside of the VA but noted the VA has become more progressive over time and openly accepting from his perspective. He acknowledged that he generally feels comfortable doing this. He noted feeling surprised that he is never asked about his home life. He offered an assumption that gay men may have more problems in their romantic relationships than heterosexual couples but was not sure about

this. He offered that one area that could be added to routine assessment questions could be how the patient's home life is going and whether they are having problems in their relationships with romantic partners.

Proactive System Strategies to Inform Culturally Competent Care. As a former health care provider, Grant had a knowledge of how medical professionals are chosen and what is valued. He observed over time that skills related to biological sciences or chemistry have become less important and other factors have been more highly valued. These include volunteer history, speaking multiple languages, and social skills. He was in support of this shift over time and noted social awareness and ability to work with different patients should continue to be emphasized. This is one means of ensuring new doctors are well rounded and less judgmental. He had participated in a simulation exercise with new medical students at a local medical school and was impressed at their skills in evaluating him as a whole person, including his sexual orientation.

Grant also emphasized prevention from a systems perspective. His local VA had held a training/workshop for LGBTQ patients. He said they held sessions led by doctors on various topics and invited organizations that support gay patients to have booths set up. This kind of service helped to make Veterans more aware of services and organizations they may not yet be aware of. The clinical focus of this event also offered the chance for Veterans to learn about health prevention approaches and activities. He found the event helpful, and it also improved his perception of the cultural competency of the VA system.

Veteran's History as a Provider and other Personal Factors Change

Relationship to the System. Prior to retirement, Grant worked as a clinical pharmacist. He discussed how this background changed his approach to his own health care over time. His standards were high, and he frequently researched potential clinicians as well as his own health conditions. He consistently emphasized the importance of advocating for one's own health care and self-advocacy. When approaching new doctors, he prefers not to disclose his identity as a former pharmacist because he does not want this to bias how they interact with him until he gets to know them before they know this about him. When evaluating them, he hopes to "see how they handle appointments and records to see if I'm dealing with a professional office staff and physician or if it's kind of a patient mill." He also emphasized the importance of being active in one's own health care because the doctor can only offer recommendations, but it is up to the patient to implement them in their lives.

Grant also disclosed other personal factors that change how he interfaces with the system. He described himself as a private person. He discussed that he has to "walk the line between where I am being a private person and where I am being deceitful." He is aware of the tension between privacy and transparency and how this may look different for various patients. If he were to encounter providers that were not up to his satisfaction, he likely would "be polite and not come back." He discussed the influence of his upbringing and how manners were strongly emphasized culturally. It would be a challenge for him to confront problems directly because from his worldview this would be confrontational and considered rude. Because of this, providers and their staff would be unaware of the reason(s) Grant decided not to return to them in the future.

Kevin

Kevin self-identified as a 74-year-old, cisgender male, Native American, bisexual, HIV-Positive, Veteran. He is single and has a yearly income of approximately \$14,000. He was in the Army from 1969–1970 and worked as a chaplain’s assistant. He currently lives in a Southern state.

Frustration and Dissatisfaction with the VA. The overwhelming theme of both interviews with Kevin was his extreme dissatisfaction with his health care in the VA system. There were many factors that contributed to this dissatisfaction, but most were unrelated to his identity as a bisexual man. He lives over an hour away from his local VA hospital and finds this to be a barrier to accessing care. Wait times are long and he finds it challenging to get in for an appointment. Once he is able to get in, he believes the care they offer is suboptimal and “the clinics can’t really do much for you. They’ll draw blood.” He also recently moved and said his new providers are either unable or unwilling to access his historical records despite having received care in a VA where he used to live. He sometimes implied that his care within a previous VA was more positive but consistently returned to his description of the negative experiences he was currently having.

Beyond his experience of health care, Kevin had a strongly negative and traumatic experience while in the military. Although a conscious objector on religious grounds, he was nonetheless drafted into the military. He was ridiculed and abused by peers and superiors in the military. He was physically assaulted resulting in loss of a body part. He told other stories of having clothes stolen and the military refuse to replace them. He indicated that he was not out as bisexual but was strongly ridiculed for being Native

American. He found solace with gay friends and with working as a chaplain's assistant. He interchangeably spoke of his time in the military with his perception of the VA system and seemed to confabulate the two. He was also in the process of working with the VA to increase his service connection in order to attain a higher monthly paycheck and to attain recognition for his traumatic experiences and the loss of a body part.

To Focus on Gay Identity is to “Detract from Someone’s Total Being”:
Sexual Orientation is Irrelevant to Health Care. Kevin had one of the strongest stances of the participants in this study that sexual orientation should not be discussed in health care. This was interesting given that he is HIV-positive. Although there are many heterosexual Veterans living with HIV, there is also a lot of overlap and increased base rates of gay men. With providers he said he “skirted the subject of being gay” when discussing his HIV diagnosis and treatment. He made strong statements on this topic such as, “my sexuality should never be an issue or even addressed” and “why would I come out to anyone? It makes no sense to do that.” He also discussed military culture and its influence on his perception of what it means to be gay. He notes that if he had disclosed his identity as a bisexual man, he would have been “thrown out” of the military. Despite advances over time, he continues to hold on to this view of being out, especially in contexts with a higher prevalence of Veterans and/or government systems (i.e., VA system).

As a Native American man, Kevin discussed his identity from a Native perspective. He said there are not equivalent words for gay, bisexual, etc. Rather, there is an encompassing term of two-spirit.

The Anglo-Saxon intervention has affected how Natives even speak because our traditions of being two-spirit used to be revered by the Native world. We were considered to be a gift from the creator to the people [...]. This all changed with the impregnation of Christianity, which really served as a cancer. And that's why my grandparents said 'Go. Go serve in this service, but remember your Native spirituality, which is your fiber, your roots.' Am I Christian? Yes. Am I a Jew? Yes. Am I Native? Even more so.

Kevin's views of the relevance of sexual orientation may be rooted in a perspective of the colonization of the concept of two-spirit. He holistically identifies with the facets of multiple faith groups and emphasized focusing on shared humanity rather than differences. His value of focusing on shared humanity may be another reason for his opinion that sexual orientation should not be discussed in medical settings.

Appearing to contrast his extreme views that sexual orientation should be excluded from health care, he suggested that providers should be aware of the whole context of the person. He also acknowledged that being out to one's doctor may help communication. He described a relationship with a provider who he believed to be gay based on some references he made to a popular gay travel destination. Kevin recognized that this shared experience and apparent shared identity fostered connection. His reported extreme views about the irrelevance of sexual orientation in health care may be less rigid in practice, depending on the context and situational factors.

“I Don't Believe in Mistakes, Only Clarification”: Suggestions to Providers When Mistakes are Made. Kevin had an interesting take on how doctors should react after making mistakes. He described his belief that rather than focusing on the mistake, it

is more effective to focus on the reaction to the mistake through clarification. Given his dissatisfaction with the VA system, he had a variety of examples of instances where he felt that he received suboptimal care and/or the provider made a mistake. He discussed that an apology is an important first step. There have also been instances where he has sought assistance via the patient advocate when he feels the doctor is unable or unwilling to rectify their mistake. He is comfortable confronting the doctor openly and has done so in the past. His expectation is that doctors are receptive to feedback and work to ensure customer satisfaction. Kevin added that during a recent exchange a doctor embraced him as part of the apology, and he described appreciating this gesture in addition to what the doctor said verbally.

Factors to Maintain a Good Relationship Between Provider and Patient.

Many of Kevin's suggestions for doctors were utilitarian in nature. In other words, he described stories and examples of times that he was most satisfied with providers when they agreed to support requests he had of them. He provided examples including support for a service dog, agreeing to issue him a handicap parking sticker, and writing letters to support his case for increased disability. He identified these as being some of the factors that were most important to him in a provider. He further noted that he appreciates having a relationship that allows for both professional exchanges as well as personal and conversation that is not limited to business. He also hopes that when he attends medical appointments, he can feel free to discuss any topic that he would like and be supported by the doctor. He strongly values when the doctor listens intently and has also prepared ahead of the appointment by looking at his historical record ahead of the appointment.

Emmett

Emmett self-identified as a 65-year-old, cisgender male, White, gay, HIV-Negative, Veteran. He is single and has a yearly income of approximately \$30,000. He was in the Army tanks armor corps from 1975–1995. He currently lives in a Southern state.

Mixed Reactions to the Relevance of Sexual Orientation in Health Care.

Emmett had varied opinions regarding the topic of sexual orientation being discussed in health care. He has never been asked about it directly by a provider but has seen it asked on paperwork. He used to leave that section blank on paperwork because “I guess I have a problem with lying.” Although he would leave this blank on paperwork, he was never asked about it directly or encouraged to fill out that section. Since he has come out, he has felt more comfortable filling in this section although he still finds that he is typically not asked about it openly.

At several points, Emmett expressed a preference that he is not asked about sexual orientation by providers. He said, “It’s not pertinent. It’s not an issue. I mean, why do you want to ask me the question? I’ll tell you. But I also want to know why you need to ask that question.” He elaborated that he does not mind being asked about his sexual orientation if there is a specific reason he is being asked. However, he struggled to think of any reasons when it would be relevant. In an ideal world, he described that the health care encounter would focus more on similarities rather than differences.

Just be human. I mean be compassionate toward a fellow human being. [...] And there shouldn't be a difference. If it's relevant to the issue at hand, then fine, we discuss sexual orientation, sexual habits, and this, that, and the other. Because there's nothing wrong with giving out proactive safety guidance from a medical

professional. You need to do this. You need to take care of this. That's fine. They do that anyway for other people as well. Nothing wrong with that. But let's not make everything involve one's sexual orientation. Just treat just treat them...everybody the same.

Emmett seems to equate discussion of sexual orientation as a form of discrimination. At other parts of the interviews, he questions whether inquiring about this may just be a form of “morbid curiosity” without any kind of clinical utility. Interestingly, he described himself as “an open book” and that he enjoys feeling free to express himself authentically in relationships. However, he maintains that involving sexual orientation in health care relationships should be kept on a “need to know” basis.

Hardship of Living as a Gay Man in the South. A core theme of Emmett’s story was a difficult upbringing and life as a gay man living in the Southern United States. Up until 2–3 years ago, Emmett had lived in a rural southern part of his state “as red a place that you can be.” Although there were parts of this upbringing that he enjoyed, he described the context of living there in very negative terms. Regarding gay identity he described it as “It’s horrible. [...] It’s all hush=hush. It’s all back-alley stuff. It’s not out in the open so much.” He noticed that friends were having trouble finding people to marry gay couples, so he decided to get an online certificate that allowed him to perform legal marriages of same-sex couples.

He also described that in some areas it is dangerous to be out and Gay which prevents people from doing so. He said things worsened under the Trump administration during which things worsened for racial ethnic minorities and LGBTQ people. When describing the situation he said, “It’s all equal. They hate and they pick on— I want to

say minority or they on the least- those that are least able to defend themselves, that don't have any power really." He has noticed that this hate is sometimes justified with religion, and he was also disappointed in laws being passed designed to protect providers from professionally discriminating against certain patients based on their identities and/or lifestyles. These experiences led him to move to a more urban part of the state which he described as being relatively more progressive than where he was living in the rural deep South.

Reactions to Vicarious Health Care Homophobia and Racism in Law

Enforcement and Corrections. Prior to retirement, Emmett worked in law enforcement and later as a corrections officer. As part of his duties as a corrections officer, he would transport inmates to medical facilities for treatment. He drew upon this experience when reflecting on the quality of care offered to members of different groups. Emmett observed a noticeable difference in the quality of care for racial ethnic minorities and members of the LGBTQ community. He said, "Even a White asshole would get a little better treatment than your average everyday Black guy in handcuffs." At times these experiences were overt with doctors using racial and homophobic slurs but typically the differences he noticed were more subtle. When reflecting on this dynamic, he described, "I think it was more a cursory treatment than a let's dig down and let's find out what the hell the problem is." In other words, from his perspective, doctors would offer the bare minimum of care to patients in a different way than what was offered to heterosexual and White inmates.

When observing a “perfunctory examination,” there were times that Emmett decided to speak up and advocate on behalf of the inmates. He would become frustrated when there was a perceptible difference in the way people talked to them and the way they were treated. [it was] ‘check the box and move on,’ as opposed to ‘let’s ask a bunch of questions and get to the bottom of what’s doing this.’

Sometimes when it was clear that they were getting inadequate treatment, he would tell the doctor that what the inmate was describing was real and he had observed their symptoms and the problems they were causing. He reflected on how the injustice of what he was observing was bothersome to him. He had observed inmates die of AIDS and knew if they did not receive adequate and timely medical attention and intervention it could result in complications or even death.

When describing these encounters, Emmett noted that inmates who were had more stereotypically gay or effeminate behaviors and mannerisms would get worse treatment. “It often seemed like a lot of times the other people—when I say obviously say, I’m thinking more people who acted gay, and I won’t say they were, because I didn’t ask them. That was none of my business.” It could be that these inmates received worse care because they violated commonly accepted societal gender norms of traditional masculinity. Their negative treatment may also have been a result of being more easily identified as gay (presumably) whereas gay inmates who more easily passed as heterosexual simply were not identified and assumed to be heterosexual. These dynamics Emmett observed also likely contributed to his opinions that sexual orientation should not be discussed in health care for most patients. He also believes it should not be asked

about on intake paperwork and left up to the patient whether they decide to disclose their identity.

“I’m Okay with Second Best”: Reactions to Homophobia in Health Care.

When reflecting about his response to homophobia in health care, Emmett would expect an apology. He acknowledged “we are all human” and he is still willing to work with someone if they are willing to communicate about what happened and not continue to make the same or similar mistakes. If this did not happen, he would not return to that provider. He reflected about what he would do if that were the best provider within their specialty. Without hesitating, he responded that he is very comfortable with “second best.” In other words, he will not prioritize negative patient care for the sake of a provider who is supposed to be the best. He believes going to the “second best” provider still entails the patient gets good care without having to sacrifice how they are treated. He was not sure whether he would bring up the problem directly and it would depend on the context. When describing this dynamic, he said, “Depending on the level of discomfort he exhibited or that I felt, I’d probably just say ‘yeah, okay, let’s get this over with and let me the hell out of here.’ I’ll find another doctor.”

“Give a Shit”: A Thoughtful Description of Effective Health Care. Similar to other participants in this study, Emmett hopes that providers will be nonjudgmental and view gay patients as human beings first. He discussed an experience of seeking care with an ex-partner who was HIV-positive. The doctor was professional and from Emmett’s perspective were nonjudgmental and did not hesitate to provide them excellent care. He was critical that the health care system has become “money driven.” He decided to leave a longtime health care provider after they were purchased by a large system that forced

money-driven changes. He emphasized the importance of providers taking adequate time to listen to their patients.

When discussing the patient-provider dynamic, he stated, “Fill me in. Let me know. We’re partners in this. Don’t just shut me out and tell me what I’ve got to do. Tell me what I need to do and let me decide if that’s right for us.” His expectation of providers is that they provide options, informed by their expertise, but have a dialogue and not expect the patient would follow them blindly. He hopes that providers do not talk “over my head” or take a “my way or the highway” approach in their relationship. He expects that providers take time to prepare prior to appointments and know his full history. Having a good experience, from his perspective, means all staff who are involved create a positive atmosphere, not just the physician. He appreciates having a good relationship with providers in which there is mutual respect and care. He summarized his feelings about this by saying he hopes “they seem to give a shit basically.”

Cross-Case Themes

Culturally Informed vs “Color-blind” Health Care: A Spectrum of Diverse Opinions

The participants in this study had a wide variety of reactions and preferences about the relevance of their sexual orientation in the health care setting. The majority of participants prefer that their sexual orientation is not integrated into their care and do not see it as relevant. A couple of participants were more neutral and prefer to be out as gay and hope their providers keep their identity in the back of their mind but otherwise hope to be treated the same as heterosexual patients. Only one participant described both wanting to be out as gay and also have his sexual orientation be integrated into his health care appointments consistently.

Figure 2. Graphical Representation of the Spectrum of Participant Opinions Regarding the Relevance of Sexual Orientation in Health Care.

Treat Me the Same. The desire for equal treatment was the most consistent finding across participants in this study. Only one participant deviated from this sentiment and most of the Veterans expressed their opinions about this strongly. One of the strongest voices on this topic was Kevin who stated, “My sexuality should never be an issue or even addressed” and “You detract from someone’s total being by saying that they’re gay.” Some participants seemed to believe that addressing sexual orientation in health care was a form of discrimination and a violation of privacy. Emmett indicated that he hoped sexual orientation would not even be included on intake paperwork. Simon shared this belief and they both described discomfort from being forced to share their sexual orientation, lie, or keep the section blank. They noted that by keeping it blank they feel that they may as well indicate they are gay because this is how it is interpreted by medical staff. Neil and Bernie thought out loud about ways that sexual orientation may be relevant to health care but were unable to come up with any examples. Several participants noted that sexual health (e.g., HIV, STD/STI’S) is one way it could be

relevant; however, they also noted that these conditions also occur for heterosexual patients and believe the screening for these conditions should be universal and not be tied to gay or bisexual men only.

Middle Ground. Two participants shared a more neutral opinion about how they would like their sexual orientation to be considered by providers. Grant shared that he always comes out to new providers early on in the relationship. He likes them to be aware but prefers not to have what he considers to be “special treatment.” Jarod shared a similar view and is out to providers by default because he and his husband attend nearly all appointments together. He does not mind being out but prefers that doctors keep his sexual orientation “in the back of their mind” rather than talking about it openly on a regular basis. He shared an example that he appreciates when doctors exhibit comfort working with him subtly such as talking about gay friends they may have. It seems these two participants focus more on the social aspect of being gay rather than focusing on the medical and treatment implications. This may be because most people are unaware of health disparities and higher prevalence of certain conditions aside from HIV. Nonetheless they had an intuitive sense their sexual orientation is important for their providers to know even if they do not have a good sense of why this is important.

Desire for Tailored Care: The Exception, Not the Norm. Oscar was the only participant that expressed openness and preference for transparent and tailored care for gay men. He shared that what is right for him as a 71-year-old Gay man is likely different than what is right for “Joe Blow here as a 30-year-old married guy and Sally Q. as a nun.” He shared many examples of having open discussions with providers about his identity as a gay man and how this informs his care. There were examples this was

relevant socially and other times was relevant medically. He described, “Even if you’re in the closet, I think it’s important to be open and honest with your medical practitioner.”

Although there may be alternative explanations for his openness, one possible explanation was his geographical location living in a traditionally liberal Western state. Many of the other Veterans lived in Southern and Midwestern parts of the United States which are likely more conservative.

Various factors may have contributed to Oscar’s openness. His geographical location in a more progressive state may have been a factor. He also had been out as gay for longer whereas some participants had been out for a shorter time. Kevin did not identify as being out because of his belief that this results in very negative treatment. Other participants who were less extreme than Kevin who still preferred to avoid talking about their sexual orientation each had a history of negative experiences with providers. This is a key difference when compared to participants in the “middle ground” who denied having had such experiences.

Doctors Should Prepare. Despite variation of opinions about the overall relevance of sexual orientation, participants consistently noted hope that doctors are prepared to work with gay men. For some, this preparation meant having medical school training to have concrete knowledge about different conditions and patterns to be aware of when working with gay men. Another common theme was hope that doctors would examine their own biases and beliefs in preparation to work with gay men. For example, Jarod said,

What I hope is that they would examine themselves to see if they have attitudes that might be an impediment to taking care of a person as though they were any

other human being. I would happy that they would self-examine themselves, just as I would hope that a White physician would examine themselves to see if they have any difficulties that might lead them to treat an African American person differently. [...] That would be the biggest thing: ‘physician, know thyself.’

Participants also had an overwhelming desire for physicians to refrain judgement when working with them. Simon noted that it is not enough to just assume because they are good doctors, this means they are going to effectively work with people who are different and/or unfamiliar. Participants more commonly expressed hope that doctors would effectively learn to work with them nonjudgmentally relative to expressing hope that they would have scientific or medical knowledge about working with gay men.

Homophobia Effects are Long-lasting

The men in this study had varying degrees of experience with overt homophobia in health care. Some did not have any such experiences while others had a limited number of examples. Although past experiences with homophobia were few in number, it was clear these experiences left a lasting impact on the participants in various ways. Of particular note, these experiences appeared to impact them in ways they were largely unaware of. Thus, the long-term impact of these experiences offers important context for providers with which they are working. Specific examples of homophobia are noted in the above sections where individual themes are described in greater detail.

Cautious Approach to Health Care. Participants who had encountered overt homophobia described an apprehensive approach to health care subsequent to negative incidents. Neil and his husband encountered an incident where they were treated negatively in an inpatient setting because of their HIV positive status. He described how

this changed their approach to working with new providers and they tend to be more alert for signs of provider discomfort working with Gay men. Simon recalled how talking about being gay with providers would have been an “act of hostility” decades ago. Although he no longer feels this way, he nonetheless is cautious with being openly gay with providers and has never actually come out to a provider despite being a high consumer of health care. Bernie had a negative incident where a long-term primary care provider refused to prescribe erectile dysfunction medications. Although he was easily able to change providers, he readily acknowledged the long-term impact of his relationship with the health care system following the incident.

Each of these incidents described were relatively brief; however, it had lasting consequences for participants in various ways. For some it led to a cautious approach to providers and for others it resulted in not coming out to providers at all. For most of these participants, their subsequent providers are likely unaware of the previous incidents which have occurred. This is an important finding as patient mistrust and non-adherence are often labeled as pathological when this is likely an adaptive means of approaching providers because of previous negative encounters. It is also important because it demonstrates that brief negative incidents which occurred decades ago can have a lasting impact. Although it can be tempting to say “times have changed, that was then, this is now” it may not be as simple as this. The historical experiences of older adult gay men in health care are an important contextual factor that may contribute to health care utilization and perceptions of safety within the system and with individual providers.

Military Influence. The Veterans in this study primarily served in the military during the 1960’s and 1970’s. Although the United States Military and the VA Health

Care system are distinct administratively, several Veterans noted the impact of their military background on their perception of the VA system. Specifically, they noted that because they would have been dishonorably discharged if they had been gay and out during their military service, they would be apprehensive to come out as a patient in the VA. However, this perception was primarily noted by Veterans not receiving care in the VA. The Veterans who were actively receiving VA care noted a largely positive experience in the VA as gay men. It should be noted that their positive description primarily was related to their perception of being treated the same as heterosexual Veterans.

Aside from VA health care, several Veterans also discussed their approach to living as a gay man relative to their military service. Simon noted that his decision to hide his sexual orientation in the military affected his tendency towards living a private lifestyle rarely discussing his gay identity outwardly. Kevin discussed this in a more extreme way as a result of his traumatic and abusive treatment as both gay and Native American in the military. He consistently noted that these traumatic experiences have negatively affected his self-perception of a gay man. As a leader in his local Native community, he also noted that he has counseled other people to not come out as gay in health care or other contexts because they will be treated differently.

Religion Influence. Religion was a factor identified by some participants as contributory to negative incidents experienced. Bernie identified his provider's Mormon faith as being the likely factor that resulted in his discomfort with prescribing erectile dysfunction medication. Emmett discussed how the highly conservative practice of Christianity in the deep South influenced his experience of working with providers. The

intersection of some religious/spiritual groups and homophobia has resulted in negative experiences for some Veterans. Several Veterans discussed attending church either as children or adults. Oscar noted his “Catholic guilt” has affected his life and sometimes results in a self-deprecating attitude. The ongoing effects from homophobic religious upbringing were not a theme discussed by all participants. Nonetheless, it is a factor that has influenced the provider/patient relationship from the perspective of both doctor and patient for some Veterans.

Preference for Younger Doctors. Interestingly, some participants expressed a preference for working with younger doctors. They noted that their expectation is that younger doctors will be more accepting than older doctors. For example, Bernie said the majority of the physicians where he goes to the doctor are younger “so they have a very open mind, you find. So just open and helpful.” He expects to find a higher likelihood of encountering homophobia when going to see older doctors. Oscar also noted a preference for younger doctors or nurse practitioners and described them as being more open, friendly, and accepting. He added in his personal life he tends to socialize with people who are younger as well. Although not expressed by all participants, this finding offers an interesting contrast to the stereotype that older people prefer working with older and more experienced physicians rather than younger ones whom they perceive to be inexperienced.

Fears of Long-Term Care. Although not inquired about directly, multiple participants expressed fear and hesitation about being accepted as gay men in long-term care facilities. When discussing the topic of being gay in long-term care, Simon said, “I would expect problems in a nursing home as a long-term resident. And I would anticipate

problems from other residents and possibly staff, I don't know." He noted that this fear exceeds any fears of being negatively treated in the normal outpatient health care system in which he accesses care. Kevin noted that he has a friend who was negatively treated after going into a facility and essentially had to re-closet in order to maintain his safety. Although currently single, Bernie expressed a fear about the inpatient visiting rights and end-of-life decision making rights of same-sex partners. This finding emphasizes the importance of access to safe and affirming end-of-life care for older adult gay men. This may be especially relevant for gay Veterans some of whom have the option to enter care through Veterans homes which may or may not be well-suited for their social preferences and needs.

Relationships and the Human Interaction are the Foundation of Health Care

An unsurprising but nonetheless important finding of this study was the importance of human relationship and interactions to the health care experience for older adult gay and bisexual men. To varying degrees, each participant expressed hope that they would have a strong collaborative relationship with their providers. They described ideal scenarios in which they would feel affirmed, safe, and accepted. This type of care environment was discussed both by Veterans who were comfortable openly identifying as gay as well as those who wished for their sexual orientation to remain private.

Desire for Good Relationships with Physician. When describing their experience of health care, most Veterans in this study brought up their relationship with their primary care providers and other members of their care team. They described a good relationship as being one that consists of trust and openness. Many of the participants had experienced turnover in their providers throughout the years as a result of moves of their

providers leaving the agency in which they access care. This resulted in having to re-establish relationships with new providers. Kevin emphasized the importance of the provider responding to requests for things like handicap parking stickers, letters of support for a service animal, and support for increased disability. He described these utilitarian factors as being foundational for a good relationship. The other participants described the importance of having a good interpersonal relationship both personally and professionally. If they felt the relationship was not satisfactory this was almost universally a reason to terminate the relationship and identify a new provider. The only exception was if the provider was the best of their field. Although even this factor was not enough for some participants, and they would still find new providers if the relationship was not positive and collaborative.

Important Factors that Transcend Identity. All participants described factors that enhance the clinical encounter and professional relationship that were not unique to gay or bisexual men. Examples of these factors included warm tone, tendency to smile, and friendly personality. Another key factor that each participant brought up was that the provider was willing to take their time and listen to the patient. They described feeling dismissed when providers would rush through the appointment and/or ask the same question multiple times. Another factor participants discussed was the importance for providers not to speak in a way that was overly complex and used a lot of unintelligible jargon. Emmett eloquently summarized his hope for the relationship stating, “Fill me in. Let me know. We’re partners in this. Don’t just shut me out and tell me what I’ve got to do. Tell me what I need to do and let me decide if that’s right for us.”

Influence of Age. The way participants engage with providers has changed as they have aged. Jarod noted the importance of understanding doctor recommendations as an older adult because there are often higher stakes with complex and comorbid medical conditions. Most of the participants indicated their comfort and confidence in communicating with providers has increased with age. Oscar noted age has increased his comfort level working with doctors because of life experience and feeling less pressure to defer to doctors because of their perceived authority. Jarod discussed an interesting phenomenon he has noticed where providers treat him as a child (e.g., calling him “young man”). He described this as being irritating and that it weakens his respect for the provider. He believes this is disrespectful and it undermines the wealth of life experience older adults have. He finds this particularly frustrating when it happens with providers who are much younger. As high utilizers of health care, it is important to understand older adult preferences for health care and how these may differ from younger groups seeking care.

Repair Mistakes. The first expectation most participants noted for repairing mistakes or ruptures in the relationship with their provider is an authentic apology. They expect that the provider educates themselves and works to not repeat the mistake made in future encounters. Neil suggested that he does not believe it is possible to repair mistakes and it is more important to focus on moving forward in the relationship. Similarly, Kevin noted he does not believe in “mistakes” but believes in “clarification.” These abstract approaches to overcoming mistakes may result in challenges for providers to respond in a satisfying way to patients. Some of the participants suggested treating all patients as gay until it is otherwise known they are heterosexual. Other strategies suggested included

educating staff to prevent future mistakes, exploring one's own biases to explore where the mistake came from, and referring to other providers if they feel unable to work with gay patients.

Emmett acknowledged "we are all human" and providers cannot be perfect in all contexts for all patients. Other participants expressed similar sentiments that mistakes are not automatically grounds for changing providers. Oscar noted that follow-through and response to the mistake is likely more important than the mistake itself in most contexts. Some participants indicated they would be more lenient to work with providers if they are "the best" in their given field. Others noted they would not tolerate working with a provider if they were homophobic and/or had bad bedside manner solely because they are a highly sought-after physician. Emmett quickly noted "I am okay with second best" when asked if he would stay with a doctor because of their medical reputation.

Reactions to the Changing Landscape of Health Care Over Time and Strategies to Effectively Navigate the System

The older adult Veterans interviewed for this research have had decades of experiences in the health care system. They have observed huge sociopolitical shifts that have influenced the landscape of health care. They discussed some of these changes and their reactions to the changes. Some are related to their identities as gay men and others are unrelated. Their responses offer a glimpse at their unique perspective and wealth of life experience that has shaped how they have interfaced with the system over time.

Use of Network to Navigate the System. One strategy to navigate the complex medical system is to use one's network to identify good providers and medical offices. Jarod reported that with his friends, "we're old, we talk about doctors, we talk about

medications, we talk about conditions.” He noted that he uses this network to identify good doctors as well as ones to avoid. Oscar similarly noted that he identified his previous primary care provider through several friends who were already accessing care from them. Bernie expressed that he likes to research doctors before deciding to seek care from them. He does this both online and by asking around his network to see if anyone has personal experiences of working with them. Other Veterans noted similar strategies to unofficially identify providers who they know to have a good reputation and/or culturally competent.

“We Go as a Couple.” Three of the eight Veterans from this study were married and the remaining five were currently single. Of the three married participants, two identified the importance of attending appointments as a couple. One reason for this was to ensure they could retain as much information as possible from the doctor. Jarod noted it is helpful to have “another pair of ears.” Neil noted that he and his husband have sought health care together for years and he strongly values when the provider involves his husband with his care and vice versa. Jarod remarked that he often sees heterosexual couples presenting to medical appointments together and that his reasons for bringing his spouse are likely similar to the reasons heterosexual patients bring their spouse or partner to appointments. He also noted it can be helpful for reporting symptoms to providers because one partner may remember something the other forgets.

Jarod and Neil both recalled that providers would sometimes hesitate momentarily when seeing their same-sex partner, but this has become much more commonplace now and they do not encounter any obvious or outward surprise from providers anymore. Grant is the third married participant and noted he and his husband typically do not attend

appointments together unless it is for something serious like an operation. He did not report any reasons for not attending appointments together and said if his husband wants him to go, he is happy to go with him.

Desire for Representation of Gay Doctors. Several participants hope for continued Gay representation among health care workers. Bernie said, “If I knew of a doctor who was openly gay and he was respected and knowledgeable in the area, yeah, I would definitely choose that doctor, no doubt about it.” Oscar, Kevin, and Bernie had each had providers who they suspected or knew to be openly gay. They each noted how this can be helpful for establishing/maintaining rapport and for feeling more comfortable with discussing their sexual orientation openly. Simon commented on this issue and said there were gay doctors where he lives and “That would have been the ideal situation where the patients know they’re not going to be met with attitudes and stereotypes.” Several participants expressed hope that gay representation in the medical field will continue to increase.

Visual Markers. Simon was the only participant who brought up the utility of visual markers in medical offices and waiting room areas. He noted that he has never observed the presence of rainbows or other visual markers of safety and acceptance but identified these could be helpful. He emphasized the importance of being proactive and communicating acceptance before even meeting the doctor. Interestingly, none of the other participants brought up this issue or commented whether they had observed external signs of allyship or open acceptance such as those described by Simon. He commented that typically medical facilities have “junk” and “fake art” on the walls and the space could be more effectively used to let patients know “this is a safe space.”

Reactions to Working with Women Providers. In most areas of the United States, women make up a substantial proportion of medical providers and for many patients it is second nature to work with women doctors. A 2019 report (Association of American Medical Colleges, 2019) noted that women applicants to medical schools now outnumber those of men. Despite these advances, many of the older adults in this sample of gay men reflected without prompting on the experience of having female doctors. Jarod noted that during his first encounter with a woman doctor, she mentioned if he was ever uncomfortable with parts of the exam involving genitalia, she could involve a male doctor. Oscar noted the general discomfort/embarrassment of a woman performing physical exams of genitalia and described this as being the result of “good old-fashioned gender roles.” Grant noted that he was recently assigned to work with a woman and had fears that this would be uncomfortable and may require a change of provider to work with a male. After meeting with her he described her as “really easygoing and very knowledgeable” and no longer had any concerns to work with her. Across the board, participants generally reported feeling comfortable working with women providers and it seems their apprehension was largely a result of having worked with male doctors for the majority of their lives.

“We Aren’t That Gay”: Internalized Homophobia and Threat of Gay Stereotypes

Although not a universal theme, several participants discussed different forms of homophobia and strategies to avoid fulfilling gay stereotypes. Other participants commented generally on the experience of living life as an older adult gay man. Others noted frustrations with negative stereotypes which have impacted how they receive

medical care. This largely focused on the tendency for providers to oversexualize gay men and assume high risk sexual practices despite being told otherwise.

Factors that Worsen Homophobia. Emmett provided some of the most poignant examples of the harmful effects of homophobia relative to the health care system. Having worked in law enforcement and later in the penal system, he had observed firsthand how outwardly gay and/or effeminate inmates were treated differently by medical professionals. He had observed the use of gay and racial slurs and the provision of what he considered to be “perfunctory” and “cursory” treatment. He noted that this seemed to be more prevalent with male inmates who exhibited more stereotypically effeminate behaviors. Grant noted that between interviews he and his husband reflected upon how they are lucky because they present themselves as more stereotypically masculine and encounter overt homophobia less frequently than some of their friends who present themselves as more stereotypically effeminate. Neil noted that he and his husband “aren’t that gay” and elaborated that he meant they are not flamboyant compared to some of the friends and acquaintances in their social group.

These examples are nuanced in that they represent both internalized homophobia and understandable and adaptive strategies to avoid interpersonal emotional or even physical violence. Although some of their examples were more historical, some of the examples were discussed as being recent. This fear is likely exaggerated for older adult gay men who were raised in an era when it was even more dangerous to be outed as gay than it is today. This finding also appears to have overlap with the finding noted earlier that most participants prefer to keep their sexual orientation private from medical providers.

“Being Gay is More Than Just Sex” and Repeated Unwanted Questions.

Related to the previous sub-theme, some of the most prevalent stereotypes discussed by participants were related to an overemphasis on sexual practices and an assumption of disproportionate/frequent sexual promiscuity and high-risk sexual behavior. Evidence from this study suggests older adult gay and bisexual men are not immune from these stereotypes. Grant, a man in his 80’s who has been in a monogamous married relationship with a man for more than 20 years expressed frustration that he is asked each time he sees his primary care provider whether he needs an HIV test. He said that each time this happens he politely tells them this is not something that he needs and re-explains his circumstances. These questions are likely well-intentioned and represent more of a lapse of attention than anything else. Nonetheless, these could be considered to be microaggressions that he reports impact his relationship with the provider. Heterosexual monogamous couples in their 80’s likely are not confronted with similar types of questions on a frequent basis.

Oscar noted his frustration with always being asked about his sexual behavior. He noted “it seems that LGBTQ issues erroneously are still revolved around sexual things because, God forbid the 20 minutes you spend a week defines the whole seven days.” In other words, he expressed doctors sometimes hyper-focus on the sexual behaviors of gay men when this is just one aspect of their identity. He further reflected, “they really do believe that was all about sex for us and it really isn’t. [...] It’s about loving, a family, house, career, retirement, just like you.” The tendency for providers to focus on sexual behaviors may be another contextual factor to explain why some older Gay men from this sample prefer to keep their identity private from providers.

CHAPTER 5

DISCUSSION

The purpose of this study was to explore the experience of older adult gay and bisexual male Veterans in the health care system. The research questions were related to the exploring general experiences with the health care system, perceptions of cultural competence of providers/the system, key elements of the clinical encounter, and participant description of their relationships with health-care providers. The study was conceptualized from a health disparity framework in order to better understand the role of the health care system in perpetuating or confronting health disparities among older adult gay and bisexual cisgender men (Kilbourne et al., 2006). Existing literature on this topic has largely focused on societal stressors and minority stress (Burgess et al., 2008; Ehman et al., 2017; Friedman et al., 2014); far less attention has been given to the role of the health-care system itself. Two qualitative interviews were completed with eight participants from all over the United States remotely. Case Study (Merriam, 1998; Stake, 1995; Yin, 2002) was used in the conceptualization of this research, constructing research questions, writing the interview protocol and for data analysis. A multiple case study approach was used with eight Veterans (Yin, 2002).

Content analysis (M. D. White & Marsh, 2006) and case study data analysis strategies (Stake, 1995; Yin, 2002) were used to identify within-case themes for each participant and the two interviews for each participant were coded together. Similar procedures were then used to identify cross-case themes and sub-themes. Ontologically, this study was formulated from a constructivist perspective. Thus, data analysis and theme generation were primarily focused on understanding how participants constructed

the narrative of their experience. The data analysis process was completed in a way to attempt to identify alternative or outlier themes in the data and to highlight diverse viewpoints. The following sections of this chapter will review key study findings, explore the implications of findings on the theoretical framework, and provide data-driven theoretical and practical recommendations.

Summary of Findings

The first cross-case theme was the varied opinions about the perceived relevance of sexual orientation in health care. The Veterans in this study had diverse viewpoints and opinions about whether their sexual orientation should be assessed and integrated into their care. Five participants believed it should not be assessed or integrated, two participants preferred to come out to providers but not discuss it during their appointments, and only one participant expressed his preference for integrated and tailored health care when considering his identity as a gay man. This finding was somewhat surprising given that providing culturally competent care usually assumes that the provider is aware of the person's identity, especially if that identity is associated with unique health-related risks.

Sexual orientation differs from some other social identity and demographic characteristics such as race or gender in that it is invisible for most people. Of course, there are exceptions to this in that some people's phenotypical representation of their racial identity may mask how they identify and outward physical expression of one's sex assigned at birth can differ from one's internal sense of gender identity. Providers should provide respectful care to all people regardless of their internal or external identities but being unaware of the entirety of the person can pose a challenge to treat them holistically.

Without fully being informed, providers may miss offering culturally appropriate tests/interventions, preventative education, and screening for common medical problems unique to that group.

Despite the variability of participant opinions about the relevance of sexual orientation in health care, the consensus of these participants was that doctors should be prepared to work with gay and bisexual men. Participants assumed that doctors received formal training on sexual orientation and gender identity issues in medical school when in fact few medical schools provide such training (Parameshwaran et al., 2017).

Furthermore, participants wanted doctors to examine their own biases and attitudes towards gay people and to adjust these to be more tolerant and accepting. Several of them noted that if providers are unwilling or unable to do this that they do not belong in the medical field. Overall, despite a preference for “color-blind” care, these Veterans were intuitively aware that gay patients have unique needs and vulnerabilities that should be acknowledged and trained for.

The second cross-case theme was the long-lasting effects of experiencing homophobia when seeking health care. Surprisingly, very few of these Veterans recalled negative, homophobic experiences in medical systems or with providers. In fact, most participants reported to have no overtly negative experiences at all. However, those who did have a history of such experiences described the long-lasting impact of these. Some of the consequences they discussed included having a more cautious approach to the system, feeling the need to vet doctors before working with them, and feeling that information about their identities would be misused by doctors. It is possible that having a history of negative interactions—both within and outside the health-care system—may

explain the general desire for these Veteran to maintain privacy regarding their sexual orientation.

Previous negative experiences were grounded in a variety of different contexts. Religion was one factors that was reported to influence negative interactions with providers. Negative experiences with religion or spirituality are not an uncommon experience for gay or bisexual men (García et al., 2008; Hamblin & Gross, 2014; Levy, 2012; Page et al., 2013) so in many ways this factor was unsurprising. Military history was another factor that they described negatively influencing their perception of their own sexual orientation identity. Some described that military culture that did not allow for them to be outwardly gay had long-lasting effects on their comfort with openly expressing themselves as gay men. Relative to health care, this phenomenon seemed amplified for those Veteran seeking health care in the VA, which is highly influenced by the military culture even if providers never served in the military themselves. They generally denied having strongly negative experiences in the VA but described their experiences as being treated the same as heterosexual patients and even after coming out the topic of their sexual orientation was not revisited in subsequent visits. If it was, it was typically related to HIV or STI/STD's.

Several participants had negative experiences with older physicians and thus expressed a preference to work with younger doctors. They perceived younger doctors to be more open and accepting of alternative lifestyles and less judgmental in general. This was an interesting finding given the stereotype that some older adult patients prefer to work with more experienced health care providers. The expected cohort effects these participants assumed may be well-founded with some research suggesting higher

prevalence rates of homophobia in older Americans (Walch et al., 2010; Wills & Crawford, 1999). However, data exploring the relationship between age and homophobia tendencies specifically among health care providers was not readily identified and this assumed tendency may be inaccurate and based on stereotypes.

One interesting finding related to the long-term effects of homophobia was that several participants feared being subjected to homophobia should they ever be admitted into long-term care facilities. Those who reported having this fear often did not have the same fear of seeking outpatient health care. One Veteran also raised concerns about same-sex partner or spouse rights with hospital visitations and end-of-life health care decision making processes.

The third cross-case finding focused on interpersonal relationships. Such connections are the foundation of health care; thus, the emphasis on human relationships in this study was unsurprising and not unique to gay patients. For most of these Veterans, satisfaction was reported to be closely tied to their relationships with primary care providers, specialty providers, and other office staff. Conversely, strong negative experiences reported by participants were often tied to negative relationships with providers. Although most participants did not expect their providers to discuss their sexual orientation openly on a frequent basis, they did expect that they would not be met with microaggressions or offensive comments. They noted that they appreciated professional working relationships but also value getting to know their providers on a personal/human level as well.

Many of the factors noted by participants as leading to a positive relationship are factors that transcend gay patients. They emphasized valuing when the provider had a

good tone, a warm personality, a frequent smile, and a kind demeanor. They strongly disliked when their provider rushed through appointments and/or did not listen to them. They further disliked when doctors used an unnecessary amount of jargon and spoke in ways that were not understandable. Although these participants wanted to know all of their options, they wanted them explained in a comprehensible way. They appreciated when the provider prepared for their appointments by reviewing their chart and having a good sense of their medical history. Although the physician was typically the leader of the health care team, they expected other providers, including non-medical staff, to be equally professional and inviting.

The Veterans in this study acknowledged that no one is perfect, and that providers are bound to make mistakes. They emphasized that the response to the mistake is often more important than the mistake itself. Participants noted providers should apologize, educate themselves, and work actively to avoid the mistake in the future. They also suggested prevention efforts to explore biases and best practices for working with gay patients. A couple of the Veterans even suggested assuming all patients are gay until they know otherwise. Some of them expressed that they were more lenient with doctors at the top of their field while others indicated they were very satisfied working with other doctors who have a good reputation, even if not “the best.”

The next theme was the reactions to the changing landscape of health care over time. Older adults have lived through a complex and constantly changing health care system contextualized in a timeline of world and national events. Participants discussed their reactions to changes they had noticed and strategies they have had adopted to help

navigate the system. For some it seemed easy to forget that they had past experiences with a very different health care system than the one they were currently working with.

One basic difference they have observed in their lifetime had been the rapid increase of woman in health care. Many had never had a female doctor until much later in their lives. They generally endorsed positive experiences with women doctors but described some mild discomfort at times. The discomfort they described was primarily related to physical exams that included direct examination of their genitalia. One Veteran noted that a woman doctor had preemptively told him that a male doctor could step in for those parts of the exam if that was his preference. Participants generally noted that after the initial discomfort wore off, they had very satisfying and professional relationships with women doctors, and they denied having any subsequent concerns.

Although five participants were single, three were married to a same-sex partner. Of these three, two participants discussed approaching health care with their husband. They noted several advantages to this including having a “second ear” present to ensure important information was not missed, having a second voice to add information the patient may forget to mention, as well as the added emotional support for more challenging visits. They reported that their husbands attended visits to the clinic in their older years versus when the participants were young. The third married Veteran did not attend appointments with his husband.

Participants expressed a desire for increased gay representation among health care providers. All other factors being equal, they believed they would feel more comfortable working with a doctor with this shared identity. Nonetheless, participants took advantage of their social networks to identify doctors were good to work with and to avoid those

doctors who were seen as problematic. Many VA hospitals have worked to communicate acceptance of LGBTQ Veterans primarily through visual cues, yet only one Veteran spoke about this. Although he did not recall seeing visual cues in medical offices (e.g., rainbow posters), he believed that such cues would be valuable for LGBTQ patients to see before even meeting with the doctor for the first time. Given other participants did not comment on this, it is unclear whether others would view these cues as being useful.

The final cross-case theme was participant experiences of internalized homophobia and gay stereotypes. An interesting theme emerged related to participant's expression of their sexual orientation and gender identity. Several noted that males who exhibited more stereotypically effeminate behaviors tended to be treated worse compared to males who exhibited stereotypical masculine norms. One participant who had worked in law enforcement and the department of corrections observed discrimination against stereotypically effeminate male inmates as he escorted them to medical offices. He recalled hearing homophobic and racist slurs from medical providers; and he observed what he considered to be "perfunctory" or "cursory" treatment of effeminate inmates by the medical staff compared to inmates who presented themselves as more stereotypically masculine and presumed to be heterosexual.

Some of the Veterans in this study made comments that appeared to be the result of internalized homophobia such as "we are not that gay." Others reported feeling that it was dangerous to be openly gay in some circumstances and thus found it safer to remain "in the closet" regardless of where they were in public. The exception to this defensive approach in public was when they were with other gay people or in gay spaces where they felt it was safe to be themselves. Although these sentiments could be classified as

internalized homophobia, it is important to note that these attitudes likely developed for adaptive reasons. Furthermore, the effeminate expression they spoke of is only one type of expression of gay identity and is considered a stereotype because it is a gross generalization of how gay people behave.

Participants explored other stereotypes they confronted on a frequent basis in health care. One example was that they were assumed to be overly promiscuous and that they practiced high-risk sexual behaviors solely because they were gay and bisexual. One participant who had been in a monogamous relationship for more than 20 years reported still being asked whether he needed an HIV test at each medical visit. These stereotypes were described as being irritating and fracturing the interpersonal rapport and professional relationship with their providers. Another participant noted that being gay was “more than just sex” and that focusing on this one aspect of living as a gay man diminished his lived experience. He further believed that by solely focusing on a patient’s sexual behaviors and sexual health, providers were overlooking other key aspects of a patient’s life (e.g., occupational hazards, engagement in hobbies/recreational activities, and important social connections). They acknowledged that it was important to assess sexual health and safe-sex practices but emphasized that this should not be the focus of each clinical visit.

Theoretical Conclusions and Recommendations

The theoretical framework used to conceptualize and design this study was the Origins of Health Care Disparities Model (Kilbourne et al., 2006). This model provides a framework that attempts to identify the micro and macro factors of health care that contribute to and maintain health disparities. It identifies different components of the

health-care experience including the overall system, patient factors, clinical encounter, and provider factors. The following conclusions are provided to inform this theoretical model. As stated in previous chapters, health disparities among minority groups are complex and this model is meant to be a preliminary framework. These recommendations are meant to expand upon this foundational framework and may be the sources of further study.

Older Adult Gay and Bisexual Veterans may Conceptualize Cultural Competence Differently than Younger Counterparts

A key finding of this analysis was that older adults may view the integration of sexual orientation to health care as being intrusive and irrelevant. The existing framework (Kilbourne et al., 2006) does not include age as a relevant variable, but this research suggests age likely plays a role in each stage of the model. Age impacts how the Veteran interfaces with the overall system, impacts the provider-patient relationship, and can affect the clinic encounter. Although this topic needs to be studied more intently and with a larger sample, the majority of participants were clear that they desired what they consider to be equal treatment that does not incorporate their sexual orientation. At the same time, some men it is acceptable when medical staff ask about their sexual orientation.

This finding has implications for the clinical practice and suggests that providers should be mindful of how they approach discussing their patients' sexual orientation. This does not mean providers should avoid the topic; rather, it suggests that they should do so mindfully and be aware that some patients may prefer to keep that part of their identity private. Given the relative age similarity within this sample, cohort effects are

likely contributing to this finding and preferences likely differ in older cohorts versus younger cohorts. These differences may be relevant with a difference as minimal as Veterans who are ten years younger. Their observation and participation in the Civil Rights Movements, Gay Rights Movement, and other social justice movements is likely another key contributor to their preference to be treated “the same.”

Patients May Collude with Providers in Avoidance

Some of the Veterans in this study expressed thoughts and opinions that appeared to be the result of internalized homophobia. Additionally, the majority of participants preferred that their sexual orientation was not discussed openly during medical appointments. They believed it was irrelevant to their care and some believed that providers are intrusive when they asked questions about it. Patient beliefs and preferences are one part of the existing framework (Kilbourne et al., 2006). This research suggests that internalized oppression may negatively impact how patients approach their health care which can impact each of the other parts of the model (e.g., clinical encounter, provider attitudes, and providers biases).

Medical providers likely do not receive training to conceptualize the psychological reasons for this resistance. Furthermore, most do not have the time to unpack this during routine medical visits. This finding suggests that Veterans may be the primary instigators of avoidance when discussing their sexual orientation. Although there are good reasons why this tendency developed, it has the potential to be harmful long-term. When medical providers collude with this avoidance, they may be missing key information about the Veteran that may inform their medical and social understanding of them as a patient. They may also avoid questions they would otherwise ask with other

patients who appear more comfortable discussing these and other topics. This “elephant in the room” may negatively impact the provider-patient relationship and the clinical encounter in other ways such as feeling uncomfortable broaching other sensitive topics.

Physicians May be Unsure How to Effectively Work with Gay Patients and Overemphasize Sexual Behaviors

Provider knowledge, attitudes, and biases are part of the Health Care Disparities Model (Kilbourne et al., 2006). An additional and equally harmful provider factor may be the overreliance on stereotypes of minority groups. This can be particularly harmful as providers may have an internal sense that they are providing culturally competent care when they are in fact micro-aggressing patients. One example of this was Grant who reported that he was constantly asked during each medical visit whether he needed an HIV test despite repeatedly reminding his doctor that he was in a monogamous relationship of more than 20 years. The risk of HIV transmission is crucial and should not be ignored by providers. However, providers should be aware that relying on stereotypes, despite contrary evidence, can harm the clinical relationship and the Veteran’s experience of health care. Several participants noted that one element of a positive working relationship with their doctor was feeling comfortable discussing personal topics (e.g., hobbies, shared interests, family, and work). When providers hyper-focus on gay Veterans’ sexual behaviors, this may unconsciously and inadvertently communicate that the physician believes sexual behavior is the entirety of what it means to identify as gay. This is obviously untrue in the same way that it would be untrue to assume sexual behavior defines the entirety of the experience of living as a heterosexual person.

Doctors Should be Mindful of Previous Traumatic or Negative Experiences with Providers and/or Through Military Service

Some participants revealed ways that previous negative or traumatic experiences consciously or unconsciously had changed the way they interfaced with the health care system and with providers. Medical providers may be unaware of this, especially if younger providers do not have a good sense of what it was like to be gay when older men were in their twenties or thirties. The Health Disparities Model (Kilbourne et al., 2006) does not explicitly account for trauma as it relates to health disparities. This may be particularly relevant for older Veterans who served in the military when being gay resulted in automatic dishonorable discharge. Some Veterans in this study discussed how their perception of the VA system continues to be negatively influenced by their memories of homophobia in the military. One Veteran discussed that being asked about one's sexual orientation by a doctor, even outside of the military, would have been seen at the time as "an act of hostility." Doctors should be aware of this historical context to more effectively work with their patients.

Strengths and Limitations

Strengths

One of the strengths of this study is that it was able to capture perspectives from multiple geographical regions. Additionally, the format of having two interviews allowed for a richer examination of each individual case. The second interview format was scenario-based which allowed for a unique perspective of how participants would handle different hypothetical situations. The electronic recruitment modality via email and social

media and data collection strategy over Zoom or the telephone may have allowed for participation by Veterans who would not normally participate in face-to-face research.

Limitations

One of the main limitations of this study was the ability to identify research participants. Historically, older adult gay and bisexual men have encountered stigma and may have even encountered personal negative treatment by researchers. Care was taken to establish rapport with participants from the very early stages of recruitment. In addition, I attempted to be transparent about the study aims and how I hoped that their interviews would help inform clinical practice. During the informed-consent process, I was intentional in detailing the voluntary nature of their participation, their right to skip questions that made them uncomfortable or to cease participation at any point, and how their confidentiality would be protected.

Another limitation of the study is the generalizability of my results. That is, the sample intentionally consisted of older adult gay and bisexual men who were

- “out” or openly identified as gay or bisexual;
- willing to talk openly about their experiences; and
- technologically savvy enough to use email and/or engaged on social media, which were the primary avenues through which participants were recruited.

These were likely inherent limitations to the study. However, as noted above, the completely electronic and/or phone modality of recruitment and data collection may have allowed for greater participation than if the study had been conducted face-to-face.

Although the diversity of perspectives from Veterans multiple geographical regions was a strength, it also could be considered to be a weakness. Geography may be a

confounding variable that could explain some variability in findings. Although a wealth of information was gained by talking to Veterans, another weakness of this study was all information was based on Veteran self-report and logistical problems as a result of the COVID-19 pandemic. The original study design included live observations that were not possible with this modality. The original study design also was going to examine provider approaches to care. Logistical challenges in gaining approval through the VA precluded this plan and the focus instead was on patients. The point of view of providers was not available and other more objective data forms (e.g., patient/provider observations, interviews with providers) were not available due to logistical problems and the small scale of this study.

Areas for Further Study

Given that this study focused on the patient's perspective, it would be beneficial for future research to examine the provider's perspective on working with older adult gay Veterans in health care. Some researchers have examined developing and implementing cultural competence training for providers (e.g., Donaldson et al., 2019; Shrader et al., 2017; White et al., 2013). The effectiveness of cultural competency training is not well understood due to the complexity of the issue and measurement problems. Although it is relatively easy to study provider knowledge, it is far more challenging to objectively measure provider attitudes and biases and how these change (or do not change) as a result of attending brief cultural competency workshops. Relatedly, future research is needed to better understand effective implementation of culturally informed health care as it relates to patient satisfaction.

Although participants in this study prefer their sexual orientation is not integrated to their care, they may have different viewpoints if they observe and experience this being done more effectively. Larger-scale studies are crucial to explore the impact of system-level factors on health disparities and they relate to provider attitudes and biases, individual patient care, organizational culture, and quality improvement programs. Veterans also come from diverse backgrounds and future research could examine intersectional factors more closely. Historical backgrounds and cohort effects also likely are important to understand given that younger groups may approach health care differently than the participants in this study due to being exposed to different life and cultural events.

Suggestions for Policy Makers

A key suggestion for policy makers is to provide funding and allocation of resources to better understand the system's role in health disparities. As previously noted, the etiological emphasis of health disparities has not focused enough on the role the health care system plays in confronting, sustaining, or even initiating health disparities. Cultural competence training for providers and medical students may be one form of addressing disparities. Possible training suggestions may include:

- Send information ahead of time for participants to study prior to the training to devote more time during training on bias identification.
- Conducting trainings with both providers and patients present to increase interaction.
- Focus on increasing knowledge of health disparities and focus less on knowledge that can be attained individually.

- Focus on identification of implicit biases and explore strategies of increasing cultural humility rather than focusing solely on a competence-based approach.

Other system-level and individual-level interventions to attempt to reduce disparities should also be explored. Participants in this study also expressed hope for increased representation of gay providers in health care. Efforts should be made in this area and gay community leaders, researchers, advocates, and the lay public should be involved in exploring these issues and in the creation and implementation of interventions.

Conclusion

This qualitative research study explored the health care experiences of eight gay and bisexual male Veterans. Although there are well documented health disparities, the ongoing efforts to reduce these disparities is complex. Traditionally, there has been a strong focus on factors outside of the health care system. This research confirms that factors within the system such as provider beliefs, the clinical relationship, and organizational factors are key players in addressing health disparities. Findings also suggest that older adult gay and bisexual Veterans' negative past experiences and internalized homophobia may prevent them from addressing their full identity openly with providers. Although efforts should be made to address the unique needs of this vulnerable group, it should also be underscored that their evaluation of provider effectiveness includes similar factors to heterosexual counterparts (e.g., active listening). Ultimately, they desire to be treated with respect and dignity and work with a provider who is willing to listen to their concerns and adapt to their unique needs and preferences in the context of a supportive and culturally informed health care system.

APPENDIX A

INFORMED CONSENT SCRIPT

CONSENT SCRIPT TO PARTICIPATE IN A RESEARCH STUDY

- Thank you for volunteering to participate in this study. The aim of this research is to better understand the experiences of Gay/Bisexual men within the health care system to improve care. About 8-12 people will take part in this study.
- Your participation will involve two approximately 45-60 minute interviews.
- You will be compensated for your participation with a \$15 gift card per interview.
The University of Missouri Department of Educational, School, and Counseling Psychology is providing the funds for this.
- If we publish the results of this study or present them at scientific meetings, we will not use your name or other personal information.
- The interviews will be recorded so that written transcripts can be made for later analysis. Any personally identifying information you share during the interviews will be redacted or changed for the data analysis process to ensure your confidentiality. The recordings will be sent to a transcription company called Transcribe Me for transcription purposes. This service is confidential and uses encryption software and professional transcribers.
- The information we collect about you will be stored in a securely in a cloud-based system called Box as well as hard files. The online system is protected with a password and encryption; any hard files will be stored securely.
- You may contact the University of Missouri Institutional Review Board if you have any questions or concerns at any time.
- Taking part in a research study is completely voluntary. You can stop being in the study at any time without giving a reason. You are also free to not answer any question asked without giving a reason.
- Your verbal consent to participate takes place of written consent.

AT THIS TIME, DO YOU WISH TO CONTINUE WITH PARTICIPATION IN THIS STUDY?

APPENDIX B

DEMOGRAPHIC FORM

Before we begin, I am going to ask some general questions to get to know you better. You are not required to answer any of these questions. Please indicate to me if you would prefer not to answer and I will move on to the next question.

Age: _____

Gender: _____

Race/Ethnicity: _____

Sexual orientation: _____

HIV status (remind that not answering is completely acceptable):

Approximate income: _____

Relationship status: _____

Military service history:

Mailing address OR email address that gift cards will be mailed/emailed to (will NOT be used for any other purpose):

APPENDIX C

SEMI-STRUCTURED INTERVIEW PROTOCOL

Interview 1 Semi-Structured Protocol

- What is your experience like when you visit your health care provider?
- How would you describe the atmosphere of your primary care clinic?
- Have you had any challenges in seeking primary health care as a sexual minority?
- Have you had any salient positive experiences of how providers have worked with you as a sexual minority?
- How would you like your sexual orientation to be considered as part of the primary health care you receive?
- What suggestions would you give to primary health care providers working with sexual minorities?
- Have you had any experiences related to your sexual orientation aside from seeking primary health care that stand out?

Interview 2 Semi-Structured Protocol

- Walk me through an ideal health care appointment from beginning to end.
- Suppose you were in a medical appointment, and you were sensing a doctor was uncomfortable treating you, what would you do?
- Imagine you had a negative encounter with a provider based on your identity. How would that affect your decision to return to that provider in the future?
- If you were to lead a training for medical providers on treating LGBTQ patients, what topics would you include and what information would you like them to learn?
- If a medical provider works hard to have a good relationship with you, what does that look like? How does that affect your decision to go to the doctor or not for future problems?
- If a medical provider makes a mistake when working with you related to your identity, what should they do to repair the relationship with you?

APPENDIX D

RECRUITMENT FLYER

Research Participation Opportunity

WHO can participate
(all 4)

1. Age 65+
2. Veteran
3. Self-identify as Gay or Bisexual
4. Cisgender Male

WHAT is the topic?

- * Improving health care for Veterans
- * Exploring challenges Veterans face with health care access

HOW can I participate?

- * Participate in two 45-60 minute one-on-one interviews to have your voice be HEARD

CONTACT:

Nick Neibergall
515-473-2887
ncnqq7@mail.missouri.edu

COMPENSATION:

\$15 gift card PER interview (max 2)

University of Missouri IRB Approved Project

References

- About VHA*. (2019). <https://www.va.gov/health/aboutvha.asp>
- Association of American Medical Colleges. (2019). *2019 Fall Applicant, Matriculant, and Enrollment Data Tables* (Issue December).
- Bjorkman, M., & Malterud, K. (2009). Lesbian women's experiences with health care: A qualitative study. *Scandinavian Journal of Primary Health Care*, 27(4), 238–243. <https://doi.org/10.3109/02813430903226548>
- Blosnich, J., Bossarte, R., Silver, E., & Silenzio, V. (2013). Health care utilization and health indicators among a national sample of U.S. veterans in same-sex partnerships. *Military Medicine*, 178(2), 207–212. <https://doi.org/10.7205/MILMED-D-12-00325>
- Boehmer, U., Miao, X., & Ozonoff, A. (2011). Cancer survivorship and sexual orientation. *Cancer*, 117(16), 3796–3804. <https://doi.org/10.1002/cncr.25950>
- Boeije, H. (2002). A purposeful approach to the constant comparative method in the analysis of qualitative interviews. *Quality and Quantity*, 36(4), 391–409. <https://doi.org/10.1023/A:1020909529486>
- Bonvicini, K. A., & Perlin, M. J. (2003). The same but different: Clinician-patient communication with gay and lesbian patients. In *Patient Education and Counseling*. [https://doi.org/10.1016/S0738-3991\(02\)00189-1](https://doi.org/10.1016/S0738-3991(02)00189-1)
- Borza, L. R., Gavrilovici, C., & Stockman, R. (2015). Ethical models of physician - patient relationship revisited with regard to patient autonomy, values and patient education. *Revista Medico-Chirurgicala a Societatii de Medici Si Naturalisti Din Iasi*, 119(2), 496–501. <http://www.ncbi.nlm.nih.gov/pubmed/26204658>
- Brennan-Ing, M., Seidel, L., London, A. S., Cahill, S., & Karpiak, S. E. (2014). Service

utilization among older adults with HIV: The joint association of sexual identity and gender. *Journal of Homosexuality*, 61(1), 166–196.

<https://doi.org/10.1080/00918369.2013.835608>

Burgess, D., Lee, R., Tran, A., & Van Ryn, M. (2008). Effects of perceived discrimination on mental health and mental health services utilization among gay, lesbian, bisexual and transgender persons. *Journal of LGBT Health Research*, 3(4), 1–14. <https://doi.org/10.1080/15574090802226626>

Caceres, B. A., & Frank, M. O. (2016). Successful ageing in lesbian, gay and bisexual older people: a concept analysis. *International Journal of Older People Nursing*, 11(3), 184–193. <https://doi.org/10.1111/opn.12108>

Carter-Pokras, O., & Baquet, C. (2002). What is a “health disparity?” *Public Health Reports*, 117(5), 426.

Cherry, K. E., Brown, J. S., Kim, S., & Jazwinski, S. M. (2016). Social factors and healthy aging: Findings from the Louisiana healthy aging study (LHAS). *Kinesiology Review*, 5, 50–56. <https://doi.org/http://dx.doi.org/10.1123/kr.2015-0052>

Cho, J., & Trent, A. (2006). Validity in qualitative research revisited. *Qualitative Research*, 6(3), 319–340. <https://doi.org/10.1177/1468794106065006>

Clandinin, D. J. (2016). *Engaging in narrative inquiry*. Routledge. <https://doi.org/10.4324/9781315429618>

Clift, J. B., & Kirby, J. (2012). Health care access and perceptions of provider care among individuals in same-sex couples: Findings from the medical expenditure panel survey (MEPS). *Journal of Homosexuality*, 59(6), 839–850.

<https://doi.org/10.1080/00918369.2012.694766>

- Clover, D. (2006). Overcoming barriers for older gay men in the use of health services: A qualitative study of growing older, sexuality and health. *Health Education Journal*, 65(1), 41–52. <https://doi.org/10.1177/0017896906066066>
- Cochran, S. D., Björkenstam, C., & Mays, V. M. (2016). Sexual orientation and all-cause mortality among US adults aged 18 to 59 years, 2001-2011. *American Journal of Public Health*, 106(5), 918–920. <https://doi.org/10.2105/AJPH.2016.303052>
- Crenshaw, K. (1989). Demarginalizing the intersection of race and sex: A black feminist critique of antidiscrimination doctrine, feminist theory and antiracist politics. *The University of Chicago Legal Forum*, 139–168.
- Creswell, J. W., & Poth, C. N. (2017). *Qualitative inquiry & research design: Choosing among five approaches* (4th ed.). SAGE Publications, Inc.
- Croghan, C. F., Moone, R. P., & Olson, A. M. (2015). Working with LGBT baby boomers and older adults: Factors that signal a welcoming service environment. *Journal of Gerontological Social Work*, 58(6), 637–651. <https://doi.org/10.1080/01634372.2015.1072759>
- Crotty, M. J. (1998). *The foundations of social research*. Sage Publications.
- Cuevas, A. G., O'Brien, K., & Saha, S. (2017). What is the key to culturally competent care: Reducing bias or cultural tailoring? *Psychology and Health*, 32(4), 493–507. <https://doi.org/10.1080/08870446.2017.1284221>
- D'Anna, L. H., Nguyen, H. H. D., Reynolds, G. L., Fisher, D. G., Janson, M., Chen, C., & Malotte, C. K. (2012). The relationship between sexual minority verbal harassment and utilization of health services: Results from countywide risk

- assessment survey (CRAS) 2004. *Journal of Gay and Lesbian Social Services*, 24(2), 119–139. <https://doi.org/10.1080/10538720.2012.669696>
- Dahlhamer, J. M., Galinsky, A. M., Joestl, S. S., & Ward, B. W. (2016). Barriers to health care among adults identifying as sexual minorities: A US national study. *American Journal of Public Health*, 106(6), 1116–1122. <https://doi.org/10.2105/AJPH.2016.303049>
- Denzin, N. K., & Lincoln, Y. S. (2011). *The SAGE handbook of qualitative research*. SAGE Publications, Inc.
- Donaldson, W., Smith, H. M., & Parrish, B. P. (2019). Serving all who served: Piloting an online tool to support cultural competency with lgbt u.s. Military veterans in long-term care. *Clinical Gerontologist*, 42(2), 185–191. <https://doi.org/10.1080/07317115.2018.1530323>
- Durso, L. E., & Meyer, I. H. (2013). Patterns and predictors of disclosure of sexual orientation to healthcare providers among lesbians, gay men, and bisexuals. *Sexuality Research and Social Policy*, 10(1), 35–42. <https://doi.org/10.1007/s13178-012-0105-2>
- Dworkin, S. H. (2001). Treating the bisexual client. *Journal of Clinical Psychology*, 57(5), 671–680. <https://doi.org/10.1002/jclp.1036>
- Ehman, E. C., Johnson, G. B., Villanueva-meyer, J. E., Cha, S., Leynes, A. P., Eric, P., Larson, Z., & Hope, T. A. (2017). *The relationship between sexual minority stigma and sexual health risk behaviors among HIV-positive older Gay and Bisexual men*. 46(5), 1247–1262. <https://doi.org/10.1002/jmri.25711>.PET/MRI
- Eleazer, G. P., Doshi, R., Wieland, D., Boland, R., & Hirth, V. A. (2005). Geriatric

- content in medical school curricula: results of a national survey. *J Am Geriatr Soc*, 53(1), 136–140. <https://doi.org/JGS53023> [pii]n10.1111/j.1532-5415.2005.53023.x
- Emanuel, E. J., & Emanuel, L. L. (1992). Four models of the physician-patient relationship. *Journal of the American Medical Association*, 267(16), 2221–2226.
- Fine, M. J., & Demakis, J. G. (2003). The veterans health administration's promotion of health equity for racial and ethnic minorities. *American Journal of Public Health*, 93(10), 1622–1624. <https://doi.org/10.2105/AJPH.93.10.1622>
- Fiscella, K., Franks, P., Doescher, M. P., & Saver, B. G. (2002). Disparities in health care by race, ethnicity, and language among the insured: Findings from a national sample. *Medical Care*, 40(1), 52–59.
- Fitzpatrick, K. K., Euton, S. J., Jones, J. N., & Schmidt, N. B. (2005). Gender role, sexual orientation and suicide risk. *Journal of Affective Disorders*, 87(1), 35–42. <https://doi.org/10.1016/j.jad.2005.02.020>
- Fredriksen-Goldsen, K. I., Kim, H.-J., Barkan, S. E., Muraco, A., & Hoy-Ellis, C. P. (2013). Health disparities among Lesbian, Gay, and Bisexual older adults: Results from a population-based study. *American Journal of Public Health*. <https://doi.org/10.2105/AJPH.2012.301110>
- Friedman, M. R., Dodge, B., Schick, V., Herbenick, D., Hubach, R. D., Bowling, J., Goncalves, G., Krier, S., & Reece, M. (2014). From bias to bisexual health disparities: attitudes toward bisexual men and women in the United States. *LGBT Health*, 1(4), 309–318. <https://doi.org/10.1089/lgbt.2014.0005>
- Gagné, P., & Tewksbury, R. (1998). Conformity pressures and gender resistance among transgendered individuals. *Social Problems*, 45(1), 81–101.

<https://doi.org/10.2307/3097144>

García, D. I., Gray-Stanley, J., & Ramirez-Valles, J. (2008). “The priest obviously doesn’t know that I’m gay”: The religious and spiritual journeys of Latino gay men. *Journal of Homosexuality*, 55(3), 411–436.

<https://doi.org/10.1080/00918360802345149>

Gates, G. J. (2004). *Gay men and lesbians in the US military: Estimates from census 2000* (Issue September). The Urban Institute.

<https://williamsinstitute.law.ucla.edu/wp-content/uploads/Gates-GL-Military-Census2000Estimates-Oct-2005.pdf>

Gates, G. J. (2011). How many people are lesbian, gay, bisexual, and transgender? *The Williams Institute*, April, 1–8. <https://doi.org/10.1080/13691058.2012.673639>

Geertz, C. (1973). *The interpretation of cultures: Selected essays*. Basic Books.

Glaser, B. G., & Strauss, A. L. (1967). *The discovery of grounded theory: Strategies for qualitative research*. Aldine.

Gonzales, G., & Henning-Smith, C. (2015). Disparities in health and disability among older adults in same-sex cohabiting relationships. *J Aging Health*, 27(3), 432–453. <https://doi.org/10.1177/0898264314551332>

Hamblin, R. J., & Gross, A. M. (2014). Religious faith, homosexuality, and psychological well-being: A theoretical and empirical review. *Journal of Gay & Lesbian Mental Health*, 18(1), 67–82. <https://doi.org/10.1080/19359705.2013.804898>

Hamilton, C. J., & Mahalik, J. R. (2009). Minority stress, masculinity, and social norms predicting gay men’s health risk behaviors. *Journal of Counseling Psychology*, 56(1), 132–141. <https://doi.org/10.1037/a0014440>

- Hardacker, C. T., Rubinstein, B., Hotton, A., & Houlberg, M. (2014). Adding silver to the rainbow: The development of the nurses' health education about LGBT elders (HEALE) cultural competency curriculum. *Journal of Nursing Management*, 22(2), 257–266. <https://doi.org/10.1111/jonm.12125>
- Hastings, W. (2010). Research and the ambiguity of reflexivity and ethical practice. *Discourse*, 31(3), 307–318. <https://doi.org/10.1080/01596301003786902>
- Heck, J. E., Sell, R. L., & Gorin, S. S. (2006). Health care access among individuals involved in same-sex relationships. *American Journal of Public Health*, 96(6), 1111–1118. <https://doi.org/10.2105/AJPH.2005.062661>
- Higgins, A., Sharek, D., & Glacken, M. (2016). Building resilience in the face of adversity: navigation processes used by older lesbian, gay, bisexual and transgender adults living in Ireland. *Journal of Clinical Nursing*, 25(23–24), 3652–3664. <https://doi.org/10.1111/jocn.13288>
- Hughes, A. K., Harold, R. D., & Boyer, J. M. (2011). Awareness of LGBT aging issues among aging services network providers. *Journal of Gerontological Social Work*, 54(7), 659–677. <https://doi.org/10.1080/01634372.2011.585392>
- Hughes, M. (2007). Older lesbians and gays accessing health and aged-care services. *Australian Social Work*, 60(2), 197–209. <https://doi.org/10.1080/03124070701323824>
- Jenkins Morales, M., King, M. D., Hiler, H., Coopwood, M. S., & Wayland, S. (2014). The Greater St. Louis LGBT health and human services needs assessment: An examination of the silent and baby boom generations. *Journal of Homosexuality*, 61(1), 103–128. <https://doi.org/10.1080/00918369.2013.835239>

- Johnson, M. J., & Nemeth, L. S. (2014). Addressing health disparities of lesbian and bisexual women: A grounded theory study. *Women's Health Issues, 24*(6), 635–640. <https://doi.org/10.1016/j.whi.2014.08.003>
- Kilbourne, A. M., Switzer, G., Hyman, K., Crowley-Matoka, M., & Fine, M. J. (2006). Advancing health disparities research within the health care system: A conceptual framework. *American Journal of Public Health, 96*(12), 2113–2121. <https://doi.org/10.2105/AJPH.2005.077628>
- Knochel, K. A., Quam, J. K., & Croghan, C. F. (2011). Are old lesbian and gay people well served?: Understanding the perceptions, preparation, and experiences of aging services providers. *Journal of Applied Gerontology, 30*(3), 370–389. <https://doi.org/10.1177/0733464810369809>
- Krahn, G. L., Walker, D. K., & Correa-De-Araujo, R. (2015). Persons with disabilities as an unrecognized health disparity population. *American Journal of Public Health, 105*, S198–S206. <https://doi.org/10.2105/AJPH.2014.302182>
- Landers, S. J., Mimiaga, M. J., & Conron, K. J. (2011). Sexual orientation differences in asthma correlates in a population-based sample of adults. *American Journal of Public Health, 101*(12), 2238–2241. <https://doi.org/10.2105/AJPH.2011.300305>
- Levy, D. L. (2012). The importance of personal and contextual factors in resolving conflict between sexual identity and Christian upbringing. *Journal of Social Service Research, 38*(1), 56–73. <https://doi.org/10.1080/01488376.2011.586308>
- Lincoln, Y. S., & Guba, E. G. (1985). Establishing trustworthiness. In *Naturalistic inquiry*. SAGE Publications, Inc.
- Maddux, S. (2011). *Gen Silent*. Interrobang Productions.

McCabe, S. E., Hughes, T. L., Bostwick, W. B., West, B. T., & Boyd, C. J. (2009).

Sexual orientation, substance use behaviors and substance dependence in the United States. *Addiction*, 104(8), 1333–1345. <https://doi.org/10.1111/j.1360-0443.2009.02596.x>

McGovern, J., Brown, D., & Gasparro, V. (2016). Lessons learned from an LGBTQ

senior center: A Bronx tale. *Journal of Gerontological Social Work*, 4372(November), 01634372.2016.1255692.

<https://doi.org/10.1080/01634372.2016.1255692>

Merriam, S. B. (1998). *Qualitative research and case study applications in education*.

Jossey-Bass.

Meyer, I. H. (1995). Minority stress and mental health in Gay men. *Journal of Health and*

Social Behavior, 36(1), 38–56.

Moustakas, C. (1994). *Phenomenological research methods*. SAGE Publications, Inc.

<https://doi.org/10.4135/9781412995658>

Ortman, J. M., Velkoff, V. a., & Hogan, H. (2014). An aging nation: The older

population in the United States. *Economics and Statistics Administration, US Department of Commerce, 1964*, 1–28. [census.gov](https://www.census.gov)

Page, M. J. L., Lindahl, K. M., & Malik, N. M. (2013). The role of religion and stress in

sexual identity and mental health among lesbian, gay, and bisexual youth. *Journal of Research on Adolescence*, 23(4), 665–677. <https://doi.org/10.1111/jora.12025>

Parameshwaran, V., Cockbain, B. C., Hillyard, M., & Price, J. R. (2017). Is the lack of

specific lesbian, gay, bisexual, transgender and queer/questioning (LGBTQ) health care education in medical school a cause for concern? Evidence from a survey of

- knowledge and practice among UK medical students. *Journal of Homosexuality*, 64(3), 367–381. <https://doi.org/10.1080/00918369.2016.1190218>
- Phelan, S. M., Burke, S. E., Hardeman, R. R., White, R. O., Przedworski, J., Dovidio, J. F., Perry, S. P., Plankey, M., A. Cunningham, B., Finstad, D., W. Yeazel, M., & van Ryn, M. (2017). Medical school factors associated with changes in implicit and explicit bias against gay and lesbian people among 3492 graduating medical students. *Journal of General Internal Medicine*, 32(11), 1193–1201. <https://doi.org/10.1007/s11606-017-4127-6>
- Ponterotto, J. G. (2005). Qualitative research in counseling psychology: A primer on research paradigms and philosophy of science. *Journal of Counseling Psychology*, 52(2), 126–136. <https://doi.org/10.1037/0022-0167.52.2.126>
- Porter, K. E., & Krinsky, L. (2014). Do LGBT aging trainings effectuate positive change in mainstream elder service providers? *Journal of Homosexuality*, 61(1), 197–216. <https://doi.org/10.1080/00918369.2013.835618>
- Portz, J. D., Retrum, J. H., Wright, L. A., Boggs, J. M., Wilkins, S., Grimm, C., Gilchrist, K., & Gozansky, W. S. (2014). Assessing capacity for providing culturally competent services to LGBT older adults. *Journal of Gerontological Social Work*, 57(2–4), 305–321. <https://doi.org/10.1080/01634372.2013.857378>
- Proctor, A. R., & Krusen, N. E. (2017). Time to ask and tell: Voices of older gay and bisexual male veterans regarding community services. *Journal of Gay and Lesbian Social Services*, 29(4), 415–425. <https://doi.org/10.1080/10538720.2017.1366386>
- Quinn, G. P., Sutton, S. K., Winfield, B., Breen, S., Canales, J., Shetty, G., Sehovic, I., Green, B. L., & Schabath, M. B. (2015). Lesbian, gay, bisexual, transgender,

queer/questioning (LGBTQ) perceptions and health care experiences. *Journal of Gay and Lesbian Social Services*, 27(2), 246–261.

<https://doi.org/10.1080/10538720.2015.1022273>

Qureshi, R. I., Zha, P., Kim, S., Hindin, P., Naqvi, Z., Holly, C., Dubbs, W., & Ritch, W.

(2018). Health care needs and care utilization among lesbian, gay, bisexual, and transgender populations in New Jersey. *Journal of Homosexuality*, 65(2), 167–180.

<https://doi.org/10.1080/00918369.2017.1311555>

Reisner, S. L., White, J. M., Bradford, J. B., & Mimiaga, M. J. (2013). Transgender

health disparities: Comparing full cohort and nested matched-pair study designs in a community health center. *LGBT Health*, 1(3), 177–184.

<https://doi.org/10.1038/mp.2011.182.doi>

Sabin, J. A., Riskind, R. G., & Nosek, B. A. (2015). Health care providers' implicit and

explicit attitudes toward lesbian women and gay men. *American Journal of Public Health*. <https://doi.org/10.2105/AJPH.2015.302631>

Saha, S., Freeman, M., Toure, J., Tippens, K. M., Weeks, C., & Ibrahim, S. (2008).

Racial and ethnic disparities in the VA health care system: A systematic review. *Journal of General Internal Medicine*, 23(5), 654–671.

<https://doi.org/10.1007/s11606-008-0521-4>

Schilder, A. J., Kennedy, C., Goldstone, I. L., Ogden, R. D., Hogg, R. S., &

O'Shaughnessy, M. V. (2001). "Being dealt with as a whole person." Care seeking and adherence: The benefits of culturally competent care. *Social Science and Medicine*, 52(11), 1643–1659.

<http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L3>

2229917%5Cn[http://dx.doi.org/10.1016/S0277-9536\(00\)00274-4](http://dx.doi.org/10.1016/S0277-9536(00)00274-4)

Seawnght, J., & Gerring, J. (2008). Case selection techniques in case study research: A menu of qualitative and quantitative options. *Political Research Quarterly*, 61(2), 294–308. <https://doi.org/10.1177/1065912907313077>

Sharek, D. B., Mccann, E., Sheerin, F., Glacken, M., & Higgins, A. (2015). Older LGBT people's experiences and concerns with healthcare professionals and services in Ireland. *International Journal of Older People Nursing*, 10(3), 230–240. <https://doi.org/10.1111/opn.12078>

Shavers, V. L. (2017). Measurement of socioeconomic status in health disparities research. *Journal of the American Medical Association*, 99(9), 1013–1023. <https://doi.org/10.4103/2468-6360.191909>

Sherman, M. D., Kauth, M. R., Ridener, L., Shipherd, J. C., Bratkovich, K., & Beaulieu, G. (2014). An empirical investigation of challenges and recommendations for welcoming sexual and gender minority veterans into VA care. *Professional Psychology: Research and Practice*, 45(6), 433–442. <https://doi.org/10.1037/a0034826>

Sherman, M. D., Kauth, M. R., Shipherd, J. C., & Street, R. L. (2014). Communication between VA providers and sexual and gender minority veterans: A pilot study. *Psychological Services*, 11(2), 235–242. <https://doi.org/10.1037/a0035840>

Sherman, M. D., Kauth, M. R., Shipherd, J. C., & Street, R. L. (2015). Provider beliefs and practices about assessing sexual orientation in two veterans health affairs hospitals. *LGBT Health*, 1(3), 185–191. <https://doi.org/10.1089/lgbt.2014.0008>

Shiu, C., Kim, H. J., & Fredriksen-Goldsen, H. J. (2017). Health care engagement among

LGBT older adults: The role of depression diagnosis and symptomatology.

Gerontologist, 57, S105–S114. <https://doi.org/10.1093/geront/gnw186>

Shrader, A., Casero, K., Casper, B., Kelley, M., Lewis, L., & Calohan, J. (2017). Military lesbian, gay, bisexual, and transgender (LGBT) awareness training for health care providers within the military health system. *Journal of the American Psychiatric Nurses Association*, 23(6), 385–392. <https://doi.org/10.1177/1078390317711768>

Simpson, T. L., Balsam, K. F., Cochran, B. N., Lehavot, K., & Gold, S. D. (2013).

Veterans administration health care utilization among sexual minority veterans.

Psychological Services, 10(2), 223–232. <https://doi.org/10.1037/a0031281>

Smith, J. A., Braunack-Mayer, A., Wittert, G., & Warin, M. (2007). “I’ve been

independent for so damn long!”: Independence, masculinity and aging in a help seeking context. *Journal of Aging Studies*, 21(4), 325–335.

<https://doi.org/10.1016/j.jaging.2007.05.004>

Smith, S. K., & Turell, S. C. (2017). Perceptions of healthcare experiences: relational and communicative competencies to improve care for LGBT people. *Journal of Social Issues*, 73(3), 637–657. <https://doi.org/10.1111/josi.12235>

Stake, R. E. (1995). *The art of case study research*. Sage Publications, Inc.

Sullivan, J. C., Sandfort, T., Mattocks, K. M., Kauth, M. R., Shipherd, J. C., & Matza, A.

R. (2015). Understanding health-care needs of sexual and gender minority veterans:

How targeted research and policy can improve health. *LGBT Health*, 1(1), 50–57.

<https://doi.org/10.1089/lgbt.2013.0003>

Tanner, A. E., Reboussin, B. A., Mann, L., Ma, A., Song, E., Alonzo, J., & Rhodes, S. D.

(2014). Factors influencing health care access perceptions and care-seeking

behaviors of immigrant Latino sexual minority men and transgender individuals:

Baseline findings from the HOLA intervention study. *Journal of Health Care for the Poor and Underserved*, 25(4), 1679–1697. <https://doi.org/10.1353/hpu.2014.0156>

Tracy, S. J. (2010). Qualitative quality: Eight a"big-tent" criteria for excellent qualitative research. *Qualitative Inquiry*, 16(10), 837–851.

<https://doi.org/10.1177/1077800410383121>

U.S Department of Health and Human Services Office of Minority Health. (2001). Office of minority health national standards for culturally and linguistically appropriate services in health care. *Health San Francisco*, 3(March), 5–5.

<http://www.ingentaconnect.com/content/springer/cmanj/2002/00000003/00000002/art00005>

VA LGBT Outreach. (2019).

Valenti, K., & Katz, A. (2014). Needs and Perceptions of LGBTQ Caregivers: The Challenges of Services and Support. *Journal of Gay and Lesbian Social Services*, 26(1), 70–90. <https://doi.org/10.1080/10538720.2013.865575>

Veterans Health Administration. (2016). *Restoring trust in veterans health care - VHA annual report, fiscal year 2016*.

https://www.va.gov/HEALTH/docs/VHA_AR16.pdf

Walch, S. E., Orlosky, P. M., Sinkkanen, K. A., & Stevens, H. R. (2010). Demographic and social factors associated with homophobia and fear of AIDS in a community sample. *Journal of Homosexuality*, 57(2), 310–324.

<https://doi.org/10.1080/00918360903489135>

White, J., Krinsky, L., Maddux, S., Lockeman, K., Metcalfe, Y., Aggarwal, S., &

- Gendron, T. (2013). Cultural competence training for healthcare professionals working with LGBT older adults. *Educational Gerontology*, 39(6), 454–463.
<https://doi.org/10.1080/03601277.2012.701114>
- White, M. D., & Marsh, E. E. (2006). Content analysis: A flexible methodology. *Library Trends*, 55(1), 22–45. <https://doi.org/10.1017/cbo9781316218969.010>
- Whitehead, J., Shaver, J., & Stephenson, R. (2016). Outness, stigma, and primary health care utilization among rural LGBT Populations. *PLoS ONE*, 11(1), 1–17.
<https://doi.org/10.1371/journal.pone.0146139>
- Wilkerson, J. M., Rybicki, S., Barber, C. A., & Smolenski, D. J. (2011). Creating a culturally competent clinical environment for LGBT patients. *Journal of Gay and Lesbian Social Services*, 23(3), 376–394.
<https://doi.org/10.1080/10538720.2011.589254>
- Wills, G., & Crawford, R. (1999). Attitudes toward homosexuality in Shreveport-Bossier City, Louisiana. *Journal of Homosexuality*, 38(3), 97–116.
https://doi.org/10.1300/J082v38n03_06
- Yarns, B. C., Abrams, J. M., Meeks, T. W., & Sewell, D. D. (2016). The mental health of older LGBT adults. *Current Psychiatry Reports*, 18(6).
<https://doi.org/10.1007/s11920-016-0697-y>
- Yin, R. K. (2002). *Case study research: Design and methods*. Sage Publications, Inc.

VITA

Nicholas C. Neibergall was born and raised in Des Moines, IA. He attended Loras College in Dubuque, IA and earned a Bachelor of Arts degree with a double major in Psychology and Spanish. During his junior year of college, he studied abroad during the Spring semester in Santiago de Compostela, Galicia, Spain. He then earned a Master of Science in Counseling Psychology from the University of Wisconsin-Madison. His master's clinical internship was completed at the University Health Services Counseling and Consultation Services at UW-Madison. He then attended University of Missouri to earn a doctoral degree in Counseling Psychology. In 2015, he taught two sections of Experiencing Cultural Diversity in the United States in the College of Education. His clinical graduate assistantship and practica sites included the MU Career Center, Geropsychology track at the Truman VA Hospital, MU Counseling Center, Neuropsychology track at the Truman VA hospital, and Thompson Center for Autism and Neurodevelopmental Disorders. During the 2020-2021 year, he completed an APA-Accredited Clinical Psychology Internship as the Geriatric Track intern at the William S. Middleton VA Hospital in Madison, WI. He has developed a primary clinical interest in Clinical Neuropsychology and will complete a two-year postdoctoral fellowship in the Benton Laboratory within the Department of Neurology at the University of Iowa. He also maintains a clinical and research interest working with older adults and members of the LGBTQ community and studying health disparities.