Characteristics of Soybean Varieties
Entered into the 2011
MU Variety Testing Program

All information in this table was provided by the seed companies. The MU Variety Testing Program does not guarantee accuracy. Please contact seed dealers for the latest information

			Phyto[3]				Herbicide[6]		
	MG[1]	Seed treatment[2]	Gene	Field tol.	SCN source[4]	SDS rate[5]	Gly	Glu	STS
AgVenture 38T8NRR/STS	3.8	14	rps1c	3	PI88788	3	Y	N	Y
AgVenture 47G7NRR/STS	4.7	14	n/i	3	PI88788	2	Y	N	Y
AgVenture VPMaxx 38X1RR	3.8	14	rps1k	5	PI88788	3	Y	N	N
AgVenture VPMaxx 40A2RR	4.0	14	n/i	5	PI88788	3	Y	N	N
AgVenture VPMaxx 44K4RR	4.4	14	rps1c	4	PI88788	3	Y	N	N
AgVenture VPMaxx 44X1RR	4.4	14	rps1k	4	PI88788	3	Y	N	N
AgVenture VPMaxx 47A3NRR	4.7	14	rps1c	4	PI88788	3	Y	N	N
AgVenture VPMaxx 49C9RR	4.9	14	rps1k	4	PI88788	4	Y	N	N
AgVenture VPMaxx 49X1RR	4.9	14	n/i	5	PI88788	3	Y	N	N
Armor 48-R40	4.7	3,7	rps1c	3	n/i	4	Y	N	Y
Armor 53-R15	5.3	3,7	rps1c	4	n/i	3	Y	N	N
Armor X1204	4.4	3,7	rps1c	4	n/i	3	Y	N	N
Armor X1205	4.4	3,7	rps1c	3	n/i	4	Y	N	N
Armor X1206	4.4	3,7	rps1c	4	n/i	3	Y	N	N
Armor X1208	4.7	3,7	rps1c	3	n/i	3	Y	N	N
Armor X1209	4.7	3,7	rps1c	4	n/i	3	Y	N	N
Armor X1210	4.8	3,7	rps1k	4	n/i	4	Y	N	N
Armor X1211	4.9	3,7	none	4	n/i	4	Y	N	N
Armor X1213	5.4	3,7	n/i	2	n/i	n/i	Y	N	N
Armor X1215	5.5	3,7	n/i	3	n/i	n/i	Y	N	N
Armor X1216	5.5	3,7	none	3	n/i	n/i	Y	N	N
Armor X1217	5.4	3,7	n/i	4	n/i	4	Y	N	N
Armor X1218	5.5	3,7	rps1c	4	n/i	4	Y	N	N
Armor X1247	4.7	3,7	rps1c	4	n/i	4	Y	N	N
Armor X1253	5.2	3,7	none	4	n/i	n/i	Y	N	N
Armor X1255	5.5	3,7	n/i	2	n/i	n/i	Y	N	N
Asgrow AG3231	3.2	1	rps1c	5	PI88788	6	Y	N	N
Asgrow AG3432	3.4	1	rps1c	7	PI88788	5	Y	N	N
Asgrow AG3730	3.7	1	rps1c	5	PI88788	5	Y	N	N
Asgrow AG3731	3.7	1	rps1c	6	PI88788	5	Y	N	N
Asgrow AG3830	3.8	1	rps1c	5	PI88788	4	Y	N	N
Asgrow AG4531	4.5	1	rps1c	7	PI88788	4	Y	N	Y
Asgrow AG4730	4.7	1	rps1c	5	none	5	Y	N	Y

Asgrow AG4732	4.7	1	rps1c	5	PI88788	6	Y	N	N
Asgrow AG4831	4.8	1	none	7	none	3	Y	N	Y
Asgrow AG4932	4.9	1	rps1c	5	PI88788	4	Y	N	N
Asgrow AG5232	5.2	1	rps1c	4	PI88788	6	Y	N	N
Asgrow AG5332	5.3	1	none	5	PI88788	6	Y	N	N
Asgrow AG5532	5.5	1	rps1a	4	n/i	n/i	Y	N	N
Asgrow AG5632	5.6	1	none	5	n/i	n/i	Y	N	Y
Asgrow AGEXPMO4.2	4.2	1	rps1a	5	PI88788	6	Y	N	Y
Big Cob B44LL	4.4	10,12,13	n/i	n/i	n/i	n/i	N	Y	N
Big Cob SR3211	3.2	10,12,13	n/i	n/i	n/i	n/i	N	N	N
Dairyland DSR-3805/R2Y	3.8	7	rps1c	n/i	PI88788	n/i	Y	N	N
Dairyland DSR-4300/RR	4.3	7	n/i	n/i	PI88788	n/i	Y	N	N
Dairyland DSR-4500/RR	4.5	7	n/i	n/i	PI88788	n/i	Y	N	N
Dairyland DSR-4810/RR	4.8	7	rps1c	n/i	PI88788	n/i	Y	N	N
Dairyland DSR-8482/RR	4.8	7	rps1c	n/i	PI88788	n/i	Y	N	N
Dairyland DST 45-001/R2Y	4.5	7	rps1c	n/i	PI88788	n/i	Y	N	N
Dairyland DST 45-002/R2Y	4.5	7	rps1k	n/i	PI88788	n/i	Y	N	N
Dairyland DST 47-002/R2Y	4.7	7	rps1c	n/i	PI88788	n/i	Y	N	N
Delta Grow 4460RR	4.4	7	rps1c	2	PI88788	2	Y	N	N
Delta Grow 4670RR2	4.6	7	rps1c	3	PI88788	3	Y	N	N
Delta Grow 4861LL	4.8	7	rps1k	3	PI88788	4	N	Y	N
Delta Grow 4875RR2	4.8	7	rps1c	2	PI88788	3	Y	N	N
Delta Grow 4880RR	4.8	7	rps1k	2	PI88788	3	Y	N	N
Delta Grow 4970RR	4.9	7	rps1k	2	PI88788	2	Y	N	N
Delta Grow 4975RR	4.9	7	rps1a	2	n/i	1	Y	N	N
Delta Grow 5110RR2 EXP	5.1	7	n/i	4	PI88788	3	Y	N	N
Delta Grow 5160RR/STS	5.1	7	n/i	2	PI88788	2	Y	N	Y
Delta Grow 5275RR2	5.2	7	rps1c	2	PI88788	3	Y	N	N
Delta Grow 5280RR	5.2	7	n/i	3	PI88788	3	Y	N	N
Delta Grow 5300RR/STS	5.3	7	rps1c	4	PI88788	3	Y	N	Y
Delta Grow 5461LL	5.4	7	rps1k	3	PI88788	4	N	Y	N
Delta Grow 5545RR	5.5	7	n/i	2	PI88788	3	Y	N	N
Delta Grow 5555RR	5.5	7	n/i	2	PI88788	3	Y	N	N
Delta Grow 5565RR2	5.5	7	n/i	3	PI88788	2	Y	N	N
Delta Grow 5625RR2	5.6	7	rps1a	2	PI88788	3	Y	N	N
Delta King DK 5363	5.3	3,7	none	4	n/i	3	Y	N	N
Delta King DKR4744	4.7	3,7	rps1c	4	n/i	4	Y	N	Y
Dyna-Gro 31RY45	4.5	1	rps1c	3	PI88788	5	Y	N	N
Dyna-Gro 32RY39	3.9	1	rps1c	3	PI88788	3	Y	N	N
Dyna-Gro 32RY55	5.5	1	rps1c	2	PI88788	3	Y	N	N
Dyna-Gro 33G48	4.8	4,9	rps1k	3	PI88788	4	Y	N	N
Dyna-Gro 33RY37	3.7	1	rps1c	2	PI88788	2	Y	N	N
Dyna-Gro 34RY36	3.6	1	rps1c	3	PI88788	3	Y	N	N

Dyna-Gro 35P53	5.3	4,9	none	2	Peking	4	Y	N	N
Dyna-Gro 35X43	4.3	4,9	none	3	PI88788	3	Y	N	N
Dyna-Gro 36RY38	3.8	1	rps1c	2	PI88788	3	Y	N	N
Dyna-Gro 37P37	3.7	4,9	rps1c	4	PI88788	4	Y	N	N
Dyna-Gro 37RY47	4.7	1	rps1c	4	none	2	Y	N	Y
Dyna-Gro 37RY52	5.2	1	rps1c	3	PI88788	5	Y	N	N
Dyna-Gro 38RY45	4.5	1	rps1c	4	PI88788	3	Y	N	N
Dyna-Gro 39RY43	4.3	1	rps1c	3	PI88788	4	Y	N	N
eMerge 389F.YC	3.7	7	none	2	PI88788	1	N	N	N
eMerge 4510S	4.5	7	rps1c	2	PI88788	1	N	N	Y
eMerge 4920S	4.9	7	none	2	PI88788	2	N	N	Y
eMerge 5110	5.1	7	none	3	PI88788	2	N	N	N
Fontanelle 78N71	3.8	n/i	n/i	n/i	n/i	n/i	N	N	N
Fontanelle 79N62	3.9	n/i	n/i	n/i	n/i	n/i	N	N	N
Fontanelle 9789 NRR	3.8	n/i	n/i	n/i	n/i	n/i	Y	N	N
Glenn	5.5	4	n/i	n/i	n/i	n/i	N	N	N
Go Soy 4411LL	4.4	7	n/i	4	PI88788	4	N	Y	N
Go Soy 4810LL	4.8	7	n/i	4	PI88788	5	N	Y	N
Go Soy 5111LL	5.1	7	n/i	4	PI88788	4	N	Y	N
Hanover	4.9	none	none	n/i	Hartwig	4	N	N	N
Hoblit 372LL	3.7	14	rps1k	3	none	3	N	Y	N
Hoblit 412LL	4.1	14	none	3	none	3	N	Y	N
Hoegemeyer 3789NRR	3.7	14	rps1k	4	PI88788	4	Y	N	N
Hoegemeyer 3997NRR	3.9	14	rps1k	5	PI88788	3	Y	N	N
Hoegemeyer 4120NRR	4.1	14	rps1k	5	PI88788	3	Y	N	N
Hoegemeyer 4191NRR	4.1	14	rps1k	4	PI88788	4	Y	N	N
Hoegemeyer 4383NRR	4.3	14	rps1k	6	PI88788	5	Y	N	N
Hoegemeyer 4394NRS	4.3	14	rps1k	6	PI88788	4	Y	N	Y
Hornbeck HBK C5528	5.5	9,14	n/i	2	n/i	n/i	N	N	N
Hornbeck HBK R4729	4.7	9,14	n/i	2	n/i	n/i	Y	N	N
Hornbeck HBK R4829	4.8	9,14	n/i	n/i	n/i	3	Y	N	N
Hornbeck HBK R4830	4.8	9,14	n/i	4	none	7	Y	N	N
Hornbeck HBK R4924	4.9	9,14	n/i	3	PI88788	3	Y	N	N
Hornbeck HBK R5226	5.2	9,14	n/i	3	n/i	6	Y	N	N
Hornbeck HBK R5525	5.5	9,14	n/i	2	PI88788	3	Y	N	N
Hornbeck HBK R5529	5.5	9,14	n/i	n/i	n/i	6	Y	N	N
Hornbeck HBK RY4620	4.6	9,14	rps1c	n/i	n/i	1	Y	N	Y
Hornbeck HBK RY4721	4.7	9,14	rps1c	n/i	n/i	2	Y	N	N
Hornbeck HBK RY5220	5.2	9,14	n/i	1	none	n/i	Y	N	N
Hornbeck HBK RY5421	5.4	9,14	n/i	5	n/i	n/i	Y	N	N
Hornbeck HBK RY5521	5.5	9,14	n/i	n/i	n/i	n/i	Y	N	N
HS 36A12	3.6	7	rps1c	3	PI88788	3	Y	N	N
HS 37A02	3.7	7	rps1a	4	PI88788	3	Y	N	N

HS 38A02	3.8	7	rps1c	2	PI88788	4	Y	N	N
HS 38A12	3.8	7	rps1c	2	PI88788	2	Y	N	N
HS 39A02	3.9	7	rps1c	5	PI88788	3	Y	N	N
HS 39A12	3.9	7	rps1c	3	PI88788	3	Y	N	N
Jake	5.4	4	none	3	Hartwig	3	N	N	N
JTN-5203	5.3	4,7	n/i	n/i	Hartwig	3	N	N	N
Kruger K2-3402	3.4	1	rps1c	5	PI88788	4	Y	N	N
Kruger K2-3602	3.6	1	rps1a	5	PI88788	4	Y	N	N
Kruger K2-3701	3.7	1	rps1c	n/i	PI88788	4	Y	N	N
Kruger K2-3802	3.8	1	rps1c	5	PI88788	5	Y	N	N
Kruger K2-3902	3.9	1	rps1c	7	PI88788	4	Y	N	N
Kruger K2-4101	4.1	1	none	5	PI88788	4	Y	N	Y
Kruger K2-4102	4.1	1	rps1a	n/i	PI88788	4	Y	N	N
Kruger K2-4201	4.2	1	none	5	PI88788	4	Y	N	N
Kruger K2-4202	4.2	1	rps1a	5	PI88788	6	Y	N	N
Kruger K2-4302	4.3	1	rps1a	6	PI88788	6	Y	N	N
Kruger K2-4502	4.5	1	rps1c	n/i	PI88788	4	Y	N	N
Kruger K2-4601	4.6	1	rps1c	6	PI88788	4	Y	N	N
Kruger K2-4701	4.7	1	none	6	PI88788	4	Y	N	N
Kruger K2-4801	4.8	1	rps1c	n/i	PI88788	6	Y	N	N
Lewis 351R2	3.5	1	rps1c	4	PI88788	3	Y	N	N
Lewis 362R2	3.6	1	rps1c	4	PI88788	3	Y	N	N
Lewis 381R2	3.8	1	rps1c	4	PI88788	4	Y	N	N
Lewis 392R2	3.9	1	rps1c	4	PI88788	3	Y	N	N
Lewis 412R2	4.1	1	rps1a	4	PI88788	3	Y	N	N
Lewis 441R2	4.4	1	rps1c	5	PI88788	3	Y	N	N
Lewis 452R2	4.5	1	rps1c	4	PI88788	5	Y	N	N
Lewis 472R2	4.7	1	rps1c	4	PI88788	5	Y	N	N
Lewis 502R2	5.0	1	rps1c	3	PI88788	4	Y	N	N
Mershman Atlanta 1047RR2Y	4.7	14	rps1c	n/i	none	3	Y	N	Y
Mershman Austin 1142LL	4.2	14	none	3	PI88788	3	N	Y	N
Mershman Coolidge 1234RR2Y	3.4	14	rps1c	n/i	PI88788	4	Y	N	N
Mershman Denali 1252LL	5.2	14	rps3	n/i	PI88788	n/i	N	Y	N
Mershman Everest 1251RR2Y	5.1	14	rps1c	n/i	PI88788	5	Y	N	N
Mershman Grant 1236LL	3.6	14	rps1k	3	PI88788	3	N	Y	N
Mershman Hood 1150LL	5.0	14	none	3	PI88788	3	N	Y	N
Mershman Houston 747RR	4.7	14	none	4	PI88788	4	Y	N	N
Mershman Kennedy 1036RR2Y	3.6	14	none	3	PI88788	3	Y	N	N
Mershman Macon 1249LL	4.9	14	rps1a	n/i	PI88788	n/i	N	Y	N
Mershman Madison 1039LL	3.9	14	rps1c	n/i	PI88788	3	N	Y	N
Mershman Memphis 1243RR2Y	4.3	14	rps1c	n/i	PI88788	5	Y	N	N
Mershman Miami 949LL	4.9	14	rps1k	n/i	PI88788	4	N	Y	N
Mershman Nashville 749RR	4.9	14	rps1a	n/i	PI88788	3	Y	N	Y

Mershman Olympus 1051LL	5.1	14	rps1k	n/i	PI88788	3	N	Y	N
Mershman Orlando 1246LL	4.6	14	rps1k	n/i	PI88788	n/i	N	Y	N
Mershman Phoenix 1245RR2Y	4.5	14	rps1c	n/i	PI88788	6	Y	N	N
Mershman Tampa 1245LL	4.5	14	rps1c	n/i	PI88788	n/i	N	Y	N
Mershman Truman 938LL	3.8	14	rps1c	n/i	PI88788	3	N	Y	N
Mershman Tucson 1249LL	4.9	14	rps1c	n/i	PI88788	n/i	N	Y	N
Mershman Tulsa 1245LL	4.5	14	rps1k	n/i	PI88788	n/i	N	Y	N
Mershman Washington 1238RR	3.8	14	rps1k	3	PI88788	4	Y	N	N
Mershman Whitney 1154LL	5.4	14	rps1k	n/i	PI88788	3	N	Y	N
Midland 3612NR2	3.6	7	none	2	PI88788	2	Y	N	N
Midland 3732NR2	3.7	7	none	3	PI88788	2	Y	N	N
Midland 3740NR2	3.8	7	none	2	PI88788	2	Y	N	N
Midland 3822NR2	3.8	7	none	2	PI88788	2	Y	N	N
Midland 3842NRR	3.8	7	none	2	PI88788	2	Y	N	N
Midland 3850NR2	3.8	7	none	2	PI88788	2	Y	N	N
Midland 3952NR2	3.9	7	none	2	PI88788	1	Y	N	N
Midland 4162NR2	4.1	7	none	2	PI88788	2	Y	N	N
Midland 4270NR2	4.2	7	none	2	PI88788	2	Y	N	N
Midland 4329NRR	4.3	7	none	2	PI88788	1	Y	N	N
Midland 4768NRR	4.7	7	rps1c	2	PI88788	2	Y	N	N
Midland 4792RS2	4.7	7	none	2	none	3	Y	N	Y
Morsoy 4707	4.7	7	n/i	n/i	n/i	2	Y	N	N
Morsoy 4955	4.9	7	n/i	2	n/i	2	Y	N	Y
Morsoy 5168	5.1	7	n/i	2	n/i	2	Y	N	N
Morsoy 5429	5.4	7	n/i	3	n/i	3	Y	N	N
Morsoy CB 4860	4.8	7	n/i	2	n/i	n/i	N	N	N
Morsoy CB 5209	5.3	7	n/i	7	n/i	3	N	N	N
Morsoy LL 3759N	3.7	7	rps1k	3	PI88788	3	N	Y	N
Morsoy LL 4880N	4.8	7	rps1k	3	PI88788	6	N	Y	N
Morsoy LL 5120N	5.1	7	rps1k	3	PI88788	4	N	Y	N
Morsoy R2 36X11N	3.6	7	rps1c	4	PI88788	4	Y	N	N
Morsoy R2 36X21N	3.6	7	rps1c	4	PI88788	4	Y	N	N
Morsoy R2 37X41N	3.7	7	rps1c	5	PI88788	5	Y	N	N
Morsoy R2 37X70N	3.7	7	rpsla	4	PI88788	4	Y	N	N
Morsoy R2 37X81N	3.7	7	rps1c	3	PI88788	3	Y	N	N
Morsoy R2 38X31N	3.8	7	rps1c	4	PI88788	4	Y	N	N
Morsoy R2 38X61N	3.8	7	rps1c	3	PI88788	3	Y	N	N
Morsoy R2 39X01N	3.9	7	rps1c	2	PI88788	4	Y	N	N
Morsoy R2 41X11N	4.1	7	n/i	4	PI88788	4	Y	N	N
Morsoy R2 42X21N	4.2	7	rps1a	3	PI88788	5	Y	N	N
Morsoy R2 46X71N	4.6	7	rps1c	3	PI88788	5	Y	N	N
Morsoy R2 47X31N	4.7	7	rps1c	4	PI88788	5	Y	N	N
Morsoy R2S 48X10	4.8	7	rps1c	2	n/i	3	Y	N	Y

Morsoy RT 3807N	3.8	7	rps1c	2	PI88788	3	Y	N	N
Morsoy RT 3930N	3.9	7	rps1k	3	PI88788	4	Y	N	N
Morsoy RT 4707N	4.7	7	rps1c	2	PI88788	4	Y	N	N
Morsoy RTS 5150N	5.1	7	rps1c	3	PI88788	5	Y	N	Y
Morsoy Xtra 46X29	4.6	7	n/i	3	n/i	2	Y	N	Y
Morsoy Xtra 46X71	4.6	7	rps1c	2	n/i	3	Y	N	N
Morsoy Xtra 47X31	4.7	7	rps1c	2	n/i	2	Y	N	Y
Morsoy Xtra 48X00	4.8	7	rps1c	4	n/i	2	Y	N	N
Morsoy Xtra 49X10	4.9	7	n/i	4	n/i	3	Y	N	N
Morsoy Xtra 51X31	5.1	7	rps1c	2	n/i	3	Y	N	N
Morsoy Xtra 53X51	5.3	7	n/i	n/i	n/i	n/i	Y	N	N
Morsoy Xtra 54X41	5.4	7	rps1c	2	n/i	2	Y	N	N
MPG 3811R2N	3.7	7	n/i	2	n/i	2	Y	N	N
MPG 3911NRR	3.9	7	rps1k	2	n/i	2	Y	N	N
MPG 3912R2N	3.9	7	rps1a	2	PI88788	2	Y	N	N
MPG 4509 NRR/STS	4.5	7	n/i	2	n/i	2	Y	N	Y
MPG 4577NRR	4.5	7	n/i	2	n/i	2	Y	N	N
MPG 4707 NRR/STS	4.7	7	n/i	2	n/i	2	Y	N	Y
MPG 5505NRR/STS	5.5	7	n/i	2	n/i	2	Y	N	Y
MPV 4238N	4.2	4	none	5	n/i	4	N	N	N
MPV-C-450N	4.5	7	rps1a	2	PI88788	2	N	N	N
MPV-C-490N	4.9	7	n/i	2	n/i	2	N	N	N
MPV-C-510N	5.1	7	n/i	2	n/i	2	N	N	N
Mustang	4.2	4	n/i	n/i	n/i	n/i	N	N	N
Mycogen 5N371R2	3.7	7	rps1c	3	PI88788	2	Y	N	N
Mycogen 5N385R2	3.8	7	rps1c	2	PI88788	3	Y	N	N
Mycogen 5N386R2	3.8	7	rps1c	2	PI88788	3	Y	N	N
Mycogen 5N392RR	3.9	7	none	3	PI88788	3	Y	N	Y
Mycogen 5N403R2	4.0	7	none	2	PI88788	3	Y	N	N
Mycogen 5N412R2	4.1	7	none	2	PI88788	3	Y	N	N
Mycogen 5N431R2	4.3	7	rps1c	3	PI88788	3	Y	N	N
Mycogen 5N451R2	4.5	7	rps1c	2	PI88788	4	Y	N	N
NK S31-L7 Brand	3.1	7	rps1c	4	PI88788	3	Y	N	N
NK S34-N3 Brand	3.4	7	rps1c	4	PI88788	3	Y	N	N
NK S35-T9 Brand	3.5	7	none	4	PI88788	4	Y	N	N
NK S39-U2 Brand	3.9	7	none	4	PI88788	2	Y	N	N
NK S42-T4 Brand	4.2	7	none	5	PI88788	3	Y	N	N
NK S44-D5 Brand	4.4	7	rps1c	4	PI88788	4	Y	N	N
NK S46-A1 Brand	4.6	7	none	5	PI88788	4	Y	N	N
NK S47-R3 Brand	4.7	7	rps1c	5	PI88788	3	Y	N	N
NK S49-A5 Brand	4.9	7	rps1c	4	PI88788	3	Y	N	N
NuTech 3372L	3.7	14	rps1c	4	PI88788	4	N	Y	N
NuTech 3420L	3.4	14	none	5	PI88788	4	N	Y	N

NuTech 7359	3.5	14	rps1k	5	PI88788	4	Y	N	N
NuTech 7388	3.8	14	rps1k	3	PI88788	4	Y	N	N
NuTech 7425S	4.2	14	none	5	PI88788	4	Y	N	N
NuTech 7478	4.7	14	none	5	PI88788	4	Y	N	N
NuTech-G2 7335	3.3	14	none	4	PI88788	3	Y	N	N
NuTech-G2 7342	3.4	14	rps1a	5	PI88788	4	Y	N	N
NuTech-G2 7362	3.6	14	none	5	PI88788	3	Y	N	N
NuTech-G2 7372	3.7	14	none	3	PI88788	4	Y	N	N
NuTech-G2 7373	3.7	14	rps1k	5	PI88788	2	Y	N	N
NuTech-G2 7385	3.8	14	rps1k	4	PI88788	3	Y	N	N
NuTech-G2 7389	3.8	14	none	4	PI88788	3	Y	N	N
NuTech-G2 7390	3.9	14	rps1k	4	PI88788	3	Y	N	N
NuTech-G2 7402	4.0	14	rps1k	4	PI88788	4	Y	N	N
NuTech-G2 7415SE	4.1	14	rps1k	6	PI88788	2	Y	N	N
NuTech-G2 7420	4.2	14	rps1k	4	PI88788	3	Y	N	N
NuTech-G2 7442	4.4	14	rps1k	5	PI88788	4	Y	N	N
NuTech-G2 7460	4.6	14	rps1a	4	PI88788	3	Y	N	N
NuTech-G2 7472	4.7	14	none	4	PI88788	3	Y	N	N
Osage	5.6	3	n/i	n/i	none	3	N	N	N
Patriot	3.9	4	n/i	6	n/i	5	N	N	N
Pfister 37R28	3.7	7	rps1c	3	PI88788	2	Y	N	N
Pfister 38R25	3.8	7	rps1c	3	PI88788	4	Y	N	N
Pfister 43R29	4.3	7	rps1c	3	PI88788	3	Y	N	N
Pfister 45R23	4.5	7	rps1c	3	PI88788	3	Y	N	N
Pfister 47R24	4.7	7	rps1c	3	PI88788	3	Y	N	N
Pioneer 93Y70	3.7	2,9,14	none	5	PI88788	4	Y	N	N
Pioneer 94Y01	4.0	2,9,14	rps1k	5	PI88788	3	Y	N	N
Pioneer 94Y40	4.4	2,9,14	rps1k	6	PI88788	4	Y	N	N
Pioneer 94Y50	4.5	2,9,14	none	4	PI88788	5	Y	N	N
Pioneer 94Y61	4.6	2,9,14	rps1a	4	PI88788	4	Y	N	N
Pioneer 94Y70	4.7	2,9,14	none	5	PI88788	4	Y	N	N
Pioneer 94Y80	4.8	2,9,14	none	6	PI88788	4	Y	N	N
Pioneer 94Y81	4.8	2,9,14	none	5	PI88788	3	Y	N	N
Pioneer 94Y82	4.8	2,9,14	rps1k	6	none	5	Y	N	N
Pioneer 94Y91	4.9	2,9,14	rps1k	3	PI88788	3	Y	N	N
Pioneer 95Y01	5.0	2,9,14	none	5	PI88788	6	Y	N	N
Pioneer 95Y10	5.1	2,9,14	rps1a	5	PI88788	3	Y	N	N
Pioneer 95Y31	5.3	2,9,14	none	3	PI88788	4	Y	N	Y
Pioneer 95Y40	5.4	2,9,14	rps1k	4	PI88788	4	Y	N	N
Pioneer 95Y50	5.5	2,9,14	n/i	3	n/i	n/i	Y	N	N
Power Plus 37T1	3.7	14	rps1k	4	PI88788	3	Y	N	N
Power Plus 38D2	3.8	14	rps1k	3	PI88788	3	Y	N	N
Power Plus 40V1	4.0	14	none	5	PI88788	2	Y	N	N

Power Plus 43D1	4.3	14	rps1k	3	PI88788	3	Y	N	N
Power Plus X34T2	3.4	14	rps1k	4	PI88788	3	Y	N	N
Progeny 3911RY	3.9	7	rps1c	n/i	n/i	1	Y	N	N
Progeny 4211RY	4.2	7	n/i	n/i	n/i	4	Y	N	N
Progeny 4510RY	4.5	7	n/i	2	n/i	1	Y	N	N
Progeny 4611RY	4.6	7	rps1c	n/i	n/i	6	Y	N	N
Progeny 4710RY	4.7	7	n/i	n/i	n/i	4	Y	N	N
Progeny 4750RR	4.7	7	rps1k	n/i	n/i	6	Y	N	N
Progeny 4807RR	4.8	7	n/i	n/i	n/i	4	Y	N	N
Progeny 4811RY	4.8	7	rps1c	n/i	n/i	6	Y	N	N
Progeny 4906RR	4.9	7	rps1a	n/i	n/i	4	Y	N	N
Progeny 4910	4.9	7	n/i	n/i	n/i	9	N	N	N
Progeny 4911RY	4.9	7	n/i	n/i	n/i	4	Y	N	N
Progeny 4928LL	4.9	7	rps1k	n/i	n/i	n/i	N	Y	N
Progeny 5111RY	5.1	7	rps1c	n/i	n/i	6	Y	N	N
Progeny 5160LL	5.1	7	rps1k	n/i	n/i	4	N	Y	N
Progeny 5191	5.1	7	n/i	1	n/i	1	N	N	N
Progeny 5210RY	5.2	7	rps1c	n/i	n/i	6	Y	N	N
Progeny 5261LL	5.2	7	n/i	n/i	n/i	4	N	Y	N
Progeny 5321RY	5.3	7	n/i	n/i	n/i	4	Y	N	N
Progeny 5330RR	5.3	7	n/i	1	n/i	4	Y	N	N
Progeny 5460LL	5.4	7	rps1k	n/i	n/i	6	N	Y	N
Progeny 5610RY	5.6	7	rps1c	n/i	n/i	n/i	Y	N	N
Progeny 5655RY	5.6	7	n/i	n/i	n/i	6	Y	N	N
Progeny 5711RY	5.7	7	rps1a	n/i	n/i	n/i	Y	N	N
Progeny 5770	5.7	7	n/i	n/i	n/i	1	N	N	N
Progeny 5811RY	5.8	7	n/i	n/i	n/i	n/i	Y	N	N
Progeny 5960LL	5.9	7	rps1k	n/i	n/i	4	N	Y	N
R04-357	5.7	3	n/i	n/i	none	3	N	N	N
S07-5049	4.1	9,14	n/i	n/i	PI88788	n/i	N	N	N
S08-14072	4.4	9,14	n/i	n/i	PI88788	n/i	Y	N	N
S08-14087	4.6	9,14	n/i	n/i	PI88788	n/i	Y	N	N
S08-14117	4.1	9,14	n/i	n/i	PI88788	n/i	Y	N	N
S08-15072	4.1	9,14	n/i	n/i	PI88788	n/i	N	N	N
S08-17361	4.9	9,14	n/i	n/i	PI88788	n/i	N	N	N
S08-2014	4.2	9,14	n/i	n/i	PI88788	n/i	Y	N	N
S08-4714	4.2	9,14	n/i	n/i	PI88788	n/i	Y	N	N
S08-8467	4.2	9,14	n/i	n/i	PI88788	n/i	Y	N	N
Schillinger 458.RCS	4.6	7	n/i	4	PI88788	5	Y	N	Y
Schillinger 478.RCS	4.7	7	n/i	4	PI88788	5	Y	N	Y
Schillinger 495.RC	4.9	7	n/i	4	PI88788	6	Y	N	N
Schillinger 4990.RC	4.9	7	n/i	4	PI88788	5	Y	N	N
Schillinger 557.RC	5.5	7	n/i	4	PI88788	4	Y	N	N

SS 09L.49N	4.9	7	n/i	2	n/i	2	N	Y	N
SS 10L.37N	3.7	7	rps1k	2	n/i	2	N	Y	N
SS 10L.39N	3.9	7	rps1c	2	n/i	1	N	Y	N
SS 10L.51N	5.1	7	n/i	2	n/i	2	N	Y	N
SS 11L.43N	4.3	7	n/i	2	n/i	2	N	Y	N
SS 12L.50N	5.0	7	n/i	2	n/i	2	N	Y	N
Stine 37RC82	3.7	7	rps1c	3	PI88788	3	Y	N	N
Stine 3923-4	3.9	7	rps1k	2	PI88788	3	Y	N	N
Stine 40RC32	4.0	7	rps1c	3	PI88788	3	Y	N	N
Stoddard	4.9	4	none	3	Hartwig	3	N	N	N
Stone 2R4102	4.1	1	none	6	PI88788	5	Y	N	N
Stone 2R4201	4.2	1	rps1a	5	PI88788	5	Y	N	N
Stone 2R4302	4.3	1	none	6	PI88788	4	Y	N	N
Stone 2R4402	4.4	1	rps1c	4	PI88788	4	Y	N	N
Stone 2R4500STS	4.5	1	none	5	none	2	Y	N	Y
Stone 2R4702	4.7	1	rps1c	5	PI88788	6	Y	N	N
Terrel REV 44R22	4.4	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 45R10	4.5	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 47R22	4.7	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 47R53	4.7	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 48R10	4.8	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 48R21	4.8	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 48R22	4.8	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 48R33	4.8	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 49R11	4.9	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 49R22	4.9	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 49R43	4.9	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 51R53	5.1	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
Terrel REV 55R21	5.5	1,9,14	n/i	n/i	n/i	n/i	Y	N	N
UA 4910	4.9	3	n/i	n/i	none	3	N	N	N
US Seeds HALO 4:65	4.6	9,14	rps1c	n/i	n/i	3	N	Y	N
US Seeds HALO 4:75	4.7	9,14	n/i	n/i	n/i	n/i	N	Y	N
US Seeds HALO 4:94	4.9	9,14	rps1k	n/i	n/i	4	N	Y	N
US Seeds HALO 5:25	5.2	9,14	n/i	n/i	n/i	4	N	Y	N
US Seeds HALO 5:65	5.6	9,14	n/i	n/i	n/i	3	N	Y	N
USG 74A79R	4.7	5,6	n/i	n/i	n/i	3	Y	N	Y
USG 74A91	4.9	5,6	rps1a	n/i	n/i	3	Y	N	N
USG 74G78	4.7	5,6	n/i	n/i	n/i	3	Y	N	N
V03-3650	5.3	none	none	n/i	n/i	5	N	N	N
V04-1022	5.0	none	none	n/i	n/i	n/i	N	N	N
Willcross 1137N LL	3.7	14	rps1k	1	n/i	1	N	Y	N
Willcross 2350NS	3.5	14	rps1c	1	n/i	2	Y	N	Y
Willcross 2381N	3.8	14	rps1k	1	n/i	2	Y	N	N

Willcross RY2321N	3.2	14	rps1c	1	n/i	1	Y	N	N
Willcross RY2342N	3.4	14	rps1k	1	PI88788	1	Y	N	N
Willcross RY2362N	3.6	14	rps1c	1	PI88788	1	Y	N	N
Willcross RY236Exp	3.6	14	rps1c	2	PI88788	1	Y	N	N
Willcross RY2383N	3.8	14	rps1c	1	PI88788	1	Y	N	N
Willcross RY2393N	3.9	14	rps1a	1	n/i	1	Y	N	N
Willcross RY2481N	4.8	14	n/i	n/i	n/i	n/i	Y	N	N
Willcross RY2482N	4.8	14	n/i	n/i	n/i	n/i	Y	N	N

[1] MG = maturity group; first digit is maturity group; second digit is relative maturity within the group.
[2] Seed treatments listed in table were applied by seed companies to seed entered into MU Variety Testing Program. Purchased seed may contain other seed treatments. See seed company representatives and seed labels for more information. 1= Acceleron, 2 = Allegiance, 3 = Apron, 4 = Apron Maxx, 5 = Apron XL, 6 = Cruiser, 7 = Cruiser max, 8 = Dynasty, 9 = Gaucho, 10 = Macho, 11 = Maxim, 12 = MetaStar, 13 = Roncona, 14 = Trilex, 15 = Vigor.
[3] Phyto = Phytophthora. Information in the "Gene" column identifies the presence of one of several possible genes that provide resistance to specific races of the fungus that causes Phytophthora root rot. Field tol. = field tolerance, a rating for the ability of the variety to perform in the presence of the fungus that causes Phytophthora root rot. "n/i" means the company did not provide information.
[4] Source of resistant to soybean cyst nematode. Peking = PI548402; Hartwig = PI437654. "n/i" means the company did not provide information.
[5] Rating for SDS (sudden death syndrome) resistance. "n/i" means the company did not provide information.
[6] There are several traits that confer herbicide tolerance to soybean varieties. "Y" in the "Gly" column means the variety possesses a glyphosate resistance trait (biotech). "Y" in the "Glu" column means the variety possesses a glufosinate resistance trait (biotech). A "Y" in the STS column means that the variety tolerates higher rates of some sulfonylurea herbicides (non-biotech). "n/i" means the company did not provide information. See seed company representatives for more information and check seed bag for registered trademarks of specific traits of interest.